

Audit Review Table			
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: Nc			
The Auditor lock has been applied to this			
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure
Effectiveness of Care: Prevention and Screening			
Adult BMI Assessment (aba)	Y		
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (wcc)	Y		
<i>BMI Percentile</i>			
<i>Counseling for Nutrition</i>			
<i>Counseling for Physical Activity</i>			
Childhood Immunization Status (cis)	Y		
<i>DTaP</i>			
<i>IPV</i>			
<i>MMR</i>			
<i>HiB</i>			
<i>Hepatitis B</i>			
<i>VZV</i>			
<i>Pneumococcal Conjugate</i>			
<i>Hepatitis A</i>			
<i>Rotavirus</i>			
<i>Influenza</i>			
<i>Combination #2</i>			
<i>Combination #3</i>			
<i>Combination #4</i>			
<i>Combination #5</i>			
<i>Combination #6</i>			
<i>Combination #7</i>			
<i>Combination #8</i>			
<i>Combination #9</i>			
<i>Combination #10</i>			
Immunizations for Adolescents (ima)	Y		
<i>Meningococcal</i>			
<i>Tdap/Td</i>			
<i>Combination #1</i>			
Lead Screening in Children (lsc)	Y		
Breast Cancer Screening (bcs)	Y		
Cervical Cancer Screening (ccs)	Y		N
Chlamydia Screening in Women (chl)	Y		
<i>16-20 Years</i>			
<i>21-24 Years</i>			
<i>Total</i>			
Effectiveness of Care: Respiratory Conditions			
Appropriate Testing for Children with Pharyngitis (cwp)	Y	Y	
Appropriate Treatment for Children With URI (uri)	Y	Y	
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (aab)	Y	Y	
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (spr)	Y		
Pharmacotherapy Management of COPD Exacerbation (pce)	Y	Y	
<i>Systemic Corticosteroid</i>			
<i>Bronchodilator</i>			

Use of Appropriate Medications for People With Asthma (asm)	Y	Y	
5-11 Years			
12-50 Years			
Total			
Effectiveness of Care: Cardiovascular			
Cholesterol Management for Patients With Cardiovascular Conditions (cmc)	Y		
LDL-C Screening Performed			
LDL-C Control (<100 mg/dL)			
Controlling High Blood Pressure (cbp)	Y		N
Persistence of Beta-Blocker Treatment After a Heart Attack (pbh)	Y	Y	
Effectiveness of Care: Diabetes			
Comprehensive Diabetes Care (cdc)	Y		
Hemoglobin A1c (HbA1c) Testing			
HbA1c Poor Control (>9.0%)			
HbA1c Control (<8.0%)			
HbA1c Control (<7.0%)			
Eye Exam (Retinal) Performed			
LDL-C Screening Performed			
LDL-C Control (<100 mg/dL)			
Medical Attention for Nephropathy			
Blood Pressure Control (<130/80 mm Hg)			
Blood Pressure Control (<140/90 mm Hg)			
Effectiveness of Care: Musculoskeletal			
Disease Modifying Anti-Rheumatic Drug therapy in Rheumatoid Arthritis (art)	Y	Y	
Use of Imaging Studies for Low Back Pain (lbp)	Y		
Effectiveness of Care: Behavioral Health			
Antidepressant Medication Management (amm)	Y	N	
Effective Acute Phase Treatment			
Effective Continuation Phase Treatment			
Follow-Up Care for Children Prescribed ADHD Medication (add)	Y	Y	
Initiation Phase			
Continuation and Maintenance (C&M) Phase			
Follow-Up After Hospitalization for Mental Illness (fuh)	Y	N	
30-Day Follow-Up			
7-Day Follow-Up			
Effectiveness of Care: Medication Management			
Annual Monitoring for Patients on Persistent Medications (mpm)	Y	Y	
ACE Inhibitors or ARBs			
Digoxin			
Diuretics			
Anticonvulsants			
Total			
Access/Availability of Care			
Adults' Access to Preventive/Ambulatory Health Services (aap)	Y		
20-44 Years			
45-64 Years			
65+ Years			

<i>Total</i>			
Children and Adolescents' Access to Primary Care Practitioners (cap)	Y		
<i>12-24 Months</i>			
<i>25 Months - 6 Years</i>			
<i>7-11 Years</i>			
<i>12-19 Years</i>			
Annual Dental Visit (adv)	Y	Y	
<i>2-3 Years</i>			
<i>4-6 Years</i>			
<i>7-10 Years</i>			
<i>11-14 Years</i>			
<i>15-18 Years</i>			
<i>19-21 Years</i>			
<i>Total</i>			
Initiation and Engagement of AOD Dependence Treatment (iet)	Y	N	
<i>Initiation of AOD Treatment: 13-17 Years</i>			
<i>Engagement of AOD Treatment: 13-17 Years</i>			
<i>Initiation of AOD Treatment: 18+ Years</i>			
<i>Engagement of AOD Treatment: 18+ Years</i>			
<i>Initiation of AOD Treatment: Total</i>			
<i>Engagement of AOD Treatment: Total</i>			
Prenatal and Postpartum Care (ppc)	Y		N
<i>Timeliness of Prenatal Care</i>			
<i>Postpartum Care</i>			
Call Answer Timeliness (cat)	Y		
Call Abandonment (cab)	Y		
Use of Services			
Frequency of Ongoing Prenatal Care (fpc)	Y		N
<i><21 Percent</i>			
<i>21-40 Percent</i>			
<i>41-60 Percent</i>			
<i>61-80 Percent</i>			
<i>81+ Percent</i>			
Well-Child Visits in the First 15 Months of Life (w15)	Y		
<i>0 Visits</i>			
<i>1 Visit</i>			
<i>2 Visits</i>			
<i>3 Visits</i>			
<i>4 Visits</i>			
<i>5 Visits</i>			
<i>6+ Visits</i>			
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (w34)	Y		
Adolescent Well-Care Visits (awc)	Y		
Frequency of Selected Procedures (fsp)	Y		
Ambulatory Care: Total (amba)	Y		
Ambulatory Care: Dual Eligibles (ambb)	Y		
Ambulatory Care: Disabled (ambc)	Y		
Ambulatory Care: Other (ambd)	Y		
Inpatient Utilization--General Hospital/Acute Care: Total (ipua)	Y		

Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (ipub)	Y		
Inpatient Utilization--General Hospital/Acute Care: Disabled (ipuc)	Y		
Inpatient Utilization--General Hospital/Acute Care: Other (ipud)	Y		
Inpatient Utilization--Nonacute Care: Total (nona)	Y		
Inpatient Utilization--Nonacute Care: Dual Eligibles (nonb)	Y		
Inpatient Utilization--Nonacute Care: Disabled (nonc)	Y		
Inpatient Utilization--Nonacute Care: Other (nond)	Y		
Identification of Alcohol and Other Drug Services: Total (iada)	Y	N	
Identification of Alcohol and Other Drug Services: Dual Eligibles (iadb)	Y	N	
Identification of Alcohol and Other Drug Services: Disabled (iadc)	Y	N	
Identification of Alcohol and Other Drug Services: Other (iadd)	Y	N	
Mental Health Utilization: Total (mpta)	Y	N	
Mental Health Utilization: Dual Eligibles (mptb)	Y	N	
Mental Health Utilization: Disabled (mptc)	Y	N	
Mental Health Utilization: Other (mptd)	Y	N	
Antibiotic Utilization: Total (abxa)	Y	Y	
Antibiotic Utilization: Dual Eligibles (abxb)	Y	Y	
Antibiotic Utilization: Disabled (abxc)	Y	Y	
Antibiotic Utilization: Other (abxd)	Y	Y	
Outpatient Drug Utilization: Total (orxa)	Y	Y	
Outpatient Drug Utilization: Dual Eligibles (orxb)	Y	Y	
Outpatient Drug Utilization: Disabled (orxc)	Y	Y	
Outpatient Drug Utilization: Other (orxd)	Y	Y	
Cost of Care			
Relative Resource Use for People With Diabetes (rdi)	Y		
<i>Inpatient Facility: Per Member Per Month</i>			
<i>E & M Inpatient: Per Member Per Month</i>			
<i>E & M Outpatient: Per Member Per Month</i>			
<i>Surgery Inpatient: Per Member Per Month</i>			
<i>Surgery Outpatient: Per Member Per Month</i>			
<i>Pharmacy: Per Member Per Month</i>			
<i>Inpatient Facility Discharges per 1,000 Member Years</i>			
<i>ED Visits per 1,000 Member Years</i>			
Relative Resource Use for People With Asthma (ras)	Y	Y	
<i>Inpatient Facility: Per Member Per Month</i>			
<i>E & M Inpatient: Per Member Per Month</i>			
<i>E & M Outpatient: Per Member Per Month</i>			
<i>Surgery Inpatient: Per Member Per Month</i>			
<i>Surgery Outpatient: Per Member Per Month</i>			
<i>Pharmacy: Per Member Per Month</i>			
<i>Inpatient Facility Discharges per 1,000 Member Years</i>			
<i>ED Visits per 1,000 Member Years</i>			

Relative Resource Use for People With Acute Lower Back Pain (rlb)	Y		
<i>Inpatient Facility: Per Member Per Month</i>			
<i>E & M Inpatient: Per Member Per Month</i>			
<i>E & M Outpatient: Per Member Per Month</i>			
<i>Surgery Inpatient: Per Member Per Month</i>			
<i>Surgery Outpatient: Per Member Per Month</i>			
<i>Pharmacy: Per Member Per Month</i>			
<i>Inpatient Facility Discharges per 1,000 Member Years</i>			
<i>ED Visits per 1,000 Member Years</i>			
<i>MRIs per 1,000 Member Years</i>			
Relative Resource Use for People With Cardiovascular Conditions (rca)	Y		
<i>Inpatient Facility: Per Member Per Month</i>			
<i>E & M Inpatient: Per Member Per Month</i>			
<i>E & M Outpatient: Per Member Per Month</i>			
<i>Surgery Inpatient: Per Member Per Month</i>			
<i>Surgery Outpatient: Per Member Per Month</i>			
<i>Pharmacy: Per Member Per Month</i>			
<i>Inpatient Facility Discharges per 1,000 Member Years</i>			
<i>ED Visits per 1,000 Member Years</i>			
Relative Resource Use for People With Hypertension (rhy)	Y		
<i>Inpatient Facility: Per Member Per Month</i>			
<i>E & M Inpatient: Per Member Per Month</i>			
<i>E & M Outpatient: Per Member Per Month</i>			
<i>Surgery Inpatient: Per Member Per Month</i>			
<i>Surgery Outpatient: Per Member Per Month</i>			
<i>Pharmacy: Per Member Per Month</i>			
<i>Inpatient Facility Discharges per 1,000 Member Years</i>			
<i>ED Visits per 1,000 Member Years</i>			
Relative Resource Use for People With COPD (rco)	Y		
<i>Inpatient Facility: Per Member Per Month</i>			
<i>E & M Inpatient: Per Member Per Month</i>			
<i>E & M Outpatient: Per Member Per Month</i>			
<i>Surgery Inpatient: Per Member Per Month</i>			
<i>Surgery Outpatient: Per Member Per Month</i>			
<i>Pharmacy: Per Member Per Month</i>			
<i>Inpatient Facility Discharges per 1,000 Member Years</i>			
<i>ED Visits per 1,000 Member Years</i>			
Health Plan Descriptive Information			
Board Certification (bcr)	Y		
Enrollment by Product Line: Total (enpa)	Y		
Enrollment by Product Line: Dual Eligibles (enpb)	Y		
Enrollment by Product Line: Disabled (enpc)	Y		
Enrollment by Product Line: Other (enpd)	Y		
Enrollment by State (ebs)	Y		
Race/Ethnicity Diversity of Membership (rdm)	Y		
Language Diversity of Membership (ldm)	Y		
Weeks of Pregnancy at Time of Enrollment in MCO (wop)	Y		N

Health Plan Stability			
Total Membership (t1m)	Y		

ne)		
submission.		
Rate	Reportable	Comment
34.49%	R	Reportable
12.96%	R	Reportable
36.57%	R	Reportable
26.62%	R	Reportable
84.03%	R	Reportable
92.13%	R	Reportable
92.59%	R	Reportable
96.76%	R	Reportable
91.67%	R	Reportable
91.67%	R	Reportable
82.87%	R	Reportable
27.55%	R	Reportable
56.25%	R	Reportable
49.54%	R	Reportable
79.17%	R	Reportable
76.39%	R	Reportable
23.61%	R	Reportable
49.07%	R	Reportable
44.44%	R	Reportable
15.28%	R	Reportable
14.81%	R	Reportable
32.18%	R	Reportable
11.34%	R	Reportable
50.69%	R	Reportable
71.06%	R	Reportable
47.45%	R	Reportable
26.85%	R	Reportable
49.49%	R	Reportable
66.12%	R	Reportable
46.35%	R	Reportable
58.66%	R	Reportable
50.20%	R	Reportable
60.41%	R	Reportable
86.76%	R	Reportable
18.03%	R	Reportable
23.22%	R	Reportable
66.98%	R	Reportable
88.68%	R	Reportable

90.40%	R	Reportable
78.29%	R	Reportable
84.09%	R	Reportable
78.11%	R	Reportable
42.01%	R	Reportable
54.20%	R	Reportable
NA	R	Denominator fewer than 30
84.55%	R	Reportable
44.97%	R	Reportable
46.18%	R	Reportable
34.29%	R	Reportable
55.56%	R	Reportable
73.09%	R	Reportable
30.90%	R	Reportable
73.78%	R	Reportable
34.72%	R	Reportable
58.51%	R	Reportable
78.57%	R	Reportable
77.31%	R	Reportable
NB	R	Required benefit not offered
NB	R	Required benefit not offered
33.51%	R	Reportable
36.13%	R	Reportable
NB	R	Required benefit not offered
NB	R	Required benefit not offered
85.19%	R	Reportable
NA	R	Denominator fewer than 30
86.61%	R	Reportable
68.70%	R	Reportable
82.64%	R	Reportable
86.82%	R	Reportable
87.71%	R	Reportable
83.62%	R	Reportable

	R	Reportable

Adult BMI Assessment (ABA)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative or hybrid)	H
Eligible population	12541
Number of numerator events by administrative data in eligible population (before exclusions)	260
Current year's administrative rate (before exclusions)	2.07%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.05
Final sample size (FSS)	432
Number of numerator events by administrative data in FSS	11
Administrative rate on FSS	2.55%
Number of original sample records excluded because of valid data errors	0
Number of administrative data records excluded	0
Number of medical records excluded	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	432
Numerator events by administrative data	11
Numerator events by medical records	138
Reported rate	34.49%
Lower 95% confidence interval	29.89%
Upper 95% confidence interval	39.09%

Weight Assessment and Counseling for Nutrition and Physical Activity for Children

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	BMI Percentile			Counseling for Nut	
	3-11 years	12-17 years	Total	3-11 years	12-17 years
Measurement year	2009			2009	
Data collection methodology (administrative or hybrid)	H			H	
Eligible population	43610	21938	65,548	43610	21938
Number of numerator events by administrative data in eligible population (before exclusions)	125	151	276	173	185
Current year's administrative rate (before exclusions)	0.29%	0.69%	0.42%	0.40%	0.84%
Minimum required sample size (MRSS) or other sample size	411			411	
Oversampling rate	0.05			0.05	
Final sample size	432			432	
Number of numerator events by administrative data in FSS	2	0	2	2	1
Administrative rate on FSS	0.46%	0.00%	0.46%	0.46%	0.23%
Number of original sample records excluded because of valid data errors	0			0	
Number of administrative data records excluded	0			0	
Number of medical records excluded	0			0	
Number of employee/dependent medical records excluded	0			0	
Records added from the oversample list	0			0	
Denominator	278	154	432	278	154
Numerator events by administrative data	2	0	2	2	1
Numerator events by medical records	26	28	54	105	50
Reported rate	10.07%	18.18%	12.96%	38.49%	33.12%
Lower 95% confidence interval	6.35%	11.77%	9.68%	32.59%	25.36%
Upper 95% confidence interval	13.79%	24.60%	16.25%	44.39%	40.87%

n/Adolescents (WCC)			
Categorization	Counseling for Physical Activity		
	Total	3-11 years	12-17 years
	2009		
	H		
65,548	43610	21938	65,548
358	5	17	22
0.55%	0.01%	0.08%	0.03%
	411		
	0.05		
	432		
3	0	0	0
0.69%	0.00%	0.00%	0.00%
	0		
	0		
	0		
	0		
	0		
432	278	154	432
3	0	0	0
155	70	45	115
36.57%	25.18%	29.22%	26.62%
31.92%	19.90%	21.71%	22.34%
41.23%	30.46%	36.73%	30.90%

Childhood Immunization Status (CIS)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	DTaP	IPV	MMR	HiB
Measurement year	2009				
Data collection methodology (administrative or hybrid)	H				
Eligible population	5375				
Number of numerator events by admin data in eligible population (before exclusions)		2044	2665	4077	3846
Current year's administrative rate (before exclusions)		38.03%	49.58%	75.85%	71.55%
Minimum required sample size (MRSS) or other sample Size	411				
Oversampling rate	0.05				
Final sample size	432				
Number of numerator events by admin data in FSS		157	217	329	316
Administrative rate on FSS		36.34%	50.23%	76.16%	73.15%
Number of original records excluded because of valid data errors	0				
Number of administrative data records excluded	0				
Number of medical data records excluded	0				
Number of employee/dependent medical records excluded	0				
Records added from the oversample list	0				
Denominator	432				
Numerator events by administrative data		157	217	329	316
Number of numerator events by medical records		206	181	71	102
Reported rate		84.03%	92.13%	92.59%	96.76%
Lower 95% confidence interval		80.46%	89.47%	90.01%	94.97%
Upper 95% confidence interval		87.60%	94.78%	95.18%	98.54%

Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza	Combinatio n 2	Combinatio n 3
2035	4042	1992	998	1620	1792	1305	1152
37.86%	75.20%	37.06%	18.57%	30.14%	33.34%	24.28%	21.43%
166	329	161	77	116	170	103	93
38.43%	76.16%	37.27%	17.82%	26.85%	39.35%	23.84%	21.53%
166	329	161	77	116	170	103	93
230	67	197	42	127	44	239	237
91.67%	91.67%	82.87%	27.55%	56.25%	49.54%	79.17%	76.39%
88.94%	88.94%	79.20%	23.22%	51.46%	44.71%	75.22%	72.27%
94.39%	94.39%	86.54%	31.87%	61.04%	54.37%	83.11%	80.51%

Combinatio n 4	Combinatio n 5	Combinatio n 6	Combinatio n 7	Combinatio n 8	Combinatio n 9	Combinatio n 10
278	722	563	175	167	410	122
5.17%	13.43%	10.47%	3.26%	3.11%	7.63%	2.27%
18	52	48	12	8	35	7
4.17%	12.04%	11.11%	2.78%	1.85%	8.10%	1.62%
18	52	48	12	8	35	7
84	160	144	54	56	104	42
23.61%	49.07%	44.44%	15.28%	14.81%	32.18%	11.34%
19.49%	44.24%	39.64%	11.77%	11.35%	27.65%	8.24%
27.73%	53.90%	49.25%	18.79%	18.28%	36.70%	14.45%

Immunizations for Adolescents (IMA)				
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)				
Data Element	General Measure Data	Meningococcal	Tdap/Td	Combination 1
Measurement year	2009			
Data collection methodology (administrative or hybrid)	H			
Eligible population	4540			
Number of numerator events by admin data in eligible population (before exclusions)		1753	2348	1488
Current year's administrative rate (before exclusions)		38.61%	51.72%	32.78%
Minimum required sample size (MRSS) or other sample Size	411			
Oversampling rate	0.05			
Final sample size	432			
Number of numerator events by admin data in FSS		154	206	127
Administrative rate on FSS		35.65%	47.69%	29.40%
Number of original records excluded because of valid data errors	0			
Number of administrative data records excluded	0			
Number of medical data records excluded	0			
Number of employee/dependent medical records excluded	0			
Records added from the oversample list	0			
Denominator	432			
Numerator events by administrative data		154	206	127
Number of numerator events by medical records		65	101	78
Reported rate		50.69%	71.06%	47.45%
Lower 95% confidence interval		45.86%	66.67%	42.63%
Upper 95% confidence interval		55.52%	75.46%	52.28%

Lead Screening in Children (LSC)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Lead Screening in Children	
Data Elements which do not apply to the selected data collection methodology will not appear	General Measure Data
Measurement year	2009
Data collection methodology (administrative or hybrid)	H
Eligible population	5375
Number of numerator events by admin data in eligible population (before exclusions)	1128
Current year's administrative rate (before exclusions)	20.99%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.05
Final sample size (FSS)	432
Number of numerator events by administrative data in FSS	109
Administrative rate on FSS	25.23%
Number of original sample records excluded because of valid data errors	0
Number of administrative data records excluded	0
Number of medical data records excluded	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	432
Numerator events by administrative data	109
Numerator events by medical records	7
Reported rate	26.85%
Lower 95% confidence interval	22.56%
Upper 95% confidence interval	31.15%

Breast Cancer Screening (BCS)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	General Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	2835
Numerator events by administrative data	1403
Reported rate	49.49%
Lower 95% confidence interval	47.63%
Upper 95% confidence interval	51.35%

Cervical Cancer Screening (CCS)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative or hybrid)	H
Eligible population	11288
Number of numerator events by administrative data in eligible population (before exclusions)	7149
Current year's administrative rate (before exclusions)	63.33%
Minimum required sample size (MRSS) or other sample size	354
Oversampling rate	0.05
Final sample size (FSS)	372
Number of numerator events by administrative data in FSS	226
Administrative rate on FSS	60.75%
Number of original sample records excluded because of valid data errors	0
Number of administrative data records excluded	0
Number of medical data records excluded	3
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	369
Numerator events by administrative data	226
Numerator events by medical records	18
Reported rate	66.12%
Lower 95% confidence interval	61.16%
Upper 95% confidence interval	71.09%

Chlamydia Screening in Women (CHL)				
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)				
Data Element	General Measure Data	16-20 years	21-24 years	Total
Measurement year	2009			
Data collection methodology (administrative)	A			
Eligible population		4382	1991	6,373
Numerator events by administrative data		2031	1168	3,199
Reported rate		46.35%	58.66%	50.20%
Lower 95% confidence interval		44.86%	56.48%	48.96%
Upper 95% confidence interval		47.84%	60.85%	51.43%

Appropriate Testing for Children with Pharyngitis (CWP)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	5542
Numerator events by administrative data	3348
Reported rate	60.41%
Lower 95% confidence interval	59.11%
Upper 95% confidence interval	61.71%

Appropriate Treatment for Children With URI (URI)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	11890
Numerator events by administrative data	1574
Reported rate	86.76%
Lower 95% confidence interval	86.15%
Upper 95% confidence interval	87.38%

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	821
Total numerator events by administrative data	673
Reported rate	18.03%
Lower 95% confidence interval	15.34%
Upper 95% confidence interval	20.72%

Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	211
Numerator events by administrative data	49
Reported rate	23.22%
Lower 95% confidence interval	17.29%
Upper 95% confidence interval	29.16%

Pharmacotherapy Management of COPD Exacerbation (PCE)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Pharmacotherapy Management of COPD Exacerbation

Data Elements	Measure Data	Systemic corticosteroid	Bronchodilator
Measurement year	2009		
Data collection methodology (administrative)	A		
Eligible population	106		
Exclusions based on direct transfers to another facility*	22		
Exclusions based on readmissions*	36		
Numerator events by administrative data		71	94
Reported rate		66.98%	88.68%
Lower 95% confidence interval		57.56%	82.18%
Upper 95% confidence interval		76.41%	95.18%

* Reporting this additional data element is optional in IDSS.

Use of Appropriate Medications for People With Asthma (ASM)				
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)				
Data Element	General Measure Data	5-11 years	12-50 years	Total
Measurement year	2009			
Data collection methodology (administrative)	A			
Eligible population		1042	1133	2,175
Numerator events by administrative data		942	887	1,829
Reported rate		90.40%	78.29%	84.09%
Lower 95% confidence interval		88.57%	75.84%	82.53%
Upper 95% confidence interval		92.24%	80.73%	85.65%

Cholesterol Management for Patients With Cardiovascular Conditions (CMC)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	LDL-C Screening	LDL-C level <100 mg/dL
Measurement year	2009		
Data collection methodology (administrative or hybrid)	H		
Eligible population	169		
Number of numerator events by administrative data in eligible population (before exclusions)		130	36
Current year's administrative rate (before exclusions)		76.92%	21.30%
Minimum required sample size (MRSS) or other sample size	169		
Oversampling rate	0.05		
Final sample size (FSS)	169		
Number of numerator events by administrative data in FSS		130	39
Administrative rate on FSS		76.92%	23.08%
Number of original sample records excluded because of valid data errors	0		
Number of employee/dependent medical records excluded	0		
Records added from the oversample list	0		
Denominator	169		
Numerator events by administrative data		130	39
Numerator events by medical records		2	32
Reported rate		78.11%	42.01%
Lower 95% confidence interval		71.58%	34.27%
Upper 95% confidence interval		84.64%	49.75%

Controlling High Blood Pressure (CBP)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	General Measure Data
Measurement year	2009
Data collection methodology (hybrid)	H
Eligible population	1980
Number of numerator events by administrative data in eligible population (before exclusions)	0
Current year's administrative rate (before exclusions)	0.00%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.05
Final sample size (FSS)	432
Number of numerator events by administrative data in FSS	0
Administrative rate on FSS	0.00%
Number of original sample records excluded because of valid data errors	15
Number of records excluded because of false positive diagnoses	15
Number of administrative data records excluded	0
Number of medical data records excluded	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	417
Numerator events by administrative data	0
Numerator events by medical records	226
Reported rate	54.20%
Lower 95% confidence interval	49.29%
Upper 95% confidence interval	59.10%

Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	20
Numerator events by administrative data	16
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Comprehensive Diabetes Care (CDC)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	HbA1c Testing	HbA1c Poor Control (>9.0%)	HbA1c Control (<8.0%)	HbA1c Control (<7.0%) for a Selected Population	Eye Exam
Measurement year	2009	2009	2009	2009	2009
Data collection methodology (administrative or hybrid)	H	H	H	H	H
Eligible population	1908	1908	1908	1435	1908
Number of numerator events by administrative data in eligible population (before exclusions)	1515	1435	395	221	808
Current year's administrative rate (before exclusions)	79.40%	75.21%	20.70%	15.40%	42.35%
Minimum required sample size (MRSS) or other sample size	548	548	548	548	548
Oversampling rate	0.05	0.05	0.05	0.05	0.05
Final sample size (FSS)	576	576	576	576	576
Number of numerator events by administrative data in FSS	461	451	104	52	242
Administrative rate on FSS	80.03%	78.30%	18.06%	9.03%	42.01%
Number of original sample records excluded because of valid data errors	0	0	0	156	0
Number of administrative data records excluded	0	0	0	0	0
Number of medical data records excluded	0	0	0	0	0
Number of administrative HbA1C <7 required exclusions				146	
Number of hybrid HbA1C <7 required exclusions				10	
Number of employee/dependent medical records excluded	0	0	0	0	0
Records added from the oversample list	0	0	0	0	0
Denominator	576	576	576	420	576
Numerator events by administrative data	461	197	104	52	242
Numerator events by medical records	26	62	162	92	78
Reported rate	84.55%	44.97%	46.18%	34.29%	55.56%
Lower 95% confidence interval	81.51%	40.82%	42.02%	29.63%	51.41%
Upper 95% confidence interval	87.59%	49.11%	50.34%	38.94%	59.70%

LDL-C Screening	LDL-C Level <100 mg/dL	Medical Attention for Nephropathy	Blood Pressure Controlled <130/80 mm Hg	Blood Pressure Controlled <140/90 mm Hg
2009	2009	2009	2009	2009
H	H	H	H	H
1908	1908	1908	1908	1908
1319	325	1289	1	1
69.13%	17.03%	67.56%	0.05%	0.05%
548	548	548	548	548
0.05	0.05	0.05	0.05	0.05
576	576	576	576	576
400	75	396	0	0
69.44%	13.02%	68.75%	0.00%	0.00%
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
576	576	576	576	576
400	75	396	0	0
21	103	29	200	337
73.09%	30.90%	73.78%	34.72%	58.51%
69.38%	27.04%	70.11%	30.75%	54.40%
76.80%	34.76%	77.46%	38.70%	62.62%

Disease Modifying Anti-Rheumatic Drug therapy in Rheumatoid Arthritis (ART)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	112
Numerator events by administrative data	88
Reported rate	78.57%
Lower 95% confidence interval	70.53%
Upper 95% confidence interval	86.62%

Use of Imaging Studies for Low Back Pain (LBP)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	974
Numerator events by administrative data	221
Reported rate	77.31%
Lower 95% confidence Interval	74.63%
Upper 95% confidence Interval	79.99%

Antidepressant Medication Management (AMM)			
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)			
Data Element	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement year	NR		
Data collection methodology (administrative)	NR		
Eligible population	NR		
Numerator events by administrative data		NR	NR
Reported rate		NR	NR
Lower 95% confidence interval		NR	NR
Upper 95% confidence interval		NR	NR

Follow-Up Care for Children Prescribed ADHD Medication (ADD)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement year	2009		
Data collection methodology (administrative)	A		
Eligible population		758	155
Numerator events by administrative data		254	56
Reported rate		33.51%	36.13%
Lower 95% confidence interval		30.08%	28.24%
Upper 95% confidence interval		36.94%	44.01%

Follow-Up After Hospitalization for Mental Illness (FUH)			
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)			
Data Element	General Measure Data	30-day follow-up	7-day follow-up
Measurement year	NR		
Data collection methodology (administrative)	NR		
Eligible population	NR		
Numerator events by administrative data		NR	NR
Reported rate		NR	NR
Lower 95% confidence interval		NR	NR
Upper 95% confidence interval		NR	NR

Annual Monitoring for Patients on Persistent Medications (MPM)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants
Measurement year	2009				
Data collection methodology (administrative)	A				
Eligible population		1236	28	881	476
Numerator events by administrative data		1053	23	763	327
Reported rate		85.19%	NA	86.61%	68.70%
Lower 95% confidence interval		83.17%	NA	84.30%	64.43%
Upper 95% confidence interval		87.21%	NA	88.91%	72.97%

Total
2,621
2,166
82.64%
81.17%
84.11%

Adults' Access to Preventive/Ambulatory Health Services (AAP)					
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)					
Data Element	General Measure Data	20-44 years	45-64 years	65+ years	Total
Measurement year	2009				
Data collection methodology (administrative)	A				
Eligible population		13903	4835	232	18,970
Numerator events by administrative data		12071	4241	194	16,506
Reported rate		86.82%	87.71%	83.62%	87.01%
Lower 95% confidence interval		86.26%	86.78%	78.64%	86.53%
Upper 95% confidence interval		87.39%	88.65%	88.60%	87.49%

Children and Adolescents' Access to Primary Care Practitioners (CAP)					
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)					
Data Element	General Measure Data	12-24 months	25 months - 6 years	7-11 years	12-19 years
Measurement year	2009				
Data collection methodology (administrative)	A				
Eligible population		6048	30034	22052	26315
Numerator events by administrative data		5935	27115	20506	24042
Reported rate		98.13%	90.28%	92.99%	91.36%
Lower 95% confidence interval		97.78%	89.94%	92.65%	91.02%
Upper 95% confidence interval		98.48%	90.62%	93.33%	91.70%

Annual Dental Visit (ADV)					
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)					
Data Element	Measure Data	2-3 Years	4-6 Years	7-10 Years	11-14 Years
Measurement year	2009				
Data collection methodology (administrative)	A				
Eligible population		12734	17831	21915	19062
Numerator events by administrative data		6238	12999	17108	13506
Reported rate		48.99%	72.90%	78.07%	70.85%
Lower 95% confidence interval		48.11%	72.25%	77.52%	70.21%
Upper 95% confidence interval		49.86%	73.56%	78.62%	71.50%

15-18 Years	19-21 Years	Total
17180	2317	91,039
10009	916	60,776
58.26%	39.53%	66.76%
57.52%	37.52%	66.45%
59.00%	41.55%	67.06%

Initiation and Engagement of AOD Dependence Treatment (IET)					
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)					
Data Elements	General Measure Data	13-17 years		18+ years	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement year	NR				
Data collection methodology (administrative)	NR				
Eligible population		NR		NR	
Numerator events by administrative data		NR	NR	NR	NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

Total	
Initiation of AOD Treatment	Engagement of AOD Treatment
NR	
NR	NR
NR	NR
NR	NR
NR	NR

Prenatal and Postpartum Care (PPC)		
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)		
Data Element	Timeliness of Prenatal Care	Postpartum Care
Measurement year	2009	2009
Data collection methodology (administrative or hybrid)	H	H
Eligible population	4429	4429
Number of numerator events by administrative data in eligible population (before exclusions)	1656	1488
Current year's administrative rate (before exclusions)	37.39%	33.60%
Minimum required sample size (MRSS) or other sample size	411	411
Oversampling rate	0.05	0.05
Final sample size (FSS)	432	432
Number of numerator events by administrative data in FSS	175	150
Administrative rate on FSS	40.51%	34.72%
Number of original sample records excluded because of valid data errors	2	2
Number of employee/dependent medical records excluded	0	0
Records added from the oversample list	0	0
Denominator	430	430
Numerator events by administrative data	175	150
Numerator events by medical records	173	110
Reported rate	80.93%	60.47%
Lower 95% confidence interval	77.10%	55.73%
Upper 95% confidence interval	84.76%	65.20%

Call Answer Timeliness (CAT)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	103635
Numerator events by administrative data	89423
Reported rate	86.29%
Lower 95% confidence interval	86.08%
Upper 95% confidence interval	86.50%

Call Abandonment (CAB)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	103635
Numerator events by administrative data	1731
Reported rate	1.67%
Lower 95% confidence interval	1.59%
Upper 95% confidence interval	1.75%

Frequency of Ongoing Prenatal Care (FPC)					
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)					
Data Element	General Measure Data	<21 Percent	21-40 Percent	41-60 Percent	61-80 Percent
Measurement year	2009				
Data collection methodology (administrative or hybrid)	H				
Eligible population	4429				
Number of numerator events by administrative data in eligible population (before exclusions)		2682	977	395	184
Current year's administrative rate (before exclusions)		60.56%	22.06%	8.92%	4.15%
Minimum required sample size (MRSS) or other sample size	411				
Oversampling rate	0.05				
Final sample size (FSS)	432				
Number of numerator events by administrative data in FSS		259	103	34	15
Administrative rate on FSS		59.95%	23.84%	7.87%	3.47%
Number of original sample records excluded because of valid data errors	2				
Number of employee/dependent medical records excluded	0				
Records added from the oversample list	0				
Denominator	430				
Numerator events by administrative data		53	25	15	3
Numerator events by medical records		3	9	13	53
Reported rate		13.02%	7.91%	6.51%	13.02%
Lower 95% confidence interval		9.73%	5.24%	4.06%	9.73%
Upper 95% confidence interval		16.32%	10.57%	8.96%	16.32%

81+ Percent
191
4.31%
21
4.86%
23
233
59.53%
54.78%
64.29%

Well-Child Visits in the First 15 Months of Life (W15)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data	0 visits	1 visit	2 visits	3 visits
Measurement year	2009				
Data collection methodology (administrative or hybrid)	H				
Eligible population	4843				
Number of numerator events by administrative data in eligible population (before exclusions)		57	112	216	405
Current year's administrative rate (before exclusions)		1.18%	2.31%	4.46%	8.36%
Minimum required sample size (MRSS) or other sample size	398				
Oversampling rate	0.05				
Final sample size (FSS)	418				
Number of numerator events by administrative data in FSS		5	11	23	41
Administrative rate on FSS		1.20%	2.63%	5.50%	9.81%
Number of original sample records excluded because of valid data errors	0				
Number of employee/dependent medical records excluded	0				
Records added from the oversample list	0				
Denominator	418				
Numerator events by administrative data		3	4	12	23
Numerator events by medical records		0	0	1	11
Reported rate		0.72%	0.96%	3.11%	8.13%
Lower 95% confidence interval		0.00%	0.00%	1.33%	5.39%
Upper 95% confidence interval		1.65%	2.01%	4.89%	10.87%

4 visits	5 visits	6 or more visits
784	1007	2262
16.19%	20.79%	46.71%
56	95	187
13.40%	22.73%	44.74%
29	55	187
11	22	60
9.57%	18.42%	59.09%
6.63%	14.59%	54.26%
12.51%	22.26%	63.92%

Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative or hybrid)	H
Eligible population	24104
Number of numerator events by administrative data in eligible population (before exclusions)	14103
Current year's administrative rate (before exclusions)	58.51%
Minimum required sample size (MRSS) or other sample size	360
Oversampling rate	0.05
Final sample size (FSS)	378
Number of numerator events by administrative data in FSS	219
Administrative rate on FSS	57.94%
Number of original sample records excluded because of valid data errors	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	378
Numerator events by administrative data	219
Numerator events by medical records	9
Reported rate	60.32%
Lower 95% confidence interval	55.25%
Upper 95% confidence interval	65.38%

Adolescent Well-Care Visits (AWC)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative or hybrid)	H
Eligible population	33498
Number of numerator events by administrative data in eligible population (before exclusions)	12774
Current year's administrative rate (before exclusions)	38.13%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.05
Final sample size (FSS)	432
Number of numerator events by administrative data in FSS	153
Administrative rate on FSS	35.42%
Number of original sample records excluded because of valid data errors	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	432
Numerator events by administrative data	153
Numerator events by medical records	22
Reported rate	40.51%
Lower 95% confidence interval	35.76%
Upper 95% confidence interval	45.25%

Frequency of Selected Procedures (FSP)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Male	Female	Total	
0-4			449,335	
0-9			851,107	
5-19			999,024	
10-19			597,252	
15-44		334,329		
20-44	58,991	200,341		
30-64	61,463			
45-64	30,337	42,600		

Procedure	Age	Sex	Number of Procedures	Procedures / 1,000 Member Months
Myringotomy	0-4	Male & Female	1181	2.63
	5-19		324	0.32
Tonsillectomy	0-9	Male & Female	658	0.77
	10-19		311	0.52
Dilation & Curettage	15-44	Female	48	0.14
	45-64		5	0.12
Hysterectomy, Abdominal	15-44	Female	83	0.25
	45-64		32	0.75
Hysterectomy, Vaginal	15-44	Female	78	0.23
	45-64		18	0.42
Cholecystectomy, Open	30-64	Male	3	0.05
	15-44	Female	7	0.02
	45-64		2	0.05
Cholecystectomy, Closed (laparoscopic)	30-64	Male	26	0.42
	15-44	Female	317	0.95
	45-64		25	0.59
Back Surgery	20-44	Male	28	0.47
		Female	36	0.18
	45-64	Male	17	0.56
		Female	20	0.47
Mastectomy	15-44	Female	7	0.02
	45-64		5	0.12
Lumpectomy	15-44	Female	40	0.12
	45-64		18	0.42

Ambulatory Care: Total (AMBA)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months				
<1	88,895				
1-9	762,212				
10-19	597,252				
20-44	259,332				
45-64	72,937				
65-74	2,488				
75-84	306				
85+	80				
Unknown	0				
Total	1,783,502				
Age	Outpatient Visits		ED Visits		Ambu Surgery/P
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures
<1	74115	833.74	6620	74.47	574
1-9	240836	315.97	27465	36.03	3605
10-19	156414	261.89	20871	34.95	3880
20-44	115527	445.48	21446	82.70	7347
45-64	49603	680.08	5358	73.46	2313
65-74	1611	647.51	107	43.01	62
75-84	187	611.11	6	19.61	5
85+	32	400.00	0	0.00	1
Unknown	0		0		0
Total	638,325	357.91	81,873	45.91	17,787

Laboratory Procedures	Observation Room Stays Resulting in Discharge	
	Procedures/ 1,000 Member Months	Stays
6.46	150	1.69
4.73	288	0.38
6.50	377	0.63
28.33	686	2.65
31.71	82	1.12
24.92	0	0.00
16.34	0	0.00
12.50	0	0.00
	0	
9.97	1,583	0.89

Ambulatory Care: Dual Eligibles (AMBB)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months				
<1	NR				
1-9	NR				
10-19	NR				
20-44	NR				
45-64	NR				
65-74	NR				
75-84	NR				
85+	NR				
Unknown	NR				
Total	NR				
Age	Outpatient Visits		ED Visits		Ambu Surgery/P
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures
<1	0	NR	0	NR	0
1-9	0	NR	0	NR	0
10-19	0	NR	0	NR	0
20-44	0	NR	0	NR	0
45-64	0	NR	0	NR	0
65-74	0	NR	0	NR	0
75-84	0	NR	0	NR	0
85+	0	NR	0	NR	0
Unknown	0		0		0
Total	0	NR	0	NR	0

Surgical Procedures	Observation Room Stays Resulting in Discharge	
	Procedures/ 1,000 Member Months	Stays
NR	0	NR
NR	0	NR
NR	0	NR
NR	0	NR
NR	0	NR
NR	0	NR
NR	0	NR
NR	0	NR
	0	
NR	0	NR

Ambulatory Care: Disabled (AMBC)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months				
<1	456				
1-9	21,106				
10-19	32,728				
20-44	45,256				
45-64	53,724				
65-74	2,471				
75-84	303				
85+	80				
Unknown	NR				
Total	156,124				
Age	Outpatient Visits		ED Visits		Ambu Surgery/P
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures
<1	705	1,546.05	42	92.11	25
1-9	12071	571.92	1053	49.89	566
10-19	12850	392.63	1715	52.40	498
20-44	23228	513.26	4722	104.34	900
45-64	39339	732.24	4295	79.95	1880
65-74	1587	642.25	106	42.90	62
75-84	182	600.66	5	16.50	5
85+	32	400.00	0	0.00	1
Unknown	0		0		0
Total	89,994	576.43	11,938	76.46	3,937

Laboratory Procedures	Observation Room Stays Resulting in Discharge	
	Procedures/ 1,000 Member Months	Stays
54.82	6	13.16
26.82	42	1.99
15.22	20	0.61
19.89	55	1.22
34.99	76	1.41
25.09	0	0.00
16.50	0	0.00
12.50	0	0.00
	0	
25.22	199	1.27

Ambulatory Care: Other (AMBD)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months				
<1	88,438				
1-9	741,105				
10-19	562,445				
20-44	196,208				
45-64	19,163				
65-74	17				
75-84	3				
85+	0				
Unknown	0				
Total	1,607,379				

Age	Outpatient Visits		ED Visits		Ambu Surgery/P
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures
<1	73410	830.07	6578	74.38	549
1-9	228765	308.68	26412	35.64	3039
10-19	142545	253.44	19013	33.80	3091
20-44	84120	428.73	15943	81.26	4497
45-64	10208	532.69	1061	55.37	431
65-74	24	1,411.76	1	58.82	0
75-84	5	1,666.67	1	333.33	0
85+	0	NA	0	NA	0
Unknown	0		0		0
Total	539,077	335.38	69,009	42.93	11,607

Laboratory Procedures	Observation Room Stays Resulting in Discharge	
	Procedures/ 1,000 Member Months	Stays
6.21	144	1.63
4.10	246	0.33
5.50	300	0.53
22.92	382	1.95
22.49	6	0.31
0.00	0	0.00
0.00	0	0.00
NA	0	NA
	0	
7.22	1,078	0.67

Inpatient Utilization--General Hospital/Acute Care: Total (IPUA)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months
<1	88,895
1-9	762,212
10-19	597,252
20-44	259,332
45-64	72,937
65-74	2,488
75-84	306
85+	80
Unknown	0
Total	1,783,502

Total Inpatient

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	918	10.33	3976	44.73	4.33
1-9	1702	2.23	5644	7.40	3.32
10-19	2416	4.05	6499	10.88	2.69
20-44	6013	23.19	16972	65.45	2.82
45-64	1429	19.59	6343	86.97	4.44
65-74	46	18.49	191	76.77	4.15
75-84	10	32.68	26	84.97	2.60
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	12,534	7.03	39,651	22.23	3.16

Medicine

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	770	8.66	2676	30.10	3.48
1-9	1331	1.75	3501	4.59	2.63
10-19	658	1.10	1790	3.00	2.72
20-44	1046	4.03	3990	15.39	3.81
45-64	959	13.15	3223	44.19	3.36
65-74	33	13.26	106	42.60	3.21
75-84	8	26.14	12	39.22	1.50
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	4,805	2.69	15,298	8.58	3.18

Surgery

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	148	1.66	1300	14.62	8.78
1-9	371	0.49	2143	2.81	5.78
10-19	361	0.60	1781	2.98	4.93
20-44	608	2.34	3633	14.01	5.98
45-64	461	6.32	3107	42.60	6.74
65-74	13	5.23	85	34.16	6.54

75-84	2	6.54	14	45.75	7.00
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	1,964	1.10	12,063	6.76	6.14

Maternity*

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
10-19	1397	2.34	2928	4.90	2.10
20-44	4359	16.81	9349	36.05	2.14
45-64	9	0.12	13	0.18	1.44
Unknown	0		0		NA
Total	5,765	6.20	12,290	13.22	2.13

*The maternity category is calculated using member months for members 10-64 years.

Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (IPUB)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months
<1	NR
1-9	NR
10-19	NR
20-44	NR
45-64	NR
65-74	NR
75-84	NR
85+	NR
Unknown	NR
Total	NR

Total Inpatient					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	0	NR	0	NR	NA
1-9	0	NR	0	NR	NA
10-19	0	NR	0	NR	NA
20-44	0	NR	0	NR	NA
45-64	0	NR	0	NR	NA
65-74	0	NR	0	NR	NA
75-84	0	NR	0	NR	NA
85+	0	NR	0	NR	NA
Unknown	0		0		NA
Total	0	NR	0	NR	NA

Medicine					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	0	NR	0	NR	NA
1-9	0	NR	0	NR	NA
10-19	0	NR	0	NR	NA
20-44	0	NR	0	NR	NA
45-64	0	NR	0	NR	NA
65-74	0	NR	0	NR	NA
75-84	0	NR	0	NR	NA
85+	0	NR	0	NR	NA
Unknown	0		0		NA
Total	0	NR	0	NR	NA

Surgery					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	0	NR	0	NR	NA
1-9	0	NR	0	NR	NA
10-19	0	NR	0	NR	NA
20-44	0	NR	0	NR	NA
45-64	0	NR	0	NR	NA
65-74	0	NR	0	NR	NA

75-84	0	NR	0	NR	NA
85+	0	NR	0	NR	NA
Unknown	0		0		NA
Total	0	NR	0	NR	NA

Maternity*

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
10-19	0	NR	0	NR	NA
20-44	0	NR	0	NR	NA
45-64	0	NR	0	NR	NA
Unknown	0		0		NA
Total	0	NR	0	NR	NA

*The maternity category is calculated using member months for members 10-64 years.

Inpatient Utilization--General Hospital/Acute Care: Disabled (IPUC)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months
<1	456
1-9	21,106
10-19	32,728
20-44	45,256
45-64	53,724
65-74	2,471
75-84	303
85+	80
Unknown	0
Total	156,124

Total Inpatient

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	48	105.26	203	445.18	4.23
1-9	306	14.50	1653	78.32	5.40
10-19	262	8.01	1147	35.05	4.38
20-44	720	15.91	3819	84.39	5.30
45-64	1229	22.88	5702	106.14	4.64
65-74	45	18.21	190	76.89	4.22
75-84	10	33.00	26	85.81	2.60
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	2,620	16.78	12,740	81.60	4.86

Medicine

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	34	74.56	128	280.70	3.76
1-9	202	9.57	782	37.05	3.87
10-19	162	4.95	577	17.63	3.56
20-44	418	9.24	2078	45.92	4.97
45-64	848	15.78	2951	54.93	3.48
65-74	32	12.95	105	42.49	3.28
75-84	8	26.40	12	39.60	1.50
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	1,704	10.91	6,633	42.49	3.89

Surgery

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	14	30.70	75	164.47	5.36
1-9	104	4.93	871	41.27	8.38
10-19	65	1.99	492	15.03	7.57
20-44	201	4.44	1524	33.68	7.58
45-64	378	7.04	2747	51.13	7.27
65-74	13	5.26	85	34.40	6.54

75-84	2	6.60	14	46.20	7.00
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	777	4.98	5,808	37.20	7.47

Maternity*

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
10-19	35	1.07	78	2.38	2.23
20-44	101	2.23	217	4.79	2.15
45-64	3	0.06	4	0.07	1.33
Unknown	0		0		NA
Total	139	1.06	299	2.27	2.15

*The maternity category is calculated using member months for members 10-64 years.

Inpatient Utilization--General Hospital/Acute Care: Other (IPUD)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months
<1	88,438
1-9	741,105
10-19	562,445
20-44	196,208
45-64	19,163
65-74	17
75-84	3
85+	0
Unknown	0
Total	1,607,379

Total Inpatient

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	870	9.84	3773	42.66	4.34
1-9	1396	1.88	3991	5.39	2.86
10-19	1862	3.31	4740	8.43	2.55
20-44	2921	14.89	8151	41.54	2.79
45-64	197	10.28	634	33.08	3.22
65-74	1	58.82	1	58.82	1.00
75-84	0	0.00	0	0.00	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	7,247	4.51	21,290	13.25	2.94

Medicine

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	736	8.32	2548	28.81	3.46
1-9	1129	1.52	2719	3.67	2.41
10-19	495	0.88	1212	2.15	2.45
20-44	625	3.19	1906	9.71	3.05
45-64	109	5.69	268	13.99	2.46
65-74	1	58.82	1	58.82	1.00
75-84	0	0.00	0	0.00	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	3,095	1.93	8,654	5.38	2.80

Surgery

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	134	1.52	1225	13.85	9.14
1-9	267	0.36	1272	1.72	4.76
10-19	296	0.53	1289	2.29	4.35
20-44	405	2.06	2103	10.72	5.19
45-64	83	4.33	360	18.79	4.34
65-74	0	0.00	0	0.00	NA

75-84	0	0.00	0	0.00	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	1,185	0.74	6,249	3.89	5.27

Maternity*

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
10-19	1071	1.90	2239	3.98	2.09
20-44	1891	9.64	4142	21.11	2.19
45-64	5	0.26	6	0.31	1.20
Unknown	0		0		NA
Total	2,967	3.81	6,387	8.21	2.15

*The maternity category is calculated using member months for members 10-64 years.

Inpatient Utilization--Nonacute Care: Total (NONA)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months				
<1	88,895				
1-9	762,212				
10-19	597,252				
20-44	259,332				
45-64	72,937				
65-74	2,488				
75-84	306				
85+	80				
Unknown	0				
Total	1,783,502				

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1	1	0.01	1	0.01	1.00
1-9	8	0.01	153	0.20	19.13
10-19	9	0.02	316	0.53	35.11
20-44	39	0.15	410	1.58	10.51
45-64	91	1.25	1096	15.03	12.04
65-74	5	2.01	60	24.12	12.00
75-84	4	13.07	41	133.99	10.25
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	157	0.09	2,077	1.16	13.23

Inpatient Utilization--Nonacute Care: Dual Eligibles (NONB)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months				
<1	NR				
1-9	NR				
10-19	NR				
20-44	NR				
45-64	NR				
65-74	NR				
75-84	NR				
85+	NR				
Unknown	NR				
Total	NR				
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1	0	NR	0	NR	NA
1-9	0	NR	0	NR	NA
10-19	0	NR	0	NR	NA
20-44	0	NR	0	NR	NA
45-64	0	NR	0	NR	NA
65-74	0	NR	0	NR	NA
75-84	0	NR	0	NR	NA
85+	0	NR	0	NR	NA
Unknown	0		0		NA
Total	0	NR	0	NR	NA

Inpatient Utilization--Nonacute Care: Disabled (NONC)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months				
<1	456				
1-9	21,106				
10-19	32,728				
20-44	45,256				
45-64	53,724				
65-74	2,471				
75-84	303				
85+	80				
Unknown	0				
Total	156,124				

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1	0	0.00	0	0.00	NA
1-9	4	0.19	56	2.65	14.00
10-19	0	0.00	0	0.00	NA
20-44	34	0.75	385	8.51	11.32
45-64	89	1.66	1094	20.36	12.29
65-74	5	2.02	60	24.28	12.00
75-84	4	13.20	41	135.31	10.25
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	136	0.87	1,636	10.48	12.03

Inpatient Utilization--Nonacute Care: Other (NOND)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months				
<1	88,438				
1-9	741,105				
10-19	562,445				
20-44	196,208				
45-64	19,163				
65-74	17				
75-84	3				
85+	0				
Unknown	0				
Total	1,607,379				

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1	1	0.01	1	0.01	1.00
1-9	4	0.01	97	0.13	24.25
10-19	9	0.02	316	0.56	35.11
20-44	5	0.03	25	0.13	5.00
45-64	2	0.10	2	0.10	1.00
65-74	0	0.00	0	0.00	NA
75-84	0	0.00	0	0.00	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	21	0.01	441	0.27	21.00

Identification of Alcohol and Other Drug Services: Total (IADA)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inp	
	Male	Female	Total	Male	Female
0-12	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR
18-24	NR	NR	NR	NR	NR
25-34	NR	NR	NR	NR	NR
35-64	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR

Total	NR	NR	NR	NR	NR
Age	Sex	Any Services		Inpatient	
		Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
18-24	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
25-34	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
35-64	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
65+	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR

Identification of Alcohol and Other Drug Services: Dual Eligibles (IADB)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inp	
	Male	Female	Total	Male	Female
0-12	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR
18-24	NR	NR	NR	NR	NR
25-34	NR	NR	NR	NR	NR
35-64	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR
Age	Sex	Any Services		Inpatient	
		Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
18-24	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
25-34	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
35-64	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
65+	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR

Identification of Alcohol and Other Drug Services: Disabled (IADC)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inp	
	Male	Female	Total	Male	Female
0-12	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR
18-24	NR	NR	NR	NR	NR
25-34	NR	NR	NR	NR	NR
35-64	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient	
		Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
18-24	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
25-34	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
35-64	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
65+	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR

Identification of Alcohol and Other Drug Services: Other (IADD)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inp	
	Male	Female	Total	Male	Female
0-12	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR
18-24	NR	NR	NR	NR	NR
25-34	NR	NR	NR	NR	NR
35-64	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient	
		Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
18-24	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
25-34	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
35-64	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
65+	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR

Mental Health Utilization: Total (MPTA)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inp	
	Male	Female	Total	Male	Female
0-12	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR
18-64	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient	
		Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
18-64	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
65+	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR

Mental Health Utilization: Dual Eligibles (MPTB)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inp	
	Male	Female	Total	Male	Female
0-12	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR
18-64	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient	
		Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
18-64	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
65+	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR

Mental Health Utilization: Disabled (MPTC)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inp	
	Male	Female	Total	Male	Female
0-12	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR
18-64	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient	
		Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
18-64	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
65+	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR

Mental Health Utilization: Other (MPTD)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inp	
	Male	Female	Total	Male	Female
0-12	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR
18-64	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient	
		Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
18-64	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
65+	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	Total	NR	NR	NR	NR

Antibiotic Utilization: Total (ABXA)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Pharmacy Benefit Member Months			
Age	Male	Female	Total
0-9	433636	417470	851,106
10-17	268790	258878	527,668
18-34	69230	192647	261,877
35-49	28600	62398	90,998
50-64	21201	27777	48,978
65-74	977	1511	2,488
75-84	149	157	306
85+	53	27	80
Unknown	0	0	0
Total	822,636	960,865	1,783,501

Antibiotic Utilization					
Age	Sex	Total Antibiotic Scrips	Average Scrips PMPY for Antibiotics	Total Days Supplied for All Antibiotic Scrips	Average Days Supplied per Antibiotic Scrip
0-9	M	57108	1.58	449840	7.88
	F	56254	1.62	454243	8.07
	Total	113,362	1.60	904,083	7.98
10-17	M	19886	0.89	190830	9.60
	F	24336	1.13	212504	8.73
	Total	44,222	1.01	403,334	9.12
18-34	M	6056	1.05	62091	10.25
	F	32495	2.02	254292	7.83
	Total	38,551	1.77	316,383	8.21
35-49	M	2948	1.24	27245	9.24
	F	11637	2.24	95749	8.23
	Total	14,585	1.92	122,994	8.43
50-64	M	2423	1.37	24669	10.18
	F	5230	2.26	45418	8.68
	Total	7,653	1.88	70,087	9.16
65-74	M	93	1.14	706	7.59
	F	211	1.68	2075	9.83
	Total	304	1.47	2,781	9.15
75-84	M	3	0.24	25	8.33
	F	19	1.45	125	6.58
	Total	22	0.86	150	6.82
85+	M	1	0.23	5	5.00
	F	0	0.00	0	NA
	Total	1	0.15	5	5.00
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	88,518	1.29	755,411	8.53
	F	130,182	1.63	1,064,406	8.18
	Total	218,700	1.47	1,819,817	8.32

Antib

Age	Sex	Total Quinolone Scrips	Average Scrips PMPY for Quinolones	Total Cephalosporin 2nd-4th Generation Scrips	Average Scrips PMPY for Cephalosporins 2nd-4th Generation
0-9	M	45	0.00	3714	0.10
	F	70	0.00	3582	0.10
	Total	115	0.00	7,296	0.10
10-17	M	156	0.01	572	0.03
	F	446	0.02	738	0.03
	Total	602	0.01	1,310	0.03
18-34	M	335	0.06	91	0.02
	F	2630	0.16	447	0.03
	Total	2,965	0.14	538	0.02
35-49	M	299	0.13	44	0.02
	F	1339	0.26	233	0.04
	Total	1,638	0.22	277	0.04
50-64	M	342	0.19	39	0.02
	F	792	0.34	138	0.06
	Total	1,134	0.28	177	0.04
65-74	M	4	0.05	1	0.01
	F	39	0.31	4	0.03
	Total	43	0.21	5	0.02
75-84	M	0	0.00	0	0.00
	F	4	0.31	0	0.00
	Total	4	0.16	0	0.00
85+	M	0	0.00	0	0.00
	F	0	0.00	0	0.00
	Total	0	0.00	0	0.00
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	1,181	0.02	4,461	0.07
	F	5,320	0.07	5,142	0.06
	Total	6,501	0.04	9,603	0.06

Age	Sex	Total Absorbable Sulfonamide Scrips	Average Scrips PMPY for Absorbable Sulfonamides	Total Aminoglycoside Scrips	Average Scrips PMPY for Aminoglycosides
0-9	M	2438	0.07	28	0.00
	F	3846	0.11	41	0.00
	Total	6,284	0.09	69	0.00
10-17	M	868	0.04	56	0.00
	F	1695	0.08	1	0.00
	Total	2,563	0.06	57	0.00
18-34	M	428	0.07	0	0.00
	F	2328	0.15	0	0.00
	Total	2,756	0.13	0	0.00
35-49	M	270	0.11	2	0.00
	F	891	0.17	2	0.00
	Total	1,161	0.15	4	0.00

50-64	M	244	0.14	0	0.00
	F	433	0.19	2	0.00
	Total	677	0.17	2	0.00
65-74	M	10	0.12	1	0.01
	F	14	0.11	0	0.00
	Total	24	0.12	1	0.00
75-84	M	0	0.00	0	0.00
	F	3	0.23	0	0.00
	Total	3	0.12	0	0.00
85+	M	0	0.00	0	0.00
	F	0	0.00	0	0.00
	Total	0	0.00	0	0.00
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	4,258	0.06	87	0.00
	F	9,210	0.12	46	0.00
	Total	13,468	0.09	133	0.00

Total Number of Scripts for Antibiotics of Concern	Average Scripts PMPY for Antibiotics of Concern	Percentage of Antibiotics of Concern of all Antibiotic
26714	0.74	46.78%
23698	0.68	42.13%
50,412	0.71	44.47%
8798	0.39	44.24%
10265	0.48	42.18%
19,063	0.43	43.11%
2446	0.42	40.39%
12665	0.79	38.98%
15,111	0.69	39.20%
1245	0.52	42.23%
5482	1.05	47.11%
6,727	0.89	46.12%
1168	0.66	48.20%
2633	1.14	50.34%
3,801	0.93	49.67%
43	0.53	46.24%
105	0.83	49.76%
148	0.71	48.68%
1	0.08	33.33%
10	0.76	52.63%
11	0.43	50.00%
1	0.23	100.00%
0	0.00	NA
1	0.15	100.00%
0	NA	NA
0	NA	NA
0	NA	NA
40,416	0.59	45.66%
54,858	0.69	42.14%
95,274	0.64	43.56%

Antibiotics of Concern Utilization

Total Azithromycin and Clarithromycin Scrips	Average Scrips PMPY for Azithromycins and Clarithromycins	Total Amoxicillin/Clavulanate Scrips	Average Scrips PMPY for Amoxicillins/Clavulanates	Total Ketolides Scrips	Average Scrips PMPY for Ketolides	Total Clindamycin Scrips	Average Scrips PMPY for Clindamycins
13529	0.37	9022	0.25	0	0.00	393	0.01
11990	0.34	7696	0.22	0	0.00	352	0.01
25,519	0.36	16,718	0.24	0	0.00	745	0.01
5460	0.24	2285	0.10	0	0.00	321	0.01
6231	0.29	2435	0.11	0	0.00	409	0.02
11,691	0.27	4,720	0.11	0	0.00	730	0.02
1219	0.21	501	0.09	0	0.00	289	0.05
6450	0.40	2046	0.13	0	0.00	1077	0.07
7,669	0.35	2,547	0.12	0	0.00	1,366	0.06
543	0.23	217	0.09	0	0.00	141	0.06
2558	0.49	864	0.17	0	0.00	481	0.09
3,101	0.41	1,081	0.14	0	0.00	622	0.08
472	0.27	227	0.13	0	0.00	86	0.05
1142	0.49	377	0.16	0	0.00	158	0.07
1,614	0.40	604	0.15	0	0.00	244	0.06
32	0.39	6	0.07	0	0.00	0	0.00
38	0.30	20	0.16	0	0.00	4	0.03
70	0.34	26	0.13	0	0.00	4	0.02
1	0.08	0	0.00	0	0.00	0	0.00
1	0.08	4	0.31	0	0.00	1	0.08
2	0.08	4	0.16	0	0.00	1	0.04
1	0.23	0	0.00	0	0.00	0	0.00
0	0.00	0	0.00	0	0.00	0	0.00
1	0.15	0	0.00	0	0.00	0	0.00
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
21,257	0.31	12,258	0.18	0	0.00	1,230	0.02
28,410	0.35	13,442	0.17	0	0.00	2,482	0.03
49,667	0.33	25,700	0.17	0	0.00	3,712	0.02

All Other Antibiotics Utilization

Total 1st Generation Cephalosporin Scrips	Average Scrips PMPY for 1st Generation Cephalo-	Total Lincosamide Scrips	Average Scrips PMPY for Lincosamides	Total Macrolides (not azith. or clarith.) Scrips	Average Scrips PMPY for Macrolides (not azith. or clarith.)	Total Penicillin Scrips	Average Scrips PMPY for Penicillins
4102	0.11	0	0.00	325	0.01	23220	0.64
5384	0.15	0	0.00	241	0.01	22206	0.64
9,486	0.13	0	0.00	566	0.01	45,426	0.64
2135	0.10	0	0.00	257	0.01	5713	0.26
2531	0.12	0	0.00	303	0.01	6621	0.31
4,666	0.11	0	0.00	560	0.01	12,334	0.28
675	0.12	0	0.00	93	0.02	1499	0.26
3442	0.21	0	0.00	304	0.02	5816	0.36
4,117	0.19	0	0.00	397	0.02	7,315	0.34
402	0.17	0	0.00	45	0.02	685	0.29
1176	0.23	0	0.00	161	0.03	1938	0.37
1,578	0.21	0	0.00	206	0.03	2,623	0.35

281	0.16	0	0.00	20	0.01	409	0.23
592	0.26	0	0.00	85	0.04	794	0.34
873	0.21	0	0.00	105	0.03	1,203	0.29
13	0.16	0	0.00	2	0.02	8	0.10
22	0.17	0	0.00	2	0.02	17	0.14
35	0.17	0	0.00	4	0.02	25	0.12
0	0.00	0	0.00	2	0.16	0	0.00
0	0.00	0	0.00	0	0.00	5	0.38
0	0.00	0	0.00	2	0.08	5	0.20
0	0.00	0	0.00	0	0.00	0	0.00
0	0.00	0	0.00	0	0.00	0	0.00
0	0.00	0	0.00	0	0.00	0	0.00
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
7,608	0.11	0	0.00	744	0.01	31,534	0.46
13,147	0.16	0	0.00	1,096	0.01	37,397	0.47
20,755	0.14	0	0.00	1,840	0.01	68,931	0.46



Total Misc. Antibiotics of Concern Scrips	Average Scrips PMPY for Misc. Antibiotics of Concern
11	0.00
8	0.00
19	0.00
4	0.00
6	0.00
10	0.00
11	0.00
15	0.00
26	0.00
1	0.00
7	0.00
8	0.00
2	0.00
26	0.01
28	0.01
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	NA
0	NA
0	NA
29	0.00
62	0.00
91	0.00

Total Tetracycline Scrips	Average Scrips PMPY for Tetracyclines	Total Misc. Antibiotic Scrips	Average Scrips PMPY for Misc. Antibiotics
6	0.00	275	0.01
8	0.00	830	0.02
14	0.00	1,105	0.02
1948	0.09	111	0.00
1480	0.07	1440	0.07
3,428	0.08	1,551	0.04
762	0.13	153	0.03
2237	0.14	5703	0.36
2,999	0.14	5,856	0.27
213	0.09	86	0.04
762	0.15	1225	0.24
975	0.13	1,311	0.17

172	0.10	129	0.07
312	0.13	379	0.16
484	0.12	508	0.12
5	0.06	11	0.14
13	0.10	38	0.30
18	0.09	49	0.24
0	0.00	0	0.00
0	0.00	1	0.08
0	0.00	1	0.04
0	0.00	0	0.00
0	0.00	0	0.00
0	0.00	0	0.00
0	NA	0	NA
0	NA	0	NA
0	NA	0	NA
3,106	0.05	765	0.01
4,812	0.06	9,616	0.12
7,918	0.05	10,381	0.07

Antibiotic Utilization: Dual Eligibles (ABXB)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Member Months			
Age	Member Months		
	Male	Female	Total
0-9	0	0	0
10-17	0	0	0
18-34	0	0	0
35-49	0	0	0
50-64	0	0	0
65-74	0	0	0
75-84	0	0	0
85+	0	0	0
Unknown	0	0	0
Total	0	0	0

Antibiotic Utilization					
Age	Sex	Total Antibiotic Scripts	Average Scripts PMPY for Antibiotics	Total Days Supplied for All Antibiotic Scripts	Average Days Supplied per Antibiotic Scrip
0-9	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
10-17	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
18-34	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
35-49	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
50-64	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
65-74	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
75-84	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
85+	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA

Antib

Age	Sex	Total Quinolone Scrips	Average Scrips PMPY for Quinolones	Total Cephalosporin 2nd-4th Generation Scrips	Average Scrips PMPY for Cephalosporins 2nd-4th Generation
0-9	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
10-17	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
18-34	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
35-49	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
50-64	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
65-74	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
75-84	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
85+	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA

Age	Sex	Total Absorbable Sulfonamide Scrips	Average Scrips PMPY for Absorbable Sulfonamides	Total Aminoglycoside Scrips	Average Scrips PMPY for Aminoglycosides
0-9	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
10-17	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
18-34	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
35-49	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA

50-64	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
65-74	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
75-84	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
85+	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA



Antibiotic Utilization: Disabled (ABXC)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Member Months			
Age	Member Months		
	Male	Female	Total
0-9	13312	8250	21,562
10-17	16949	8710	25,659
18-34	19361	16196	35,557
35-49	12270	17362	29,632
50-64	17876	22984	40,860
65-74	977	1494	2,471
75-84	146	157	303
85+	53	27	80
Unknown	0	0	0
Total	80,944	75,180	156,124

Antibiotic Utilization					
Age	Sex	Total Antibiotic Scrips	Average Scrips PMPY for Antibiotics	Total Days Supplied for All Antibiotic Scrips	Average Days Supplied per Antibiotic Scrip
0-9	M	2515	2.27	22277	8.86
	F	1741	2.53	16282	9.35
	Total	4,256	2.37	38,559	9.06
10-17	M	1913	1.35	18717	9.78
	F	1296	1.79	13184	10.17
	Total	3,209	1.50	31,901	9.94
18-34	M	2198	1.36	24406	11.10
	F	3477	2.58	32147	9.25
	Total	5,675	1.92	56,553	9.97
35-49	M	1537	1.50	15154	9.86
	F	4007	2.77	33921	8.47
	Total	5,544	2.25	49,075	8.85
50-64	M	2167	1.45	22280	10.28
	F	4506	2.35	39423	8.75
	Total	6,673	1.96	61,703	9.25
65-74	M	93	1.14	706	7.59
	F	209	1.68	2055	9.83
	Total	302	1.47	2,761	9.14
75-84	M	0	0.00	0	NA
	F	19	1.45	125	6.58
	Total	19	0.75	125	6.58
85+	M	1	0.23	5	5.00
	F	0	0.00	0	NA
	Total	1	0.15	5	5.00
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	10,424	1.55	103,545	9.93
	F	15,255	2.43	137,137	8.99
	Total	25,679	1.97	240,682	9.37

Antib

Age	Sex	Total Quinolone Scrips	Average Scrips PMPY for Quinolones	Total Cephalosporin 2nd-4th Generation Scrips	Average Scrips PMPY for Cephalosporins 2nd-4th Generation
0-9	M	6	0.01	165	0.15
	F	2	0.00	131	0.19
	Total	8	0.00	296	0.16
10-17	M	33	0.02	95	0.07
	F	36	0.05	77	0.11
	Total	69	0.03	172	0.08
18-34	M	147	0.09	42	0.03
	F	344	0.25	68	0.05
	Total	491	0.17	110	0.04
35-49	M	167	0.16	18	0.02
	F	513	0.35	81	0.06
	Total	680	0.28	99	0.04
50-64	M	299	0.20	35	0.02
	F	704	0.37	121	0.06
	Total	1,003	0.29	156	0.05
65-74	M	4	0.05	1	0.01
	F	39	0.31	4	0.03
	Total	43	0.21	5	0.02
75-84	M	0	0.00	0	0.00
	F	4	0.31	0	0.00
	Total	4	0.16	0	0.00
85+	M	0	0.00	0	0.00
	F	0	0.00	0	0.00
	Total	0	0.00	0	0.00
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	656	0.10	356	0.05
	F	1,642	0.26	482	0.08
	Total	2,298	0.18	838	0.06

Age	Sex	Total Absorbable Sulfonamide Scrips	Average Scrips PMPY for Absorbable Sulfonamides	Total Aminoglycoside Scrips	Average Scrips PMPY for Aminoglycosides
0-9	M	231	0.21	28	0.03
	F	207	0.30	40	0.06
	Total	438	0.24	68	0.04
10-17	M	162	0.11	51	0.04
	F	126	0.17	1	0.00
	Total	288	0.13	52	0.02
18-34	M	174	0.11	0	0.00
	F	297	0.22	0	0.00
	Total	471	0.16	0	0.00
35-49	M	178	0.17	2	0.00
	F	356	0.25	1	0.00
	Total	534	0.22	3	0.00

50-64	M	235	0.16	0	0.00
	F	376	0.20	2	0.00
	Total	611	0.18	2	0.00
65-74	M	10	0.12	1	0.01
	F	14	0.11	0	0.00
	Total	24	0.12	1	0.00
75-84	M	0	0.00	0	0.00
	F	3	0.23	0	0.00
	Total	3	0.12	0	0.00
85+	M	0	0.00	0	0.00
	F	0	0.00	0	0.00
	Total	0	0.00	0	0.00
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	990	0.15	82	0.01
	F	1,379	0.22	44	0.01
	Total	2,369	0.18	126	0.01

Total Number of Scripts for Antibiotics of Concern	Average Scripts PMPY for Antibiotics of Concern	Percentage of Antibiotics of Concern of all Antibiotic
1184	1.07	47%
763	1.11	44%
1,947	1.08	46%
872	0.62	46%
554	0.76	43%
1,426	0.67	44%
858	0.53	39%
1447	1.07	42%
2,305	0.78	41%
630	0.62	41%
1918	1.33	48%
2,548	1.03	46%
1037	0.70	48%
2268	1.18	50%
3,305	0.97	50%
43	0.53	46%
105	0.84	50%
148	0.72	49%
0	0.00	NA
10	0.76	53%
10	0.40	53%
1	0.23	100%
0	0.00	NA
1	0.15	100%
0	NA	NA
0	NA	NA
0	NA	NA
4,625	0.69	44%
7,065	1.13	46%
11,690	0.90	46%

Antibiotics of Concern Utilization

Total Azithromycin and Clarithromycin Scrips	Average Scrips PMPY for Azithromycins and Clarithromycins	Total Amoxicillin/Clavulanate Scrips	Average Scrips PMPY for Amoxicillin/Clavulanates	Total Ketolides Scrips	Average Scrips PMPY for Ketolides	Total Clindamycin Scrips	Average Scrips PMPY for Clindamycins
548	0.49	440	0.40	0	0.00	22	0.02
348	0.51	270	0.39	0	0.00	12	0.02
896	0.50	710	0.40	0	0.00	34	0.02
465	0.33	240	0.17	0	0.00	36	0.03
279	0.38	151	0.21	0	0.00	11	0.02
744	0.35	391	0.18	0	0.00	47	0.02
390	0.24	164	0.10	0	0.00	104	0.06
691	0.51	213	0.16	0	0.00	124	0.09
1,081	0.36	377	0.13	0	0.00	228	0.08
270	0.26	110	0.11	0	0.00	64	0.06
851	0.59	281	0.19	0	0.00	188	0.13
1,121	0.45	391	0.16	0	0.00	252	0.10
428	0.29	200	0.13	0	0.00	74	0.05
991	0.52	316	0.16	0	0.00	122	0.06
1,419	0.42	516	0.15	0	0.00	196	0.06
32	0.39	6	0.07	0	0.00	0	0.00
38	0.31	20	0.16	0	0.00	4	0.03
70	0.34	26	0.13	0	0.00	4	0.02
0	0.00	0	0.00	0	0.00	0	0.00
1	0.08	4	0.31	0	0.00	1	0.08
1	0.04	4	0.16	0	0.00	1	0.04
1	0.23	0	0.00	0	0.00	0	0.00
0	0.00	0	0.00	0	0.00	0	0.00
1	0.15	0	0.00	0	0.00	0	0.00
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
2,134	0.32	1,160	0.17	0	0.00	300	0.04
3,199	0.51	1,255	0.20	0	0.00	462	0.07
5,333	0.41	2,415	0.19	0	0.00	762	0.06

All Other Antibiotics Utilization

Total 1st Generation Cephalosporin Scrips	Average Scrips PMPY for 1st Generation Cephalosporins	Total Lincosamide Scrips	Average Scrips PMPY for Lincosamides	Total Macrolides (not azith. or clarith.) Scrips	Average Scrips PMPY for Macrolides (not azith. or clarith.)	Total Penicillin Scrips	Average Scrips PMPY for Penicillins
162	0.15	0	0.00	47	0.04	763	0.69
142	0.21	0	0.00	28	0.04	513	0.75
304	0.17	0	0.00	75	0.04	1,276	0.71
160	0.11	0	0.00	12	0.01	485	0.34
124	0.17	0	0.00	44	0.06	277	0.38
284	0.13	0	0.00	56	0.03	762	0.36
249	0.15	0	0.00	51	0.03	469	0.29
366	0.27	0	0.00	53	0.04	561	0.42
615	0.21	0	0.00	104	0.04	1,030	0.35
235	0.23	0	0.00	21	0.02	313	0.31
465	0.32	0	0.00	55	0.04	558	0.39
700	0.28	0	0.00	76	0.03	871	0.35

257	0.17	0	0.00	17	0.01	345	0.23
503	0.26	0	0.00	83	0.04	659	0.34
760	0.22	0	0.00	100	0.03	1,004	0.29
13	0.16	0	0.00	2	0.02	8	0.10
22	0.18	0	0.00	1	0.01	16	0.13
35	0.17	0	0.00	3	0.01	24	0.12
0	0.00	0	0.00	0	0.00	0	0.00
0	0.00	0	0.00	0	0.00	5	0.38
0	0.00	0	0.00	0	0.00	5	0.20
0	0.00	0	0.00	0	0.00	0	0.00
0	0.00	0	0.00	0	0.00	0	0.00
0	0.00	0	0.00	0	0.00	0	0.00
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
1,076	0.16	0	0.00	150	0.02	2,383	0.35
1,622	0.26	0	0.00	264	0.04	2,589	0.41
2,698	0.21	0	0.00	414	0.03	4,972	0.38



Total Misc. Antibiotics of Concern Scrips	Average Scrips PMPY for Misc. Antibiotics of Concern
3	0.00
0	0.00
3	0.00
3	0.00
0	0.00
3	0.00
11	0.01
7	0.01
18	0.01
1	0.00
4	0.00
5	0.00
1	0.00
14	0.01
15	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	0.00
0	NA
0	NA
0	NA
19	0.00
25	0.00
44	0.00

Total Tetracycline Scrips	Average Scrips PMPY for Tetracyclines	Total Misc. Antibiotic Scrips	Average Scrips PMPY for Misc. Antibiotics
0	0.00	100	0.09
0	0.00	48	0.07
0	0.00	148	0.08
127	0.09	44	0.03
51	0.07	119	0.16
178	0.08	163	0.08
325	0.20	72	0.04
315	0.23	438	0.32
640	0.22	510	0.17
121	0.12	37	0.04
269	0.19	385	0.27
390	0.16	422	0.17

159	0.11	117	0.08
278	0.15	337	0.18
437	0.13	454	0.13
5	0.06	11	0.14
13	0.10	38	0.31
18	0.09	49	0.24
0	0.00	0	0.00
0	0.00	1	0.08
0	0.00	1	0.04
0	0.00	0	0.00
0	0.00	0	0.00
0	0.00	0	0.00
0	NA	0	NA
0	NA	0	NA
0	NA	0	NA
737	0.11	381	0.06
926	0.15	1,366	0.22
1,663	0.13	1,747	0.13

Antibiotic Utilization: Other (ABXD)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Member Months			
Age	Member Months		
	Male	Female	Total
0-9	420323	409219	829,542
10-17	251836	250149	501,985
18-34	49860	157996	207,856
35-49	16322	43556	59,878
50-64	3313	4784	8,097
65-74	0	17	17
75-84	3	0	3
85+	0	0	0
Unknown	0	0	0
Total	741,657	865,721	1,607,378

Antibiotic Utilization					
Age	Sex	Total Antibiotic Scrips	Average Scrips PMPY for Antibiotics	Total Days Supplied for All Antibiotic Scrips	Average Days Supplied per Antibiotic Scrip
0-9	M	54593	1.56	427563	7.83
	F	54513	1.60	437961	8.03
	Total	109,106	1.58	865,524	7.93
10-17	M	17973	0.86	172113	9.58
	F	23034	1.10	199238	8.65
	Total	41,007	0.98	371,351	9.06
18-34	M	3852	0.93	37554	9.75
	F	26894	2.04	206823	7.69
	Total	30,746	1.78	244,377	7.95
35-49	M	1411	1.04	12091	8.57
	F	7464	2.06	60697	8.13
	Total	8,875	1.78	72,788	8.20
50-64	M	254	0.92	2369	9.33
	F	724	1.82	5995	8.28
	Total	978	1.45	8,364	8.55
65-74	M	0	NA	0	NA
	F	2	1.41	20	10.00
	Total	2	1.41	20	10.00
75-84	M	3	12.00	25	8.33
	F	0	NA	0	NA
	Total	3	12.00	25	8.33
85+	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	78,086	1.26	651,715	8.35
	F	112,631	1.56	910,734	8.09
	Total	190,717	1.42	1,562,449	8.19

Antib

Age	Sex	Total Quinolone Scrips	Average Scrips PMPY for Quinolones	Total Cephalosporin 2nd-4th Generation Scrips	Average Scrips PMPY for Cephalosporins 2nd-4th Generation
0-9	M	39	0.00	3549	0.10
	F	68	0.00	3451	0.10
	Total	107	0.00	7,000	0.10
10-17	M	123	0.01	477	0.02
	F	410	0.02	661	0.03
	Total	533	0.01	1,138	0.03
18-34	M	185	0.04	49	0.01
	F	2234	0.17	364	0.03
	Total	2,419	0.14	413	0.02
35-49	M	132	0.10	26	0.02
	F	822	0.23	151	0.04
	Total	954	0.19	177	0.04
50-64	M	43	0.16	4	0.01
	F	88	0.22	17	0.04
	Total	131	0.19	21	0.03
65-74	M	0	NA	0	NA
	F	0	0.00	0	0.00
	Total	0	0.00	0	0.00
75-84	M	0	0.00	0	0.00
	F	0	NA	0	NA
	Total	0	0.00	0	0.00
85+	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	522	0.01	4,105	0.07
	F	3,622	0.05	4,644	0.06
	Total	4,144	0.03	8,749	0.07

Age	Sex	Total Absorbable Sulfonamide Scrips	Average Scrips PMPY for Absorbable Sulfonamides	Total Aminoglycoside Scrips	Average Scrips PMPY for Aminoglycosides
0-9	M	2207	0.06	0	0.00
	F	3639	0.11	1	0.00
	Total	5,846	0.08	1	0.00
10-17	M	706	0.03	5	0.00
	F	1569	0.08	0	0.00
	Total	2,275	0.05	5	0.00
18-34	M	253	0.06	0	0.00
	F	1964	0.15	0	0.00
	Total	2,217	0.13	0	0.00
35-49	M	92	0.07	0	0.00
	F	521	0.14	1	0.00
	Total	613	0.12	1	0.00

50-64	M	9	0.03	0	0.00
	F	57	0.14	0	0.00
	Total	66	0.10	0	0.00
65-74	M	0	NA	0	NA
	F	0	0.00	0	0.00
	Total	0	0.00	0	0.00
75-84	M	0	0.00	0	0.00
	F	0	NA	0	NA
	Total	0	0.00	0	0.00
85+	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Unknown	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
Total	M	3,267	0.05	5	0.00
	F	7,750	0.11	2	0.00
	Total	11,017	0.08	7	0.00

Total Number of Scripts for Antibiotics of Concern	Average Scripts PMPY for Antibiotics of Concern	Percentage of Antibiotics of Concern of all Antibiotic
25530	0.73	47%
22935	0.67	42%
48,465	0.70	44%
7926	0.38	44%
9711	0.47	42%
17,637	0.42	43%
1584	0.38	41%
10659	0.81	40%
12,243	0.71	40%
615	0.45	44%
3511	0.97	47%
4,126	0.83	46%
129	0.47	51%
365	0.92	50%
494	0.73	51%
0	NA	NA
0	0.00	0%
0	0.00	0%
1	4.00	33%
0	NA	NA
1	4.00	33%
0	NA	NA
0	NA	NA
0	NA	NA
0	NA	NA
0	NA	NA
0	NA	NA
0	NA	NA
35,785	0.58	46%
47,181	0.65	42%
82,966	0.62	44%

Antibiotics of Concern Utilization

Total Azithromycin and Clarithromycin Scripts	Average Scripts PMPY for Azithromycins and Clarithromycins	Total Amoxicillin/Clavulanate Scripts	Average Scripts PMPY for Amoxicillin/Clavulanates	Total Ketolides Scripts	Average Scripts PMPY for Ketolides	Total Clindamycin Scripts	Average Scripts PMPY for Clindamycins
12981	0.37	8582	0.25	0	0.00	371	0.01
11642	0.34	7426	0.22	0	0.00	340	0.01
24,623	0.36	16,008	0.23	0	0.00	711	0.01
4995	0.24	2045	0.10	0	0.00	285	0.01
5952	0.29	2284	0.11	0	0.00	398	0.02
10,947	0.26	4,329	0.10	0	0.00	683	0.02
828	0.20	337	0.08	0	0.00	185	0.04
5416	0.41	1744	0.13	0	0.00	893	0.07
6,244	0.36	2,081	0.12	0	0.00	1,078	0.06
273	0.20	107	0.08	0	0.00	77	0.06
1676	0.46	570	0.16	0	0.00	289	0.08
1,949	0.39	677	0.14	0	0.00	366	0.07
44	0.16	25	0.09	0	0.00	12	0.04
151	0.38	61	0.15	0	0.00	36	0.09
195	0.29	86	0.13	0	0.00	48	0.07
0	NA	0	NA	0	NA	0	NA
0	0.00	0	0.00	0	0.00	0	0.00
0	0.00	0	0.00	0	0.00	0	0.00
1	4.00	0	0.00	0	0.00	0	0.00
0	NA	0	NA	0	NA	0	NA
1	4.00	0	0.00	0	0.00	0	0.00
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
19,122	0.31	11,096	0.18	0	0.00	930	0.02
24,837	0.34	12,085	0.17	0	0.00	1,956	0.03
43,959	0.33	23,181	0.17	0	0.00	2,886	0.02

All Other Antibiotics Utilization

Total 1st Generation Cephalosporin Scripts	Average Scripts PMPY for 1st Generation Cephalosporins	Total Lincosamide Scripts	Average Scripts PMPY for Lincosamides	Total Macrolides (not azith. or clarith.) Scripts	Average Scripts PMPY for Macrolides (not azith. or clarith.)	Total Penicillin Scripts	Average Scripts PMPY for Penicillins
3940	0.11	0	0.00	278	0.01	22457	0.64
5242	0.15	0	0.00	213	0.01	21693	0.64
9,182	0.13	0	0.00	491	0.01	44,150	0.64
1975	0.09	0	0.00	245	0.01	5228	0.25
2405	0.12	0	0.00	259	0.01	6344	0.30
4,380	0.10	0	0.00	504	0.01	11,572	0.28
426	0.10	0	0.00	42	0.01	1030	0.25
2694	0.20	0	0.00	241	0.02	4941	0.38
3,120	0.18	0	0.00	283	0.02	5,971	0.34
167	0.12	0	0.00	24	0.02	372	0.27
690	0.19	0	0.00	97	0.03	1350	0.37
857	0.17	0	0.00	121	0.02	1,722	0.35

24	0.09	0	0.00	3	0.01	64	0.23
89	0.22	0	0.00	2	0.01	135	0.34
113	0.17	0	0.00	5	0.01	199	0.29
0	NA	0	NA	0	NA	0	NA
0	0.00	0	0.00	1	0.71	1	0.71
0	0.00	0	0.00	1	0.71	1	0.71
0	0.00	0	0.00	2	8.00	0	0.00
0	NA	0	NA	0	NA	0	NA
0	0.00	0	0.00	2	8.00	0	0.00
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
0	NA	0	NA	0	NA	0	NA
6,532	0.11	0	0.00	594	0.01	29,151	0.47
11,120	0.15	0	0.00	813	0.01	34,464	0.48
17,652	0.13	0	0.00	1,407	0.01	63,615	0.47



Total Misc. Antibiotics of Concern Scrips	Average Scrips PMPY for Misc. Antibiotics of Concern
8	0.00
8	0.00
16	0.00
1	0.00
6	0.00
7	0.00
0	0.00
8	0.00
8	0.00
0	0.00
3	0.00
3	0.00
1	0.00
12	0.03
13	0.02
0	NA
0	0.00
0	0.00
0	0.00
0	NA
0	0.00
0	NA
0	NA
0	NA
0	NA
0	NA
0	NA
0	NA
10	0.00
37	0.00
47	0.00

Total Tetracycline Scrips	Average Scrips PMPY for Tetracyclines	Total Misc. Antibiotic Scrips	Average Scrips PMPY for Misc. Antibiotics
6	0.00	175	0.00
8	0.00	782	0.02
14	0.00	957	0.01
1821	0.09	67	0.00
1429	0.07	1317	0.06
3,250	0.08	1,384	0.03
436	0.10	81	0.02
1863	0.14	4532	0.34
2,299	0.13	4,613	0.27
92	0.07	49	0.04
492	0.14	802	0.22
584	0.12	851	0.17

13	0.05	12	0.04
34	0.09	42	0.11
47	0.07	54	0.08
0	NA	0	NA
0	0.00	0	0.00
0	0.00	0	0.00
0	0.00	0	0.00
0	NA	0	NA
0	0.00	0	0.00
0	NA	0	NA
0	NA	0	NA
0	NA	0	NA
0	NA	0	NA
0	NA	0	NA
0	NA	0	NA
2,368	0.04	384	0.01
3,826	0.05	7,475	0.10
6,194	0.05	7,859	0.06

Outpatient Drug Utilization: Total (ORXA)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Pharmacy Benefit Member Months				
Age	Member Months			
0-9	851107			
10-17	527668			
18-34	261877			
35-49	90998			
50-64	48978			
65-74	2488			
75-84	306			
85+	80			
Unknown	0			
Total	1,783,502			
Age	Total Cost of Prescriptions	Avg. Cost of Prescription s/ Per Member Per Month	Total Number of Prescriptions	Avg. Num. of Prescription s/ Per Member Per
0-9	9475332	\$11.13	361875	5.10
10-17	8750290	\$16.58	243204	5.53
18-34	8527314	\$32.56	298197	13.66
35-49	8317747	\$91.41	231898	30.58
50-64	8071105	\$164.79	212067	51.96
65-74	321206	\$129.10	9998	48.22
75-84	25791	\$84.28	1131	44.35
85+	7804	\$97.55	265	39.75
Unknown	0		0	
Total	\$43,496,589.00	\$24.39	1,358,635	9.14

Outpatient Drug Utilization: Dual Eligibles (ORXB)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Pharmacy Benefit Member Months				
Age	Member Months			
0-9	0			
10-17	0			
18-34	0			
35-49	0			
50-64	0			
65-74	0			
75-84	0			
85+	0			
Unknown	0			
Total	0			
Age	Total Cost of Prescriptions	Avg. Cost of Prescriptions/ Per Member Per Month	Total Number of Prescriptions	Avg. Num. of Prescriptions/ Per Member Per
0-9	0	NA	0	NA
10-17	0	NA	0	NA
18-34	0	NA	0	NA
35-49	0	NA	0	NA
50-64	0	NA	0	NA
65-74	0	NA	0	NA
75-84	0	NA	0	NA
85+	0	NA	0	NA
Unknown	0		0	
Total	\$0.00	NA	0	NA

Outpatient Drug Utilization: Disabled (ORXC)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Pharmacy Benefit Member Months				
Age	Member Months			
0-9	21562			
10-17	25659			
18-34	35557			
35-49	29632			
50-64	40860			
65-74	2471			
75-84	303			
85+	80			
Unknown	0			
Total	156,124			
Age	Total Cost of Prescriptions	Avg. Cost of Prescription s/ Per Member Per Month	Total Number of Prescriptions	Avg. Num. of Prescription s/ Per Member Per
0-9	1429412	\$66.29	25896	14.41
10-17	1947159	\$75.89	29736	13.91
18-34	3022060	\$84.99	63816	21.54
35-49	4715690	\$159.14	109644	44.40
50-64	7448223	\$182.29	191495	56.24
65-74	320578	\$129.74	9964	48.39
75-84	25421	\$83.90	1122	44.44
85+	7804	\$97.55	265	39.75
Unknown	0		0	
Total	\$18,916,347.00	\$121.16	431,938	33.20

Outpatient Drug Utilization: Other (ORXD)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Pharmacy Benefit Member Months				
Age	Member Months			
0-9	829543			
10-17	501985			
18-34	207856			
35-49	59878			
50-64	8097			
65-74	17			
75-84	3			
85+	0			
Unknown	0			
Total	1,607,379			
Age	Total Cost of Prescriptions	Avg. Cost of Prescription s/ Per Member Per Month	Total Number of Prescriptions	Avg. Num. of Prescription s/ Per Member Per
0-9	8042267	\$9.69	335975	4.86
10-17	6803000	\$13.55	213449	5.10
18-34	5272066	\$25.36	217885	12.58
35-49	3541131	\$59.14	120447	24.14
50-64	617505	\$76.26	20468	30.33
65-74	628	\$36.94	34	24.00
75-84	371	\$123.67	9	36.00
85+	0	NA	0	NA
Unknown	0		0	
Total	\$24,276,968.00	\$15.10	908,267	6.78

Relative Resource Use for People With Diabetes (RDI)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Eligible Population	
Category	Eligible Population
Total	1837
Exclusions (required)	46
Type 1 with Comorbidity	168
Type 2 with Comorbidity	1053
Type 1 without Comorbidity	100
Type 2 without Comorbidity	516

Medical Benefit Member Months					
Age	Member Months (Diabetes Type 1 with Comorbidity)			Member Months (Diabetes Type 1 without Comorbidity)	
	Male	Female	Total	Male	Female
18-44*	252	575	827	360	621
45-54	192	372	564	48	60
55-64	191	396	587	48	59
65-75	24	12	36	0	0
Total	659	1,355	2,014	456	740

* Include any Member Months that occur at age 17 in the 18-44 category.

Pharmacy Benefit Member Months					
Age	Member Months (Diabetes Type 1 with Comorbidity)			Member Months (Diabetes Type 1 without Comorbidity)	
	Male	Female	Total	Male	Female
18-44	252	575	827	360	621
45-54	192	372	564	48	60
55-64	191	396	587	48	59
65-75	24	12	36	0	0
Total	659	1,355	2,014	456	740

Diabetes Type 1 with Comorbidity					
Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	42895	2802	20028	0
	F	565521	29277	60844	12678
	Total	\$608,416.00	\$32,079.00	\$80,872.00	\$12,678.00
45-54	M	113783	9369	22196	9809
	F	64177	4845	40715	5189
	Total	\$177,960.00	\$14,214.00	\$62,911.00	\$14,998.00
55-64	M	27610	1337	20110	1483
	F	119212	10658	40501	10171
	Total	\$146,822.00	\$11,995.00	\$60,611.00	\$11,654.00
65-75	M	13668	1888	2186	2673
	F	0	0	408	0
	Total	\$13,668.00	\$1,888.00	\$2,594.00	\$2,673.00
Total	M	\$197,956.00	\$15,396.00	\$64,520.00	\$13,965.00
	F	\$748,910.00	\$44,780.00	\$142,468.00	\$28,038.00
	Total	\$946,866.00	\$60,176.00	\$206,988.00	\$42,003.00

Diabetes Type 1 without Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	91482	7889	17353	2587
	F	243701	17639	52468	4933
	Total	\$335,183.00	\$25,528.00	\$69,821.00	\$7,520.00
45-54	M	6051	1498	3014	0
	F	9425	1099	2756	0
	Total	\$15,476.00	\$2,597.00	\$5,770.00	\$0.00
55-64	M	0	0	3484	0
	F	11075	770	3523	0
	Total	\$11,075.00	\$770.00	\$7,007.00	\$0.00
65-75	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
Total	M	\$97,533.00	\$9,387.00	\$23,851.00	\$2,587.00
	F	\$264,201.00	\$19,508.00	\$58,747.00	\$4,933.00
	Total	\$361,734.00	\$28,895.00	\$82,598.00	\$7,520.00

Diabetes Type 2 with Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	741667	36785	93929	36046
	F	682381	36735	274018	47412
	Total	\$1,424,048.00	\$73,520.00	\$367,947.00	\$83,458.00
45-54	M	463640	24042	100829	20463
	F	604648	35423	214182	55857
	Total	\$1,068,288.00	\$59,465.00	\$315,011.00	\$76,320.00
55-64	M	690884	35418	135286	51240
	F	612406	30151	275161	39217
	Total	\$1,303,290.00	\$65,569.00	\$410,447.00	\$90,457.00
65-75	M	45504	0	11702	3815
	F	45847	2746	28136	3877
	Total	\$91,351.00	\$2,746.00	\$39,838.00	\$7,692.00
Total	M	\$1,941,695.00	\$96,245.00	\$341,746.00	\$111,564.00
	F	\$1,945,282.00	\$105,055.00	\$791,497.00	\$146,363.00
	Total	\$3,886,977.00	\$201,300.00	\$1,133,243.00	\$257,927.00

Diabetes Type 2 without Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient

18-44	M	133607	6554	33109	15000
	F	475061	24814	172808	16189
	Total	\$608,668.00	\$31,368.00	\$205,917.00	\$31,189.00
45-54	M	50170	2050	26357	3942
	F	180526	7923	55859	11303
	Total	\$230,696.00	\$9,973.00	\$82,216.00	\$15,245.00
55-64	M	73455	4585	16940	1421
	F	10820	0	41437	2458
	Total	\$84,275.00	\$4,585.00	\$58,377.00	\$3,879.00
65-75	M	0	0	1879	0
	F	0	0	6332	0
	Total	\$0.00	\$0.00	\$8,211.00	\$0.00
Total	M	\$257,232.00	\$13,189.00	\$78,285.00	\$20,363.00
	F	\$666,407.00	\$32,737.00	\$276,436.00	\$29,950.00
	Total	\$923,639.00	\$45,926.00	\$354,721.00	\$50,313.00

Diabetes Totals

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM
18-44	M	\$393.32	\$21.05	\$64.05	\$20.89
	F	\$295.03	\$16.27	\$84.03	\$12.18
	Total	\$322.36	\$17.60	\$78.47	\$14.60
45-54	M	\$320.99	\$18.72	\$77.20	\$17.33
	F	\$245.65	\$14.10	\$89.68	\$20.69
	Total	\$272.84	\$15.77	\$85.18	\$19.48
55-64	M	\$331.91	\$17.33	\$73.69	\$22.69
	F	\$179.15	\$9.89	\$85.74	\$12.33
	Total	\$234.45	\$12.58	\$81.38	\$16.08
65-75	M	\$234.81	\$7.49	\$62.57	\$25.75
	F	\$103.26	\$6.18	\$78.55	\$8.73
	Total	\$150.89	\$6.66	\$72.76	\$14.89
Total	M	\$347.46	\$18.70	\$70.82	\$20.68
	F	\$244.72	\$13.64	\$85.68	\$14.13
	Total	\$278.26	\$15.29	\$80.83	\$16.27

Member Months						
Diabetes Type 1 (Morbidity)	Member Months (Diabetes Type 2 with Comorbidity)			Member Months (Diabetes Type 2 without Comorbidity)		
Total	Male	Female	Total	Male	Female	Total
981	1169	2744	3,913	786	2726	3,512
108	1231	2203	3,434	503	861	1,364
107	1775	2972	4,747	372	779	1,151
0	168	348	516	60	84	144
1,196	4,343	8,267	12,610	1,721	4,450	6,171

Member Months						
Diabetes Type 1 (Morbidity)	Member Months (Diabetes Type 2 with Comorbidity)			Member Months (Diabetes Type 2 without Comorbidity)		
Total	Male	Female	Total	Male	Female	Total
981	1169	2744	3,913	786	2726	3,512
108	1231	2203	3,434	503	861	1,364
107	1775	2972	4,747	372	779	1,151
0	168	348	516	60	84	144
1,196	4,343	8,267	12,610	1,721	4,450	6,171

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
21469	72163	10	50
21643	246537	57	165
\$43,112.00	\$318,700.00	67	215
10357	88822	11	35
20690	156385	10	55
\$31,047.00	\$245,207.00	21	90
16281	77142	3	28
30038	147229	13	44
\$46,319.00	\$224,371.00	16	72
5081	2396	2	3
9	1223	0	1
\$5,090.00	\$3,619.00	2	4
\$53,188.00	\$240,523.00	26	116
\$72,380.00	\$551,374.00	80	265
\$125,568.00	\$791,897.00	106	381

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
5164	102988	15	40
15485	171430	33	123
\$20,649.00	\$274,418.00	48	163
72	24551	1	13
2042	10709	2	18
\$2,114.00	\$35,260.00	3	31
585	7584	0	0
658	14790	2	7
\$1,243.00	\$22,374.00	2	7
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
\$5,821.00	\$135,123.00	16	53
\$18,185.00	\$196,929.00	37	148
\$24,006.00	\$332,052.00	53	201

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
42082	250506	63	278
123296	756101	88	549
\$165,378.00	\$1,006,607.00	151	827
50856	420271	41	114
91462	705294	58	290
\$142,318.00	\$1,125,565.00	99	404
77608	536284	65	132
170316	1030861	63	306
\$247,924.00	\$1,567,145.00	128	438
4698	32063	1	3
19494	94112	7	25
\$24,192.00	\$126,175.00	8	28
\$175,244.00	\$1,239,124.00	170	527
\$404,568.00	\$2,586,368.00	216	1,170
\$579,812.00	\$3,825,492.00	386	1,697

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits

20615	118771	11	86
93708	331509	62	352
\$114,323.00	\$450,280.00	73	438
23634	93806	6	42
29506	168289	15	72
\$53,140.00	\$262,095.00	21	114
16500	68732	9	57
28761	159986	2	32
\$45,261.00	\$228,718.00	11	89
2003	7041	0	0
6620	17602	0	4
\$8,623.00	\$24,643.00	0	4
\$62,752.00	\$288,350.00	26	185
\$158,595.00	\$677,386.00	79	460
\$221,347.00	\$965,736.00	105	645

Age, and Gender	Total Service Frequency by Service Category, Age, and Gender
------------------------	---

Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/ 1,000 Member Years	ED Visits/1,000 Member Years
\$34.80	\$212.09	462.80	2,122.32
\$38.12	\$225.86	432.04	2,140.41
\$37.20	\$222.03	440.59	2,135.38
\$43.02	\$317.86	358.66	1,240.12
\$41.10	\$297.68	291.76	1,493.14
\$41.80	\$304.96	315.90	1,401.83
\$46.51	\$289.08	387.26	1,091.37
\$54.63	\$321.65	228.25	1,109.84
\$51.69	\$309.86	285.80	1,103.16
\$46.75	\$164.68	142.86	285.71
\$58.84	\$254.36	189.19	810.81
\$54.46	\$221.89	172.41	620.69
\$41.37	\$265.10	397.83	1,472.63
\$44.14	\$270.87	333.78	1,655.14
\$43.23	\$268.98	354.69	1,595.56

Relative Resource Use for People With Asthma (RAS)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Eligible Population	
Category	Eligible Population
Total	1867
Exclusions (required)	3
With Comorbidity	205
Without Comorbidity	1662

Medical and Pharmacy Benefit

Age	Medical Benefit Member Months				
	Member Months (Asthma with Comorbidity)			Member Months (Asthm Comorbidity)	
	Male	Female	Total	Male	Female
5-17*	444	300	744	10888	6600
18-44	204	1151	1,355	719	1632
45-50	72	288	360	12	84
Total	720	1,739	2,459	11,619	8,316

* Include any Member Months that occur at age 4 in the 5-17 age category.

Asthma with Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
5-17	M	44061	3712	30495	0
	F	15533	1699	24735	2368
	Total	\$59,594.00	\$5,411.00	\$55,230.00	\$2,368.00
18-44	M	11382	934	15767	0
	F	150763	7977	117552	10715
	Total	\$162,145.00	\$8,911.00	\$133,319.00	\$10,715.00
45-50	M	0	0	4496	0
	F	23238	1264	25766	2719
	Total	\$23,238.00	\$1,264.00	\$30,262.00	\$2,719.00
Total	M	\$55,443.00	\$4,646.00	\$50,758.00	\$0.00
	F	\$189,534.00	\$10,940.00	\$168,053.00	\$15,802.00
	Total	\$244,977.00	\$15,586.00	\$218,811.00	\$15,802.00

Asthma without Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
5-17	M	200943	16383	492449	2755
	F	225126	12991	311042	22902
	Total	\$426,069.00	\$29,374.00	\$803,491.00	\$25,657.00
18-44	M	4646	1212	22759	3761
	F	83824	2207	85769	6878
	Total	\$88,470.00	\$3,419.00	\$108,528.00	\$10,639.00
45-50	M	0	0	0	0
	F	5052	0	8489	0
	Total	\$5,052.00	\$0.00	\$8,489.00	\$0.00

Total	M	\$205,589.00	\$17,595.00	\$515,208.00	\$6,516.00
	F	\$314,002.00	\$15,198.00	\$405,300.00	\$29,780.00
	Total	\$519,591.00	\$32,793.00	\$920,508.00	\$36,296.00

Asthma Totals

Age	Sex	Total standard Cost by Service Category, A			
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM
5-17	M	\$21.62	\$1.77	\$46.15	\$0.24
	F	\$34.88	\$2.13	\$48.66	\$3.66
	Total	\$26.64	\$1.91	\$47.10	\$1.54
18-44	M	\$17.37	\$2.33	\$41.74	\$4.07
	F	\$84.29	\$3.66	\$73.06	\$6.32
	Total	\$67.62	\$3.33	\$65.26	\$5.76
45-50	M	\$0.00	\$0.00	\$53.52	\$0.00
	F	\$76.05	\$3.40	\$92.08	\$7.31
	Total	\$62.04	\$2.77	\$84.98	\$5.96
Total	M	\$21.16	\$1.80	\$45.87	\$0.53
	F	\$50.08	\$2.60	\$57.02	\$4.53
	Total	\$34.14	\$2.16	\$50.88	\$2.33

Member Months						
Pharmacy Benefit Member Months						
Age without	Member Months (Asthma with Comorbidity)			Member Months (Asthma without Comorbidity)		
Total	Male	Female	Total	Male	Female	Total
17,488	444	300	744	10888	6600	17,488
2,351	204	1151	1,355	719	1632	2,351
96	72	288	360	12	84	96
19,935	720	1,739	2,459	11,619	8,316	19,935

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
11809	69252	8	43
3923	60759	4	49
\$15,732.00	\$130,011.00	12	92
8496	60132	1	48
57424	307302	23	273
\$65,920.00	\$367,434.00	24	321
1476	36805	0	8
12634	95388	3	25
\$14,110.00	\$132,193.00	3	33
\$21,781.00	\$166,189.00	9	99
\$73,981.00	\$463,449.00	30	347
\$95,762.00	\$629,638.00	39	446

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
100568	1212143	37	617
43776	662717	32	394
\$144,344.00	\$1,874,860.00	69	1,011
24340	117478	1	44
30042	270232	16	130
\$54,382.00	\$387,710.00	17	174
0	329	0	1
8909	39018	1	11
\$8,909.00	\$39,347.00	1	12

\$124,908.00	\$1,329,950.00	38	662
\$82,727.00	\$971,967.00	49	535
\$207,635.00	\$2,301,917.00	87	1,197

Age, and Gender	Total Service Frequency by Service Category, Age, and Gender
------------------------	---

Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/1,000 Member Years	ED Visits/1,000 Member Years
\$9.92	\$113.08	47.65	698.91
\$6.91	\$104.85	62.61	770.43
\$8.78	\$109.96	53.31	725.98
\$35.58	\$192.43	26.00	1,196.10
\$31.43	\$207.52	168.16	1,737.69
\$32.46	\$203.76	132.76	1,602.81
\$17.57	\$442.07	0.00	1,285.71
\$57.91	\$361.31	129.03	1,161.29
\$50.48	\$376.18	105.26	1,184.21
\$11.89	\$121.25	45.71	740.09
\$15.59	\$142.76	94.28	1,052.61
\$13.55	\$130.91	67.52	880.41

Relative Resource Use for People With Acute Lower Back Pain (RLB)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Eligible Population	
Category	Eligible Population
Total	832
Exclusions (required)	2

Medical and Pharmacy Benefit Member Months					
Age	Medical Benefit Member Months (Acute Low Back Pain)			Pharmacy Benefit Member Months (Acute Low Back Pain)	
	Male	Female	Total	Male	Female
18-44*	282	1232	1,514	282	1232
45-50	56	94	150	56	94
Total	338	1,326	1,664	338	1,326

* Include any Member Months that occur at age 17 in the 18-44 age category.

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	0	0	14379	0
	F	0	0	69327	7495
	Total	\$0.00	\$0.00	\$83,706.00	\$7,495.00
45-50	M	0	0	2748	0
	F	0	0	6806	0
	Total	\$0.00	\$0.00	\$9,554.00	\$0.00
Total	M	\$0.00	\$0.00	\$17,127.00	\$0.00
	F	\$0.00	\$0.00	\$76,133.00	\$7,495.00
	Total	\$0.00	\$0.00	\$93,260.00	\$7,495.00

Low Back Pain Totals					
Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM
18-44	M	\$0.00	\$0.00	\$50.99	\$0.00
	F	\$0.00	\$0.00	\$56.27	\$6.08
	Total	\$0.00	\$0.00	\$55.29	\$4.95
45-50	M	\$0.00	\$0.00	\$49.07	\$0.00
	F	\$0.00	\$0.00	\$72.40	\$0.00
	Total	\$0.00	\$0.00	\$63.69	\$0.00
Total	M	\$0.00	\$0.00	\$50.67	\$0.00
	F	\$0.00	\$0.00	\$57.42	\$5.65
	Total	\$0.00	\$0.00	\$56.05	\$4.50

er Months ain)
Total
1,514
150
1,664

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender		
Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits	MRIs
712	7531	0	38	7
10241	34919	0	174	32
\$10,953.00	\$42,450.00	0	212	39
71	2990	0	6	1
1645	5836	0	12	6
\$1,716.00	\$8,826.00	0	18	7
\$783.00	\$10,521.00	0	44	8
\$11,886.00	\$40,755.00	0	186	38
\$12,669.00	\$51,276.00	0	230	46

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender		
Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/ 1,000 Member Years	ED Visits/1,000 Member Years	MRIs/1,000 Member Years
\$2.52	\$26.71	0.00	1,617.02	297.87
\$8.31	\$28.34	0.00	1,694.81	311.69
\$7.23	\$28.04	0.00	1,680.32	309.11
\$1.27	\$53.39	0.00	1,285.71	214.29
\$17.50	\$62.09	0.00	1,531.91	765.96
\$11.44	\$58.84	0.00	1,440.00	560.00
\$2.32	\$31.13	0.00	1,562.13	284.02
\$8.96	\$30.74	0.00	1,683.26	343.89
\$7.61	\$30.81	0.00	1,658.65	331.73

Relative Resource Use for People With Cardiovascular Conditions (RCA)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Eligible Population			
Category	Eligible Population	Category	Eligible Population
Total	176		
Exclusions (required)	10		
CHF With Comorbidity	31	Angina With Comorbidity	14
CHF Without Comorbidity	7	Angina Without Comorbidity	1
AMI With Comorbidity	6	CAD With Comorbidity	95
AMI Without Comorbidity	0	CAD Without	22

Medical Benefit Member

Age	Member Months (CHF With Comorbidity)			Member Months (CHF Comorbidity)	
	Male	Female	Total	Male	Female
18-44	0	24	24	0	12
45-54	72	24	96	0	0
55-64	96	156	252	60	12
65-75	0	0	0	0	0
Total	168	204	372	60	24

Age	Member Months (Angina With Comorbidity)			Member Months (Angin Comorbidity)	
	Male	Female	Total	Male	Female
18-44	0	0	0	0	0
45-54	0	36	36	0	0
55-64	84	48	132	0	12
65-75	0	0	0	0	0
Total	84	84	168	0	12

Pharmacy Benefit Membr

Age	Member Months (CHF With Comorbidity)			Member Months (CHF Comorbidity)	
	Male	Female	Total	Male	Female
18-44	0	24	24	0	12
45-54	72	24	96	0	0
55-64	96	156	252	60	12
65-75	0	0	0	0	0
Total	168	204	372	60	24

Age	Member Months (Angina With Comorbidity)			Member Months (Angin Comorbidity)	
	Male	Female	Total	Male	Female
18-44	0	0	0	0	0
45-54	0	36	36	0	0
55-64	84	48	132	0	12
65-75	0	0	0	0	0
Total	84	84	168	0	12

CHF with Comorbidity

Age	Sex	Total Standard Cost by Service Category, A

Age	Sex	Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	0	0	0	0
	F	75000	2500	3094	7545
	Total	\$75,000.00	\$2,500.00	\$3,094.00	\$7,545.00
45-54	M	92149	4493	8754	5856
	F	7443	935	4029	0
	Total	\$99,592.00	\$5,428.00	\$12,783.00	\$5,856.00
55-64	M	112826	5443	9164	3039
	F	76750	4327	14069	3289
	Total	\$189,576.00	\$9,770.00	\$23,233.00	\$6,328.00
65-75	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
Total	M	\$204,975.00	\$9,936.00	\$17,918.00	\$8,895.00
	F	\$159,193.00	\$7,762.00	\$21,192.00	\$10,834.00
	Total	\$364,168.00	\$17,698.00	\$39,110.00	\$19,729.00

CHF without Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	0	0	0	0
	F	0	0	1540	0
	Total	\$0.00	\$0.00	\$1,540.00	\$0.00
45-54	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
55-64	M	18504	1489	3682	3853
	F	0	0	1607	0
	Total	\$18,504.00	\$1,489.00	\$5,289.00	\$3,853.00
65-75	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
Total	M	\$18,504.00	\$1,489.00	\$3,682.00	\$3,853.00
	F	\$0.00	\$0.00	\$3,147.00	\$0.00
	Total	\$18,504.00	\$1,489.00	\$6,829.00	\$3,853.00

AMI with Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
45-54	M	75000	2500	1584	4529
	F	0	0	0	0
	Total	\$75,000.00	\$2,500.00	\$1,584.00	\$4,529.00
55-64	M	75249	1654	2325	7260
	F	30583	488	2805	3103
	Total	\$105,832.00	\$2,142.00	\$5,130.00	\$10,363.00

65-75	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
Total	M	\$150,249.00	\$4,154.00	\$3,909.00	\$11,789.00
	F	\$30,583.00	\$488.00	\$2,805.00	\$3,103.00
	Total	\$180,832.00	\$4,642.00	\$6,714.00	\$14,892.00

AMI without Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
45-54	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
55-64	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
65-75	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
Total	M	\$0.00	\$0.00	\$0.00	\$0.00
	F	\$0.00	\$0.00	\$0.00	\$0.00
	Total	\$0.00	\$0.00	\$0.00	\$0.00

Angina with Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
45-54	M	0	0	0	0
	F	11390	1375	4817	188
	Total	\$11,390.00	\$1,375.00	\$4,817.00	\$188.00
55-64	M	17171	808	9998	1732
	F	21389	1479	6281	391
	Total	\$38,560.00	\$2,287.00	\$16,279.00	\$2,123.00
65-75	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
Total	M	\$17,171.00	\$808.00	\$9,998.00	\$1,732.00
	F	\$32,779.00	\$2,854.00	\$11,098.00	\$579.00
	Total	\$49,950.00	\$3,662.00	\$21,096.00	\$2,311.00

Angina without Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
-----	-----	--	--	--	--

Age	Sex	Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
45-54	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
55-64	M	0	0	0	0
	F	34108	753	1544	762
	Total	\$34,108.00	\$753.00	\$1,544.00	\$762.00
65-75	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
Total	M	\$0.00	\$0.00	\$0.00	\$0.00
	F	\$34,108.00	\$753.00	\$1,544.00	\$762.00
	Total	\$34,108.00	\$753.00	\$1,544.00	\$762.00

CAD with Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	0	0	5603	70
	F	3753	215	1607	2228
	Total	\$3,753.00	\$215.00	\$7,210.00	\$2,298.00
45-54	M	81224	3234	9014	2121
	F	177513	8897	22216	25775
	Total	\$258,737.00	\$12,131.00	\$31,230.00	\$27,896.00
55-64	M	148531	6848	24262	17051
	F	105362	7949	30469	10331
	Total	\$253,893.00	\$14,797.00	\$54,731.00	\$27,382.00
65-75	M	74060	248	3303	7104
	F	22761	1346	6233	1880
	Total	\$96,821.00	\$1,594.00	\$9,536.00	\$8,984.00
Total	M	\$303,815.00	\$10,330.00	\$42,182.00	\$26,346.00
	F	\$309,389.00	\$18,407.00	\$60,525.00	\$40,214.00
	Total	\$613,204.00	\$28,737.00	\$102,707.00	\$66,560.00

CAD without Comorbidity

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	14896	1391	1684	0
	F	0	0	3337	0
	Total	\$14,896.00	\$1,391.00	\$5,021.00	\$0.00
45-54	M	0	0	601	0
	F	9196	330	1764	1322
	Total	\$9,196.00	\$330.00	\$2,365.00	\$1,322.00
55-64	M	14620	547	3221	1119
	F	0	0	3818	0
	Total	\$14,620.00	\$547.00	\$7,039.00	\$1,119.00

65-75	M	0	0	0	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$0.00	\$0.00
Total	M	\$29,516.00	\$1,938.00	\$5,506.00	\$1,119.00
	F	\$9,196.00	\$330.00	\$8,919.00	\$1,322.00
	Total	\$38,712.00	\$2,268.00	\$14,425.00	\$2,441.00

Cardiovascular Conditions Totals

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM
18-44	M	\$206.89	\$19.32	\$101.21	\$0.97
	F	\$937.54	\$32.32	\$114.02	\$116.35
	Total	\$600.31	\$26.32	\$108.11	\$63.10
45-54	M	\$985.61	\$40.58	\$79.18	\$49.63
	F	\$744.72	\$41.80	\$118.93	\$98.86
	Total	\$859.69	\$41.22	\$99.96	\$75.36
55-64	M	\$555.89	\$24.12	\$75.65	\$48.93
	F	\$421.69	\$23.58	\$95.27	\$28.11
	Total	\$491.81	\$23.86	\$85.02	\$38.99
65-75	M	\$2,057.22	\$6.89	\$91.75	\$197.33
	F	\$379.35	\$22.43	\$103.88	\$31.33
	Total	\$1,008.55	\$16.60	\$99.33	\$93.58
Total	M	\$685.82	\$27.14	\$78.78	\$50.88
	F	\$544.74	\$28.97	\$103.44	\$53.80
	Total	\$615.28	\$28.05	\$91.11	\$52.34

Member Months						
Without	Member Months (AMI With Comorbidity)			Member Months (AMI Without Comorbidity)		
Total	Male	Female	Total	Male	Female	Total
12	0	0	0	0	0	0
0	24	0	24	0	0	0
72	24	24	48	0	0	0
0	0	0	0	0	0	0
84	48	24	72	0	0	0
a Without	Member Months (CAD With Comorbidity)			Member Months (CAD Without Comorbidity)		
Total	Male	Female	Total	Male	Female	Total
0	48	24	72	24	24	48
0	132	192	324	24	24	48
12	336	312	648	96	72	168
0	36	60	96	0	0	0
12	552	588	1,140	144	120	264
Member Months						
Without	Member Months (AMI With Comorbidity)			Member Months (AMI Without Comorbidity)		
Total	Male	Female	Total	Male	Female	Total
12	0	0	0	0	0	0
0	24	0	24	0	0	0
72	24	24	48	0	0	0
0	0	0	0	0	0	0
84	48	24	72	0	0	0
a Without	Member Months (CAD With Comorbidity)			Member Months (CAD Without Comorbidity)		
Total	Male	Female	Total	Male	Female	Total
0	48	24	72	24	24	48
0	132	192	324	24	24	48
12	336	312	648	96	72	168
0	36	60	96	0	0	0
12	552	588	1,140	144	120	264
Age, and Gender		Total Service Frequency by Service Category, Age, and Gender				

Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
0	0	0	0
1605	5249	6	5
\$1,605.00	\$5,249.00	6	5
5655	37425	8	6
324	4979	1	14
\$5,979.00	\$42,404.00	9	20
2474	45583	6	11
8844	35330	5	21
\$11,318.00	\$80,913.00	11	32
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
\$8,129.00	\$83,008.00	14	17
\$10,773.00	\$45,558.00	12	40
\$18,902.00	\$128,566.00	26	57

Age, and Gender **Total Service Frequency by Service Category, Age, and Gender**

Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
0	0	0	0
1179	2723	0	5
\$1,179.00	\$2,723.00	0	5
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
4131	19951	2	10
1225	1651	0	1
\$5,356.00	\$21,602.00	2	11
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
\$4,131.00	\$19,951.00	2	10
\$2,404.00	\$4,374.00	0	6
\$6,535.00	\$24,325.00	2	16

Age, and Gender **Total Service Frequency by Service Category, Age, and Gender**

Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
328	5110	6	8
0	0	0	0
\$328.00	\$5,110.00	6	8
120	5125	4	4
562	10299	2	7
\$682.00	\$15,424.00	6	11

0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
\$448.00	\$10,235.00	10	12
\$562.00	\$10,299.00	2	7
\$1,010.00	\$20,534.00	12	19

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
------------------------	--	---	--

Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
\$0.00	\$0.00	0	0
\$0.00	\$0.00	0	0
\$0.00	\$0.00	0	0

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
------------------------	--	---	--

Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
0	0	0	0
2030	30105	2	8
\$2,030.00	\$30,105.00	2	8
7531	39494	3	19
1516	32209	3	5
\$9,047.00	\$71,703.00	6	24
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
\$7,531.00	\$39,494.00	3	19
\$3,546.00	\$62,314.00	5	13
\$11,077.00	\$101,808.00	8	32

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
------------------------	--	---	--

Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
0	0	0	0
81	5819	2	7
\$81.00	\$5,819.00	2	7
0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
\$0.00	\$0.00	0	0
\$81.00	\$5,819.00	2	7
\$81.00	\$5,819.00	2	7

Age, and Gender	Total Service Frequency by Service Category, Age, and Gender
-----------------	---

Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
1329	5733	0	8
828	8311	0	2
\$2,157.00	\$14,044.00	0	10
5021	40245	5	9
16664	77192	14	21
\$21,685.00	\$117,437.00	19	30
13669	87537	16	28
9181	113496	11	39
\$22,850.00	\$201,033.00	27	67
705	4560	2	8
10947	14496	3	6
\$11,652.00	\$19,056.00	5	14
\$20,724.00	\$138,075.00	23	53
\$37,620.00	\$213,495.00	28	68
\$58,344.00	\$351,570.00	51	121

Age, and Gender	Total Service Frequency by Service Category, Age, and Gender
-----------------	---

Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
1309	578	1	3
647	2574	0	4
\$1,956.00	\$3,152.00	1	7
81	5863	0	0
2180	3274	2	3
\$2,261.00	\$9,137.00	2	3
1659	11173	2	2
1788	13559	0	2
\$3,447.00	\$24,732.00	2	4

0	0	0	0
0	0	0	0
\$0.00	\$0.00	0	0
\$3,049.00	\$17,614.00	3	5
\$4,615.00	\$19,407.00	2	9
\$7,664.00	\$37,021.00	5	14

Age, and Gender	Total Service Frequency by Service Category, Age, and Gender
------------------------	---

Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/ 1,000 Member Years	ED Visits/1,000 Member Years
\$36.64	\$87.65	166.67	1,833.33
\$50.70	\$224.49	857.14	2,285.71
\$44.21	\$161.33	538.46	2,076.92
\$43.99	\$351.76	904.76	1,095.24
\$76.80	\$418.66	826.09	2,000.00
\$61.14	\$386.73	863.64	1,568.18
\$42.51	\$300.09	568.97	1,275.86
\$36.47	\$333.90	433.96	1,547.17
\$39.63	\$316.24	504.50	1,405.41
\$19.58	\$126.67	666.67	2,666.67
\$182.45	\$241.60	600.00	1,200.00
\$121.38	\$198.50	625.00	1,750.00
\$41.68	\$292.02	625.00	1,318.18
\$56.44	\$342.11	579.55	1,704.55
\$49.06	\$317.07	602.27	1,511.36

Relative Resource Use for People With Hypertension (RHY)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Medical and Pharmacy Benefit Member Months					
Category	Eligible Population				
Total	681				
Exclusions (required)	1378				
Medical and Pharmacy Benefit Member Months					
Age	Medical Benefit Member Months			Pharmacy Benefit Member Months	
	Male	Female	Total	Male	Female
18-44	1282	1843	3,125	1282	1843
45-54	1210	1245	2,455	1210	1245
55-64	1006	1246	2,252	1006	1246
65-85	204	120	324	204	120
Total	3,702	4,454	8,156	3,702	4,454
Uncomplicated Hypertension					
Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
18-44	M	80089	8097	79062	7618
	F	215265	9112	128407	21194
	Total	\$295,354.00	\$17,209.00	\$207,469.00	\$28,812.00
45-54	M	168318	11686	75200	20729
	F	207348	6625	81984	13673
	Total	\$375,666.00	\$18,311.00	\$157,184.00	\$34,402.00
55-64	M	142482	9162	62156	32376
	F	195291	8180	97300	22600
	Total	\$337,773.00	\$17,342.00	\$159,456.00	\$54,976.00
65-85	M	8852	1169	12670	836
	F	13307	1348	6068	0
	Total	\$22,159.00	\$2,517.00	\$18,738.00	\$836.00
Total	M	\$399,741.00	\$30,114.00	\$229,088.00	\$61,559.00
	F	\$631,211.00	\$25,265.00	\$313,759.00	\$57,467.00
	Total	\$1,030,952.00	\$55,379.00	\$542,847.00	\$119,026.00
Uncomplicated Hypertension Totals					
Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM
18-44	M	\$62.47	\$6.32	\$61.67	\$5.94
	F	\$116.80	\$4.94	\$69.67	\$11.50
	Total	\$94.51	\$5.51	\$66.39	\$9.22
45-54	M	\$139.11	\$9.66	\$62.15	\$17.13
	F	\$166.54	\$5.32	\$65.85	\$10.98
	Total	\$153.02	\$7.46	\$64.03	\$14.01

55-64	M	\$141.63	\$9.11	\$61.79	\$32.18
	F	\$156.73	\$6.57	\$78.09	\$18.14
	Total	\$149.99	\$7.70	\$70.81	\$24.41
65-85	M	\$43.39	\$5.73	\$62.11	\$4.10
	F	\$110.89	\$11.23	\$50.57	\$0.00
	Total	\$68.39	\$7.77	\$57.83	\$2.58
Total	M	\$107.98	\$8.13	\$61.88	\$16.63
	F	\$141.72	\$5.67	\$70.44	\$12.90
	Total	\$126.40	\$6.79	\$66.56	\$14.59

er Months
Total
3,125
2,455
2,252
324
8,156

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
38697	100608	13	124
62248	147988	19	239
\$100,945.00	\$248,596.00	32	363
43844	160110	23	107
32272	201525	14	98
\$76,116.00	\$361,635.00	37	205
31319	155002	12	61
49930	222712	19	68
\$81,249.00	\$377,714.00	31	129
4545	19842	1	13
10977	18912	3	7
\$15,522.00	\$38,754.00	4	20
\$118,405.00	\$435,562.00	49	305
\$155,427.00	\$591,137.00	55	412
\$273,832.00	\$1,026,699.00	104	717

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/ 1,000 Member Years	ED Visits/ 1,000 Member Years
\$30.18	\$78.48	121.68	1,160.69
\$33.78	\$80.30	123.71	1,556.16
\$32.30	\$79.55	122.88	1,393.92
\$36.23	\$132.32	228.10	1,061.16
\$25.92	\$161.87	134.94	944.58
\$31.00	\$147.31	180.86	1,002.04

\$31.13	\$154.08	143.14	727.63
\$40.07	\$178.74	182.99	654.90
\$36.08	\$167.72	165.19	687.39
\$22.28	\$97.26	58.82	764.71
\$91.48	\$157.60	300.00	700.00
\$47.91	\$119.61	148.15	740.74
\$31.98	\$117.66	158.83	988.65
\$34.90	\$132.72	148.18	1,110.01
\$33.57	\$125.88	153.02	1,054.93

Relative Resource Use for People With COPD (RCO)

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Eligible Population					
Category	Eligible Population				
Total	639				
Exclusions (required)	21				
With Comorbidity	492				
Without Comorbidity	147				
Age	Member Benefit Member Months				
	Member Months (With Comorbidity)			Member Months (Without Comorbidity)	
	Male	Female	Total	Male	Female
42-44	107	312	419	48	84
45-64	1989	3151	5,140	694	852
65-74	156	168	324	24	36
75+	12	0	12	24	0
Total	2,264	3,631	5,895	790	972
COPD with Comorbidity					
Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
42-44	M	74380	4426	7502	2610
	F	188405	11347	43350	16402
	Total	\$262,785.00	\$15,773.00	\$50,852.00	\$19,012.00
45-64	M	1033170	57289	178143	72332
	F	1289727	69654	337912	113646
	Total	\$2,322,897.00	\$126,943.00	\$516,055.00	\$185,978.00
65-74	M	82363	4054	11613	8876
	F	53348	4351	15341	391
	Total	\$135,711.00	\$8,405.00	\$26,954.00	\$9,267.00
75+	M	0	0	913	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$913.00	\$0.00
Total	M	\$1,189,913.00	\$65,769.00	\$198,171.00	\$83,818.00
	F	\$1,531,480.00	\$85,352.00	\$396,603.00	\$130,439.00
	Total	\$2,721,393.00	\$151,121.00	\$594,774.00	\$214,257.00
COPD without Comorbidity					
Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility	E & M - Inpatient	E & M - Outpatient	Surgery and Procedure - Inpatient
42-44	M	5712	490	3737	0
	F	2780	721	4760	0
	Total	\$8,492.00	\$1,211.00	\$8,497.00	\$0.00
	M	323133	15274	35774	19144

45-64	F	104248	7255	58430	14552
	Total	\$427,381.00	\$22,529.00	\$94,204.00	\$33,696.00
65-74	M	0	0	2085	0
	F	2780	115	2723	0
	Total	\$2,780.00	\$115.00	\$4,808.00	\$0.00
75+	M	0	0	1145	0
	F	0	0	0	0
	Total	\$0.00	\$0.00	\$1,145.00	\$0.00
Total	M	\$328,845.00	\$15,764.00	\$42,741.00	\$19,144.00
	F	\$109,808.00	\$8,091.00	\$65,913.00	\$14,552.00
	Total	\$438,653.00	\$23,855.00	\$108,654.00	\$33,696.00

COPD Totals

Age	Sex	Total Standard Cost by Service Category, A			
		Inpatient Facility - PMPM	E & M - Inpatient - PMPM	E & M - Outpatient - PMPM	Surgery and Procedure - Inpatient - PMPM
42-44	M	\$516.72	\$31.72	\$72.51	\$16.84
	F	\$482.79	\$30.47	\$121.49	\$41.42
	Total	\$492.34	\$30.82	\$107.71	\$34.50
45-64	M	\$505.52	\$27.05	\$79.73	\$34.09
	F	\$348.23	\$19.21	\$99.01	\$32.03
	Total	\$411.35	\$22.36	\$91.27	\$32.86
65-74	M	\$457.57	\$22.52	\$76.10	\$49.31
	F	\$275.14	\$21.89	\$88.55	\$1.92
	Total	\$360.65	\$22.19	\$82.71	\$24.13
75+	M	\$0.00	\$0.00	\$57.17	\$0.00
	F	NA	NA	NA	NA
	Total	\$0.00	\$0.00	\$57.17	\$0.00
Total	M	\$497.30	\$26.70	\$78.88	\$33.71
	F	\$356.57	\$20.30	\$100.48	\$31.50
	Total	\$412.70	\$22.85	\$91.87	\$32.38

Pharmacy Benefit Member Months						
Comorbidity)	Member Months (With Comorbidity)			Member Months (Without Comorbidity)		
Total	Male	Female	Total	Male	Female	Total
132	107	312	419	48	84	132
1,546	1989	3151	5,140	694	852	1,546
60	156	168	324	24	36	60
24	12	0	12	24	0	24
1,762	2,264	3,631	5,895	790	972	1,762

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
2331	13639	4	43
17577	128129	20	87
\$19,908.00	\$141,768.00	24	130
70720	645471	94	263
217231	1222615	120	464
\$287,951.00	\$1,868,086.00	214	727
4962	23890	6	16
4183	50563	9	9
\$9,145.00	\$74,453.00	15	25
169	1061	0	0
0	0	0	0
\$169.00	\$1,061.00	0	0
\$78,182.00	\$684,061.00	104	322
\$238,991.00	\$1,401,307.00	149	560
\$317,173.00	\$2,085,368.00	253	882

Age, and Gender		Total Service Frequency by Service Category, Age, and Gender	
Surgery and Procedure - Outpatient	Pharmacy	Inpatient Facility Discharges	ED Visits
2895	7801	1	11
2179	20156	1	9
\$5,074.00	\$27,957.00	2	20
27237	59543	19	110

40202	141678	14	69
\$67,439.00	\$201,221.00	33	179
3010	4721	0	7
1676	1875	1	2
\$4,686.00	\$6,596.00	1	9
27	2986	0	0
0	0	0	0
\$27.00	\$2,986.00	0	0
\$33,169.00	\$75,051.00	20	128
\$44,057.00	\$163,709.00	16	80
\$77,226.00	\$238,760.00	36	208

Age, and Gender	Total Service Frequency by Service Category, Age, and Gender
------------------------	---

Surgery and Procedure - Outpatient - PMPM	Pharmacy - PMPM	Inpatient Facility Discharges/ 1,000 Member Years	ED Visits/ 1,000 Member Years
\$33.72	\$138.32	387.10	4,180.65
\$49.89	\$374.46	636.36	2,909.09
\$45.34	\$308.03	566.24	3,266.79
\$36.51	\$262.77	505.40	1,668.28
\$64.31	\$340.82	401.70	1,597.80
\$53.15	\$309.50	443.31	1,626.08
\$44.29	\$158.95	400.00	1,533.33
\$28.72	\$257.05	588.24	647.06
\$36.02	\$211.07	500.00	1,062.50
\$5.44	\$112.42	0.00	0.00
NA	NA	NA	NA
\$5.44	\$112.42	0.00	0.00
\$36.46	\$248.56	487.23	1,768.17
\$61.49	\$340.00	430.15	1,668.48
\$51.51	\$303.53	452.92	1,708.24

Board Certification (BCR)			
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)			
Type of Physician	Number of Physicians	Board Certification	
		Number	Percent
Family Medicine	674	288	42.73%
Internal Medicine	358	180	50.28%
OB/GYN physicians	266	83	31.20%
Pediatricians	300	144	48.00%
Geriatricians	25	8	32.00%
Other physician specialists	1477	744	50.37%

Enrollment by Product Line: Total (ENPA)			
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)			
Age	Male Member Months	Female Member Months	Total Member Months
<1	45251	43643	88,894
1-4	184556	175884	360,440
5-9	203829	197943	401,772
10-14	173423	164771	338,194
15-17	95367	94107	189,474
18-19	29703	39881	69,584
0-19 Subtotal	732,129	716,229	1,448,358
0-19 Subtotal: %	89.00%	74.54%	81.21%
20-24	13356	59384	72,740
25-29	14509	54912	69,421
30-34	11662	38470	50,132
35-39	9739	27649	37,388
40-44	9725	19926	29,651
20-44 Subtotal	58,991	200,341	259,332
20-44 Subtotal: %	7.17%	20.85%	14.54%
45-49	9136	14823	23,959
50-54	8954	11639	20,593
55-59	7138	8804	15,942
60-64	5109	7334	12,443
45-64 Subtotal	30,337	42,600	72,937
45-64 Subtotal: %	3.69%	4.43%	4.09%
65-69	842	1189	2,031
70-74	135	322	457
75-79	105	113	218
80-84	44	44	88
85-89	50	15	65
>=90	3	12	15
>=65 Subtotal	1,179	1,695	2,874
>=65 Subtotal: %	0.14%	0.18%	0.16%
Age Unknown	0	0	0
Total	822,636	960,865	1,783,501

Enrollment by Product Line: Dual Eligibles (ENPB)			
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)			
Age	Male Member Months	Female Member Months	Total Member Months
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	0	0	0
0-19 Subtotal	0	0	0
0-19 Subtotal: %	NA	NA	NA
20-24	0	0	0
25-29	0	0	0
30-34	0	0	0
35-39	0	0	0
40-44	0	0	0
20-44 Subtotal	0	0	0
20-44 Subtotal: %	NA	NA	NA
45-49	0	0	0
50-54	0	0	0
55-59	0	0	0
60-64	0	0	0
45-64 Subtotal	0	0	0
45-64 Subtotal: %	NA	NA	NA
65-69	0	0	0
70-74	0	0	0
75-79	0	0	0
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
>=65 Subtotal	0	0	0
>=65 Subtotal: %	NA	NA	NA
Age Unknown	0	0	0
Total	0	0	0

Enrollment by Product Line: Disabled (ENPC)			
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)			
Age	Male Member Months	Female Member Months	Total Member Months
<1	249	207	456
1-4	3880	3102	6,982
5-9	9183	4941	14,124
10-14	10563	5040	15,603
15-17	6386	3670	10,056
18-19	4043	3026	7,069
0-19 Subtotal	34,304	19,986	54,290
0-19 Subtotal: %	42.38%	26.58%	34.77%
20-24	7214	5414	12,628
25-29	4839	4192	9,031
30-34	3265	3564	6,829
35-39	2839	4387	7,226
40-44	3934	5608	9,542
20-44 Subtotal	22,091	23,165	45,256
20-44 Subtotal: %	27.29%	30.81%	28.99%
45-49	5497	7367	12,864
50-54	6758	8128	14,886
55-59	6264	7787	14,051
60-64	4854	7069	11,923
45-64 Subtotal	23,373	30,351	53,724
45-64 Subtotal: %	28.88%	40.37%	34.41%
65-69	842	1174	2,016
70-74	135	320	455
75-79	102	113	215
80-84	44	44	88
85-89	50	15	65
>=90	3	12	15
>=65 Subtotal	1,176	1,678	2,854
>=65 Subtotal: %	1.45%	2.23%	1.83%
Age Unknown	0	0	0
Total	80,944	75,180	156,124

Enrollment by Product Line: Other (ENPD)			
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)			
Age	Male Member Months	Female Member Months	Total Member Months
<1	45002	43435	88,437
1-4	180676	172782	353,458
5-9	194645	193002	387,647
10-14	162856	159731	322,587
15-17	88980	90418	179,398
18-19	25660	34800	60,460
0-19 Subtotal	697,819	694,168	1,391,987
0-19 Subtotal: %	94.09%	80.18%	86.60%
20-24	6136	45776	51,912
25-29	9670	45096	54,766
30-34	8394	32324	40,718
35-39	6898	22130	29,028
40-44	5786	13998	19,784
20-44 Subtotal	36,884	159,324	196,208
20-44 Subtotal: %	4.97%	18.40%	12.21%
45-49	3638	7428	11,066
50-54	2190	3507	5,697
55-59	872	1012	1,884
60-64	251	265	516
45-64 Subtotal	6,951	12,212	19,163
45-64 Subtotal: %	0.94%	1.41%	1.19%
65-69	0	15	15
70-74	0	2	2
75-79	3	0	3
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
>=65 Subtotal	3	17	20
>=65 Subtotal: %	0.00%	0.00%	0.00%
Age Unknown	0	0	0
Total	741,657	865,721	1,607,378

Enrollment by State (EBS)Presbyterian Health Plan, Inc. (Org ID: 579, SubID:
4104, Medicaid, Spec Area: None, Spec Proj: None)

State	Number
Alabama	0
Alaska	1
Arizona	22
Arkansas	1
California	5
Colorado	33
Connecticut	0
Delaware	0
District of Columbia	0
Florida	1
Georgia	0
Hawaii	0
Idaho	1
Illinois	1
Indiana	0
Iowa	0
Kansas	0
Kentucky	0
Louisiana	2
Maine	0
Maryland	0
Massachusetts	0
Michigan	0
Minnesota	2
Mississippi	0
Missouri	0
Montana	0
Nebraska	0
Nevada	4
New Hampshire	1
New Jersey	0
New Mexico	153378
New York	1
North Carolina	1
North Dakota	0
Ohio	1
Oklahoma	1
Oregon	1
Pennsylvania	1
Rhode Island	0
South Carolina	0
South Dakota	0
Tennessee	3
Texas	65
Utah	0
Vermont	0
Virginia	0
Washington	2
West Virginia	0
Wisconsin	0
Wyoming	0
American Samoa	0

Federated States of Micronesia	0
Guam	0
Commonwealth of Northern Marianas	0
Puerto Rico	0
Virgin Islands	0
Other	4
TOTAL	153,532

Race/Ethnicity Diversity of Membership (RDM)					
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)					
Eligible Population					
Category	Value				
Total unduplicated membership during the measurement year	184538				
Data Source	Other				
Race	Sex	Hispanic or Latino (any race)		Not Hispanic or Latino	
		Number	Percentage	Number	Percentage
White	M	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%
Black or African American	M	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%
American-Indian and Alaska Native	M	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%
Asian	M	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%
Native Hawaiian and Other Pacific Islanders	M	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%
Some Other Race	M	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%
Two or More Races	M	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%
Unknown	M	55012	29.81%	0	0.00%
	F	66832	36.22%	0	0.00%
	Total	121,844	66.03%	0	0.00%
Total	M	55,012	29.81%	0	0.00%
	F	66,832	36.22%	0	0.00%
	Total	121,844	66.03%	0	0.00%
Totals					
Measure	Percentage				
Percentage of plan members with known race information	30.96%				
Percentage of plan members with known ethnicity information	66.03%				

Unknown Ethnicity		Total	
Number	Percentage	Number	Percentage
19692	10.67%	19,692	10.67%
24040	13.03%	24,040	13.03%
43,732	23.70%	43,732	23.70%
1890	1.02%	1,890	1.02%
2198	1.19%	2,198	1.19%
4,088	2.22%	4,088	2.22%
3739	2.03%	3,739	2.03%
4425	2.40%	4,425	2.40%
8,164	4.42%	8,164	4.42%
0	0.00%	0	0.00%
0	0.00%	0	0.00%
0	0.00%	0	0.00%
539	0.29%	539	0.29%
617	0.33%	617	0.33%
1,156	0.63%	1,156	0.63%
0	0.00%	0	0.00%
0	0.00%	0	0.00%
0	0.00%	0	0.00%
0	0.00%	0	0.00%
0	0.00%	0	0.00%
0	0.00%	0	0.00%
3078	1.67%	58,090	31.48%
2475	1.34%	69,307	37.56%
5,553	3.01%	127,397	69.04%
28,938	15.68%	83,950	45.49%
33,755	18.29%	100,587	54.51%
62,693	33.97%	184,537	100.00%

Language Diversity of Membership (LDM)			
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)			
Eligible Population			
Category	Value		
Total unduplicated membership during the measurement year:	184538		
Data Source	Other		
Demand for Language Interpretation Services			
Demand for Language Interpretation Services	Sex	Number	Percentage
Need/want an interpreter? Yes	M	0	0.00%
	F	0	0.00%
	Total	0	0.00%
Need/want an interpreter? No	M	0	0.00%
	F	0	0.00%
	Total	0	0.00%
Need/want an interpreter? Unknown	M	83950	45.49%
	F	100587	54.51%
	Total	184,537	100.00%
Total	M	83,950	45.49%
	F	100,587	54.51%
	Total	184,537	100.00%
Percentage of members with known interpretation needs			0.00%
Spoken Language at Home			
Spoken Language at Home	Sex	Number	Percentage
English	M	4130	2.24%
	F	6177	3.35%
	Total	10,307	5.59%
Spanish (or Spanish Creole)	M	661	0.36%
	F	721	0.39%
	Total	1,382	0.75%
Other Indo-European Languages (e.g., French or French Creole, Italian, Portuguese or Portuguese Creole,	M	0	0.00%
	F	0	0.00%
	Total	0	0.00%
Asian and Pacific Island Languages (e.g., Chinese, Japanese, Korean, Mon-Khmer, Cambodian, Miao, Hmong, Thai,	M	6	0.00%
	F	9	0.00%
	Total	15	0.01%
Other Languages (e.g., Navajo, Other Native North American languages, Hungarian, Arabic, Hebrew, African	M	10	0.01%
	F	13	0.01%
	Total	23	0.01%
Unknown	M	79143	42.89%
	F	93667	50.76%
	Total	172,810	93.64%
Total	M	83,950	45.49%
	F	100,587	54.51%
	Total	184,537	100.00%
Percentage of members with known spoken language			6.35%

Weeks of Pregnancy at Time of Enrollment in MCO (WOP)
--

Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)

Measurement Year		
Measurement Year	2009	
Weeks of Pregnancy	Number	Percentage
< 0 weeks	1726	32.88%
1-12 weeks	341	6.50%
13-27 weeks	2003	38.16%
28 or more weeks	890	16.96%
Unknown	289	5.51%
Total	5,249	100.00%

Total Membership (TLM)	
Presbyterian Health Plan, Inc. (Org ID: 579, SubID: 4104, Medicaid, Spec Area: None, Spec Proj: None)	
Product/Product Line	Total Number of Members*
HMO (Total)	153,530
Medicaid	153530
Commercial	0
Medicare (cost or risk)	0
Other	0
PPO (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
POS (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
FFS (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
Total	153,530
* Total number of members in each category as of December 31 of the measurement year.	