

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2012						
This submission is unlocked.						
Pharmacy Reversal - Unknown						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Effectiveness of Care: Prevention and Screening						
Adult BMI Assessment (aba)	Y		N	72.44%	R	
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (wcc)	Y		N			
<i>BMI Percentile</i>				46.99%	R	
<i>Counseling for Nutrition</i>				41.43%	R	
<i>Counseling for Physical Activity</i>				26.95%	R	
Childhood Immunization Status (cis)	Y		N			
<i>DTaP</i>				83.22%	R	
<i>IPV</i>				94.04%	R	
<i>MMR</i>				92.49%	R	
<i>HIB</i>				93.82%	R	
<i>Hepatitis B</i>				91.39%	R	
<i>VZV</i>				91.39%	R	
<i>Pneumococcal Conjugate</i>				84.11%	R	
<i>Hepatitis A</i>				89.40%	R	
<i>Rotavirus</i>				75.28%	R	
<i>Influenza</i>				53.64%	R	
<i>Combination #2</i>				79.47%	R	
<i>Combination #3</i>				76.60%	R	
<i>Combination #4</i>				74.61%	R	
<i>Combination #5</i>				65.34%	R	
<i>Combination #6</i>				46.80%	R	
<i>Combination #7</i>				63.80%	R	
<i>Combination #8</i>				45.70%	R	
<i>Combination #9</i>				41.50%	R	
<i>Combination #10</i>				40.62%	R	
Immunizations for Adolescents (ima)	Y					
<i>Meningococcal</i>				NR	NR	
<i>Tdap/Td</i>				NR	NR	
<i>Combination #1</i>				NR	NR	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2012						
This submission is unlocked.						
Pharmacy Reversal - Unknown						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Human Papillomavirus Vaccine for Female Adolescents (hpv)	Y			9.17%	R	
Lead Screening in Children (lsc)	Y		N	34.07%	R	
Breast Cancer Screening (bcs)	Y			55.60%	R	
Cervical Cancer Screening (ccs)	Y			58.44%	R	
Chlamydia Screening in Women (chl)	Y					
16-20 Years				40.39%	R	
21-24 Years				54.45%	R	
Total				45.87%	R	
Effectiveness of Care: Respiratory Conditions						
Appropriate Testing for Children with Pharyngitis (cwp)	Y	Y		63.48%	R	
Appropriate Treatment for Children With URI (uri)	Y	Y		84.96%	R	
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (aab)	Y	Y		17.58%	R	
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (spr)	Y			NA	R	
Pharmacotherapy Management of COPD Exacerbation (pce)	Y	Y				
Systemic Corticosteroid				NA	R	
Bronchodilator				NA	R	
Use of Appropriate Medications for People With Asthma (asm)	Y	Y				
5-11 Years				93.90%	R	
12-18 Years				77.78%	R	
19-50 Years				86.05%	R	
51-64 Years				NA	R	
Total				86.46%	R	
Medication Management for People With Asthma (mma)	Y	Y				
5-11 Years - Medication Compliance 50%				44.16%	R	
5-11 Years - Medication Compliance 75%				23.38%	R	
12-18 Years - Medication Compliance 50%				32.65%	R	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2012						
This submission is unlocked.						
Pharmacy Reversal - Unknown						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
12-18 Years - Medication Compliance 75%				16.33%	R	
19-50 Years - Medication Compliance 50%				45.95%	R	
19-50 Years - Medication Compliance 75%				29.73%	R	
51-64 Years - Medication Compliance 50%				NA	R	
51-64 Years - Medication Compliance 75%				NA	R	
Total - Medication Compliance 50%				42.17%	R	
Total - Medication Compliance 75%				22.89%	R	
Asthma Medication Ratio (amr)	Y					
5-11 Years				65.85%	R	
12-18 Years				41.27%	R	
19-50 Years				48.84%	R	
51-64 Years				NA	R	
Total				54.17%	R	
Effectiveness of Care: Cardiovascular						
Cholesterol Management for Patients With Cardiovascular Conditions (cmc)	Y		N			
LDL-C Screening Performed				NA	R	
LDL-C Control (<100 mg/dL)				NA	R	
Controlling High Blood Pressure (cbp)	Y			49.06%	R	
Persistence of Beta-Blocker Treatment After a Heart Attack (pbh)	Y	Y		NA	R	
Effectiveness of Care: Diabetes						
Comprehensive Diabetes Care (cdc)	Y		Y			
Hemoglobin A1c (HbA1c) Testing				82.33%	R	
HbA1c Poor Control (>9.0%)				39.66%	R	
HbA1c Control (<8.0%)				45.69%	R	
HbA1c Control (<7.0%)				NR	NR	
Eye Exam (Retinal) Performed				53.88%	R	
LDL-C Screening Performed				72.41%	R	
LDL-C Control (<100 mg/dL)				39.22%	R	
Medical Attention for Nephropathy				76.29%	R	
Blood Pressure Control (<140/80 mm Hg)				46.55%	R	
Blood Pressure Control (<140/90 mm Hg)				65.09%	R	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2012						
This submission is unlocked.						
Pharmacy Reversal - Unknown						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Effectiveness of Care: Musculoskeletal						
Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis (art)	Y	Y		NA	R	
Use of Imaging Studies for Low Back Pain (lbp)	Y			79.86%	R	
Effectiveness of Care: Behavioral Health						
Antidepressant Medication Management (amm)	N	N				
<i>Effective Acute Phase Treatment</i>				NR	NR	
<i>Effective Continuation Phase Treatment</i>				NR	NR	
Follow-Up Care for Children Prescribed ADHD Medication (add)	Y	Y				
<i>Initiation Phase</i>				44.74%	R	
<i>Continuation and Maintenance (C&M) Phase</i>				NA	R	
Follow-Up After Hospitalization for Mental Illness (fuh)	N	N				
<i>30-Day Follow-Up</i>				NR	NR	
<i>7-Day Follow-Up</i>				NR	NR	
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (ssd)	Y	Y		NA	R	
Diabetes Monitoring for People With Diabetes and Schizophrenia (smd)	Y			NA	R	
Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (smc)	Y			NA	R	
Adherence to Antipsychotic Medications for Individuals With Schizophrenia (saa)	Y	Y		NA	R	
Effectiveness of Care: Medication Management						
Annual Monitoring for Patients on Persistent Medications (mpm)	Y	Y				
<i>ACE Inhibitors or ARBs</i>				89.32%	R	
<i>Digoxin</i>				NA	R	
<i>Diuretics</i>				86.30%	R	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2012						
This submission is unlocked.						
Pharmacy Reversal - Unknown						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
<i>Anticonvulsants</i>				61.76%	R	
<i>Total</i>				86.12%	R	
Access/Availability of Care						
Adults' Access to Preventive/Ambulatory Health Services (aap)	Y					
<i>20-44 Years</i>				81.70%	R	
<i>45-64 Years</i>				85.04%	R	
<i>65+ Years</i>				NA	R	
<i>Total</i>				82.57%	R	
Children and Adolescents' Access to Primary Care Practitioners (cap)	Y					
<i>12-24 Months</i>				97.20%	R	
<i>25 Months - 6 Years</i>				86.12%	R	
<i>7-11 Years</i>				85.22%	R	
<i>12-19 Years</i>				85.76%	R	
Annual Dental Visit (adv)	Y	Y				
<i>2-3 Years</i>				55.74%	R	
<i>4-6 Years</i>				68.53%	R	
<i>7-10 Years</i>				73.35%	R	
<i>11-14 Years</i>				66.18%	R	
<i>15-18 Years</i>				56.43%	R	
<i>19-21 Years</i>				37.45%	R	
<i>Total</i>				64.00%	R	
Initiation and Engagement of AOD Dependence Treatment (iet)	N	N				
<i>Initiation of AOD Treatment: 13-17 Years</i>				NR	NR	
<i>Engagement of AOD Treatment: 13-17 Years</i>				NR	NR	
<i>Initiation of AOD Treatment: 18+ Years</i>				NR	NR	
<i>Engagement of AOD Treatment: 18+ Years</i>				NR	NR	
<i>Initiation of AOD Treatment: Total</i>				NR	NR	
<i>Engagement of AOD Treatment: Total</i>				NR	NR	
Prenatal and Postpartum Care (ppc)	Y					
<i>Timeliness of Prenatal Care</i>				86.06%	R	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2012						
This submission is unlocked.						
Pharmacy Reversal - Unknown						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
<i>Postpartum Care</i>				63.05%	R	
Call Answer Timeliness (cat)	Y			89.92%	R	
Utilization						
Frequency of Ongoing Prenatal Care (fpc)	Y					
<i><21 Percent</i>				7.74%	R	
<i>21-40 Percent</i>				5.97%	R	
<i>41-60 Percent</i>				9.29%	R	
<i>61-80 Percent</i>				16.15%	R	
<i>81+ Percent</i>				60.84%	R	
Well-Child Visits in the First 15 Months of Life (w15)	Y		Y			
<i>0 Visits</i>				1.55%	R	
<i>1 Visit</i>				0.66%	R	
<i>2 Visits</i>				1.77%	R	
<i>3 Visits</i>				3.98%	R	
<i>4 Visits</i>				8.19%	R	
<i>5 Visits</i>				20.80%	R	
<i>6+ Visits</i>				63.05%	R	
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (w34)	Y		N	58.28%	R	
Adolescent Well-Care Visits (awc)	Y		N	35.87%	R	
Frequency of Selected Procedures (fsp)	Y				R	
Ambulatory Care: Total (amba)	Y				R	
Ambulatory Care: Dual Eligibles (ambb)	Y				R	
Ambulatory Care: Disabled (ambc)	Y				R	
Ambulatory Care: Other (ambd)	Y				R	
Inpatient Utilization--General Hospital/Acute Care: Total (ipua)	Y				R	
Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (ipub)	Y				R	
Inpatient Utilization--General Hospital/Acute Care: Disabled (ipuc)	Y				R	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2012						
This submission is unlocked.						
Pharmacy Reversal - Unknown						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Inpatient Utilization--General Hospital/Acute Care: Other (ipud)	Y				R	
Identification of Alcohol and Other Drug Services: Total (iada)	N	N			NR	
Identification of Alcohol and Other Drug Services: Dual Eligibles (iadb)	N	N			NR	
Identification of Alcohol and Other Drug Services: Disabled (iadc)	N	N			NR	
Identification of Alcohol and Other Drug Services: Other (iadd)	N	N			NR	
Mental Health Utilization: Total (mpta)	N	N			NR	
Mental Health Utilization: Dual Eligibles (mptb)	N	N			NR	
Mental Health Utilization: Disabled (mptc)	N	N			NR	
Mental Health Utilization: Other (mptd)	N	N			NR	
Antibiotic Utilization: Total (abxa)	Y	Y			R	
Antibiotic Utilization: Dual Eligibles (abxb)	Y	Y			R	
Antibiotic Utilization: Disabled (abxc)	Y	Y			R	
Antibiotic Utilization: Other (abxd)	Y	Y			R	
Relative Resource Use						
Relative Resource Use for People With Diabetes (rdi)	Y				R	
Relative Resource Use for People With Asthma (ras)	Y	Y			R	
Relative Resource Use for People With Cardiovascular Conditions (rca)	Y				R	
Relative Resource Use for People With Hypertension (rhy)	Y				R	
Relative Resource Use for People With COPD (rco)	Y				R	
Health Plan Descriptive Information						
Board Certification (bcr)	N				NR	
Total Membership (tlm)	Y				R	
Enrollment by Product Line: Total (enpa)	Y				R	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2012						
This submission is unlocked.						
Pharmacy Reversal - Unknown						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Enrollment by Product Line: Dual Eligibles (enpb)	N				NR	
Enrollment by Product Line: Disabled (enpc)	N				NR	
Enrollment by Product Line: Other (enpd)	N				NR	
Enrollment by State (ebs)	Y				R	
Race/Ethnicity Diversity of Membership (rdm)	N				NR	
Language Diversity of Membership (ldm)	N				NR	
Weeks of Pregnancy at Time of Enrollment in MCO (wop)	Y				R	

Adult BMI Assessment (ABA)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative or hybrid)	H
Eligible population	1494
Number of numerator events by administrative data in eligible population (before exclusions)	37
Current year's administrative rate (before exclusions)	2.48%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.1
Final sample size (FSS)	453
Number of numerator events by administrative data in FSS	11
Administrative rate on FSS	2.43%
Number of original sample records excluded because of valid data errors	0
Number of administrative data records excluded	0
Number of medical records excluded	0
Number of employee/dependent medical records excluded	3
Records added from the oversample list	0
Denominator	450
Numerator events by administrative data	11
Numerator events by medical records	315
Reported rate	72.44%
Lower 95% confidence interval	68.21%
Upper 95% confidence interval	76.68%

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)									
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)									
Data Element	BMI Percentile			Counseling for Nutrition			Counseling for Physical Activity		
	3-11 years	12-17 years	Total	3-11 years	12-17 years	Total	3-11 years	12-17 years	Total
Measurement year	2012			2012			2012		
Data collection methodology (administrative or hybrid)	H			H			H		
Eligible population	5442	2366	7,808	5442	2366	7,808	5442	2366	7,808
Number of numerator events by administrative data in eligible population (before exclusions)	97	65	162	116	56	172	48	23	71
Current year's administrative rate (before exclusions)	1.78%	2.75%	2.07%	2.13%	2.37%	2.20%	0.88%	0.97%	0.91%
Minimum required sample size (MRSS) or other sample size	411			411			411		
Oversampling rate	0.1			0.1			0.1		
Final sample size	453			453			453		
Number of numerator events by administrative data in FSS	6	4	10	6	0	6	2	0	2
Administrative rate on FSS	1.32%	0.88%	2.21%	1.32%	0.00%	1.32%	0.44%	0.00%	0.44%
Number of original sample records excluded because of valid data errors	0			0			0		
Number of administrative data records excluded	0			0			0		
Number of medical records excluded	0			0			0		
Number of employee/dependent medical records excluded	4			4			4		
Records added from the oversample list	0			0			0		
Denominator	304	145	449	304	145	449	304	145	449
Numerator events by administrative data	6	4	10	6	0	6	2	0	2
Numerator events by medical records	139	62	201	135	45	180	78	41	119
Reported rate	47.70%	45.52%	46.99%	46.38%	31.03%	41.43%	26.32%	28.28%	26.95%
Lower 95% confidence interval	41.92%	37.07%	42.27%	40.61%	23.16%	36.76%	21.20%	20.60%	22.73%
Upper 95% confidence interval	53.48%	53.97%	51.72%	52.15%	38.91%	46.09%	31.43%	35.95%	31.16%

Childhood Immunization Status (CIS)																				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)																				
Data Element	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza	Combinatio n 2	Combinatio n 3	Combinatio n 4	Combinatio n 5	Combinatio n 6	Combinatio n 7	Combinatio n 8	Combinatio n 9	Combinatio n 10
Measurement year	2012																			
Data collection methodology (administrative or hybrid)	H																			
Eligible population	1183																			
Number of numerator events by admin data in eligible population (before exclusions)		436	595	797	684	151	807	440	817	445	434	102	91	84	73	48	70	46	40	39
Current year's administrative rate (before exclusions)		36.86%	50.30%	67.37%	57.82%	12.76%	68.22%	37.19%	69.06%	37.62%	36.69%	8.62%	7.69%	7.10%	6.17%	4.06%	5.92%	3.89%	3.38%	3.30%
Minimum required sample size (MRSS) or other sample Size	411																			
Oversampling rate	0.1																			
Final sample size	453																			
Number of numerator events by admin data in FSS		177	243	316	280	75	320	185	322	170	167	52	47	43	36	23	35	21	19	18
Administrative rate on FSS		39.07%	53.64%	69.76%	61.81%	16.56%	70.64%	40.84%	71.08%	37.53%	36.87%	11.48%	10.38%	9.49%	7.95%	5.08%	7.73%	4.64%	4.19%	3.97%
Number of original records excluded because of valid data errors	0																			
Number of administrative data records excluded	0																			
Number of medical data records excluded	0																			
Number of employee/dependent medical records excluded	0																			
Records added from the oversample list	0																			
Denominator	453																			
Numerator events by administrative data		177	243	316	280	75	320	185	322	170	167	52	47	43	36	23	35	21	19	18
Number of numerator events by medical records		200	183	103	145	339	94	196	83	171	76	308	300	295	260	189	254	186	169	166
Reported rate		83.22%	94.04%	92.49%	93.82%	91.39%	91.39%	84.11%	89.40%	75.28%	53.64%	79.47%	76.60%	74.61%	65.34%	46.80%	63.80%	45.70%	41.50%	40.62%
Lower 95% confidence interval		79.67%	91.75%	89.96%	91.49%	88.70%	88.70%	80.63%	86.46%	71.19%	48.94%	75.64%	72.59%	70.50%	60.85%	42.09%	59.26%	41.00%	36.85%	35.99%
Upper 95% confidence interval		86.77%	96.33%	95.03%	96.15%	94.08%	94.08%	87.58%	92.35%	79.36%	58.34%	83.30%	80.61%	78.73%	69.83%	51.50%	68.33%	50.39%	46.15%	45.25%

Immunizations for Adolescents (IMA)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Data Element	General Measure Data	Meningococcal	Tdap/Td	Combination 1
Measurement year	NR			
Data collection methodology (administrative or hybrid)	NR			
Eligible population	NR			
Number of numerator events by admin data in eligible population (before exclusions)		NR	NR	NR
Current year's administrative rate (before exclusions)		NR	NR	NR
Minimum required sample size (MRSS) or other sample Size	NR			
Oversampling rate	NR			
Final sample size	NR			
Number of numerator events by admin data in FSS		NR	NR	NR
Administrative rate on FSS		NR	NR	NR
Number of original records excluded because of valid data errors	NR			
Number of administrative data records excluded	NR			
Number of medical data records excluded	NR			
Number of employee/dependent medical records excluded	NR			
Records added from the oversample list	NR			
Denominator	NR			
Numerator events by administrative data		NR	NR	NR
Number of numerator events by medical records		NR	NR	NR
Reported rate		NR	NR	NR
Lower 95% confidence interval		NR	NR	NR
Upper 95% confidence interval		NR	NR	NR

Human Papillomavirus Vaccine for Female Adolescents (HPV)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative or hybrid)	A
Eligible population	240
Number of numerator events by administrative data in eligible population (before exclusions)	NR
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	NR
Oversampling rate	NR
Final sample size (FSS)	NR
Number of numerator events by administrative data in FSS	NR
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	NR
Number of administrative data records excluded	NR
Number of medical data records excluded	NR
Number of employee/dependent medical records excluded	NR
Records added from the oversample list	NR
Denominator	NR
Numerator events by administrative data	22
Numerator events by medical records	NR
Reported rate	9.17%
Lower 95% confidence interval	5.31%
Upper 95% confidence interval	13.03%

Lead Screening in Children (LSC)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Lead Screening in Children	
Data Elements which do not apply to the selected data collection methodology will not appear	General Measure Data
Measurement year	2012
Data collection methodology (administrative or hybrid)	A
Eligible population	1183
Number of numerator events by admin data in eligible population (before exclusions)	NR
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	NR
Oversampling rate	NR
Final sample size (FSS)	NR
Number of numerator events by administrative data in FSS	NR
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	NR
Number of administrative data records excluded	NR
Number of medical data records excluded	NR
Number of employee/dependent medical records excluded	NR
Records added from the oversample list	NR
Denominator	NR
Numerator events by administrative data	403
Numerator events by medical records	NR
Reported rate	34.07%
Lower 95% confidence interval	31.32%
Upper 95% confidence interval	36.81%

Breast Cancer Screening (BCS)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	General Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	277
Numerator events by administrative data	154
Reported rate	55.60%
Lower 95% confidence interval	49.56%
Upper 95% confidence interval	61.63%

Cervical Cancer Screening (CCS)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative or hybrid)	H
Eligible population	1857
Number of numerator events by administrative data in eligible population (before exclusions)	974
Current year's administrative rate (before exclusions)	52.45%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.1
Final sample size (FSS)	453
Number of numerator events by administrative data in FSS	231
Administrative rate on FSS	50.99%
Number of original sample records excluded because of valid data errors	1
Number of administrative data records excluded	0
Number of medical data records excluded	2
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	450
Numerator events by administrative data	231
Numerator events by medical records	32
Reported rate	58.44%
Lower 95% confidence interval	53.78%
Upper 95% confidence interval	63.11%

Chlamydia Screening in Women (CHL)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Data Element	General Measure Data	16-20 years	21-24 years	Total
Measurement year	2012			
Data collection methodology (administrative)	A			
Eligible population		458	292	750
Numerator events by administrative data		185	159	344
Reported rate		40.39%	54.45%	45.87%
Lower 95% confidence interval		35.79%	48.57%	42.23%
Upper 95% confidence interval		45.00%	60.34%	49.50%

Appropriate Testing for Children with Pharyngitis (CWP)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	775
Numerator events by administrative data	492
Reported rate	63.48%
Lower 95% confidence interval	60.03%
Upper 95% confidence interval	66.94%

Appropriate Treatment for Children With URI (URI)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	1868
Numerator events by administrative data	281
Reported rate	84.96%
Lower 95% confidence interval	83.31%
Upper 95% confidence interval	86.61%

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	91
Total numerator events by administrative data	75
Reported rate	17.58%
Lower 95% confidence interval	9.21%
Upper 95% confidence interval	25.95%

Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	15
Numerator events by administrative data	2
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Pharmacotherapy Management of COPD Exacerbation (PCE)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Pharmacotherapy Management of COPD Exacerbation			
Data Elements	Measure Data	Systemic corticosteroid	Bronchodilator
Measurement year	2012		
Data collection methodology (administrative)	A		
Eligible population	25		
Numerator events by administrative data		19	23
Reported rate		NA	NA
Lower 95% confidence interval		NA	NA
Upper 95% confidence interval		NA	NA

Use of Appropriate Medications for People With Asthma (ASM)						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)						
Data Element	General Measure Data	5-11 years	12-18 years	19-50 years	51-64 years	Total
Measurement year	2012					
Data collection methodology (administrative)	A					
Eligible population		82	63	43	4	192
Number of required exclusions		5	4	13	22	44
Numerator events by administrative data		77	49	37	3	166
Reported rate		93.90%	77.78%	86.05%	NA	86.46%
Lower 95% confidence interval		88.11%	66.72%	74.53%	NA	81.36%
Upper 95% confidence interval		99.69%	88.84%	97.57%	NA	91.56%

Medication Management for People With Asthma (MMA)											
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)											
Data Element	General Measure Data	5-11 years		12-18 years		19-50 years		51-64 years		Total	
		Medication Compliance 50%	Medication Compliance 75%	Medication Compliance 50%	Medication Compliance 75%	Medication Compliance 50%	Medication Compliance 75%	Medication Compliance 50%	Medication Compliance 75%	Medication Compliance 50%	Medication Compliance 75%
Measurement year	2012										
Data collection methodology (administrative)	A										
Eligible population		77		49		37		3		166	
Number of required exclusions		10		18		19		23		70	
Numerator events by administrative data		34	18	16	8	17	11	3	1	70	38
Reported rate		44.16%	23.38%	32.65%	16.33%	45.95%	29.73%	NA	NA	42.17%	22.89%
Lower 95% confidence interval		32.41%	13.27%	18.50%	4.96%	28.54%	13.65%	NA	NA	34.36%	16.20%
Upper 95% confidence interval		55.90%	33.48%	46.80%	27.70%	63.36%	45.81%	NA	NA	49.98%	29.58%

Asthma Medication Ratio (AMR)						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)						
Data Element	Measure Data	5-11 years	12-18 years	19-50 years	51-64 years	Total
Measurement year	2012					
Data collection methodology (administrative)	A					
Eligible population		82	63	43	4	192
Number of required exclusions		5	4	13	22	44
Numerator events by administrative data		54	26	21	3	104
Reported rate		65.85%	41.27%	48.84%	NA	54.17%
Lower 95% confidence interval		54.98%	28.32%	32.73%	NA	46.86%
Upper 95% confidence interval		76.73%	54.22%	64.94%	NA	61.48%

Cholesterol Management for Patients With Cardiovascular Conditions (CMC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	LDL-C Screening	LDL-C level <100 mg/dL
Measurement year	2012		
Data collection methodology (administrative or hybrid)	H		
Eligible population	17		
Number of numerator events by administrative data in eligible population (before exclusions)		10	0
Current year's administrative rate (before exclusions)		58.82%	0.00%
Minimum required sample size (MRSS) or other sample size	17		
Oversampling rate	0.1		
Final sample size (FSS)	17		
Number of numerator events by administrative data in FSS		10	0
Administrative rate on FSS		58.82%	0.00%
Number of original sample records excluded because of valid data errors	0		
Number of employee/dependent medical records excluded	0		
Records added from the oversample list	0		
Denominator	17		
Numerator events by administrative data		10	0
Numerator events by medical records		0	3
Reported rate		NA	NA
Lower 95% confidence interval		NA	NA
Upper 95% confidence interval		NA	NA

Controlling High Blood Pressure (CBP)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	General Measure Data
Measurement year	2012
Data collection methodology (hybrid)	H
Eligible population	344
Number of numerator events by administrative data in eligible population (before exclusions)	0
Current year's administrative rate (before exclusions)	0.00%
Minimum required sample size (MRSS) or other sample size	326
Oversampling rate	0.15
Final sample size (FSS)	326
Number of numerator events by administrative data in FSS	0
Administrative rate on FSS	0.00%
Number of original sample records excluded because of valid data errors	6
Number of records excluded because of false positive diagnoses	6
Number of administrative data records excluded	2
Number of medical data records excluded	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	318
Numerator events by administrative data	0
Numerator events by medical records	156
Reported rate	49.06%
Lower 95% confidence interval	43.40%
Upper 95% confidence interval	54.71%

Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	0
Numerator events by administrative data	0
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Comprehensive Diabetes Care (CDC)										
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)										
Data Element	HbA1c Testing	HbA1c Poor Control (>9.0%)	HbA1c Control (<8.0%)	HbA1c Control (<7.0%) for a Selected Population	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Medical Attention for Nephropathy	Blood Pressure Controlled <140/80 mm Hg	Blood Pressure Controlled <140/90 mm Hg
Measurement year	2011	2011	2011	2011	2011	2011	2011	2011	2011	2011
Data collection methodology (administrative or hybrid)	H	H	H	NR	H	H	H	H	H	H
Eligible population	240	240	240	NR	240	240	240	240	240	240
Number of numerator events by administrative data in eligible population (before optional exclusions)	177	228	11	NR	105	159	18	167	0	0
Current year's administrative rate (before optional exclusions)	73.75%	95.00%	4.58%	NR	43.75%	66.25%	7.50%	69.58%	0.00%	0.00%
Minimum required sample size (MRSS) or other sample size	235	235	235	NR	235	235	235	235	235	235
Oversampling rate	0.1	0.1	0.1	NR	0.1	0.1	0.1	0.1	0.1	0.1
Final sample size (FSS)	235	235	235	NR	235	235	235	235	235	235
Number of numerator events by administrative data in FSS	176	223	11	NR	105	159	16	163	0	0
Administrative rate on FSS	74.89%	94.89%	4.68%	NR	44.68%	67.66%	6.81%	69.36%	0.00%	0.00%
Number of original sample records excluded because of valid data errors	3	3	3	NR	3	3	3	3	3	3
Number of optional administrative data records excluded	0	0	0	NR	0	0	0	0	0	0
Number of optional medical data records excluded	0	0	0	NR	0	0	0	0	0	0
Number of HbA1c <7 required medical records excluded				NR						
Number of HbA1c <7 required administrative data records excluded				NR						
Number of employee/dependent medical records excluded	0	0	0	NR	0	0	0	0	0	0
Records added from the oversample list	0	0	0	NR	0	0	0	0	0	0
Denominator	232	232	232	NR	232	232	232	232	232	232
Numerator events by administrative data	176	59	11	NR	105	159	16	163	0	0
Numerator events by medical records	15	33	95	NR	20	9	75	14	108	151
Reported rate	82.33%	39.66%	45.69%	NR	53.88%	72.41%	39.22%	76.29%	46.55%	65.09%
Lower 95% confidence interval	77.20%	33.14%	39.06%	NR	47.25%	66.45%	32.73%	70.61%	39.92%	58.74%
Upper 95% confidence interval	87.45%	46.17%	52.32%	NR	60.51%	78.38%	45.72%	81.98%	53.19%	71.44%

Disease Modifying Anti-Rheumatic Drug therapy in Rheumatoid Arthritis (ART)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	18
Numerator events by administrative data	14
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Use of Imaging Studies for Low Back Pain (LBP)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	144
Numerator events by administrative data	29
Reported rate	79.86%
Lower 95% confidence Interval	72.96%
Upper 95% confidence Interval	86.76%

Antidepressant Medication Management (AMM)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Data Element	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement year	NR		
Data collection methodology (administrative)	NR		
Eligible population	NR		
Numerator events by administrative data		NR	NR
Reported rate		NR	NR
Lower 95% confidence interval		NR	NR
Upper 95% confidence interval		NR	NR

Follow-Up Care for Children Prescribed ADHD Medication (ADD)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Data Element	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement year	2012		
Data collection methodology (administrative)	A		
Eligible population		76	9
Numerator events by administrative data		34	4
Reported rate		44.74%	NA
Lower 95% confidence interval		32.90%	NA
Upper 95% confidence interval		56.57%	NA

Follow-Up After Hospitalization for Mental Illness (FUH)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Data Element	General Measure Data	30-day follow-up	7-day follow-up
Measurement year	NR		
Data collection methodology (administrative)	NR		
Eligible population	NR		
Numerator events by administrative data		NR	NR
Reported rate		NR	NR
Lower 95% confidence interval		NR	NR
Upper 95% confidence interval		NR	NR

Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (SSD)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	18
Number of required exclusions	34
Numerator events by administrative data	17
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	4
Number of optional exclusions	0
Numerator events by administrative data	1
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	0
Numerator events by administrative data	0
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

**Adherence to Antipsychotic Medications
for Individuals With Schizophrenia
(SAA)**

Blue Cross and Blue Shield of New Mexico (Org ID:
1825, SubID: 9522, Medicaid, Spec Area: None, Spec
Proj: None)

Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	10
Number of required exclusions	17
Numerator events by administrative data	3
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Annual Monitoring for Patients on Persistent Medications (MPM)						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)						
Data Element	General Measure Data	ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement year	2012					
Data collection methodology (administrative)	A					
Eligible population		234	4	146	34	418
Numerator events by administrative data		209	4	126	21	360
Reported rate		89.32%	NA	86.30%	61.76%	86.12%
Lower 95% confidence interval		85.14%	NA	80.38%	43.96%	82.69%
Upper 95% confidence interval		93.49%	NA	92.22%	79.57%	89.56%

Adults' Access to Preventive/Ambulatory Health Services (AAP)					
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)					
Data Element	General Measure Data	20-44 years	45-64 years	65+ years	Total
Measurement year	2012				
Data collection methodology (administrative)	A				
Eligible population		2487	869	1	3,357
Numerator events by administrative data		2032	739	1	2,772
Reported rate		81.70%	85.04%	NA	82.57%
Lower 95% confidence interval		80.17%	82.61%	NA	81.28%
Upper 95% confidence interval		83.24%	87.47%	NA	83.87%

Children and Adolescents' Access to Primary Care Practitioners (CAP)					
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)					
Data Element	General Measure Data	12-24 months	25 months - 6 years	7-11 years	12-19 years
Measurement year	2012				
Data collection methodology (administrative)	A				
Eligible population		1215	4964	2159	2550
Numerator events by administrative data		1181	4275	1840	2187
Reported rate		97.20%	86.12%	85.22%	85.76%
Lower 95% confidence interval		96.23%	85.15%	83.70%	84.39%
Upper 95% confidence interval		98.17%	87.09%	86.74%	87.14%

Annual Dental Visit (ADV)								
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)								
Data Element	Measure Data	2-3 Years	4-6 Years	7-10 Years	11-14 Years	15-18 Years	19-21 Years	Total
Measurement year	2012							
Data collection methodology (administrative)	A							
Eligible population		2490	2577	2781	2466	2068	259	12,641
Numerator events by administrative data		1388	1766	2040	1632	1167	97	8,090
Reported rate		55.74%	68.53%	73.35%	66.18%	56.43%	37.45%	64.00%
Lower 95% confidence interval		53.77%	66.72%	71.69%	64.29%	54.27%	31.36%	63.16%
Upper 95% confidence interval		57.71%	70.34%	75.02%	68.07%	58.59%	43.54%	64.84%

Initiation and Engagement of AOD Dependence Treatment (IET)							
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)							
Data Elements	General Measure Data	13-17 years		18+ years		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement year	NR						
Data collection methodology (administrative)	NR						
Eligible population		NR		NR		NR	
Numerator events by administrative data		NR	NR	NR	NR	NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

Prenatal and Postpartum Care (PPC)		
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)		
Data Element	Timeliness of Prenatal Care	Postpartum Care
Measurement year	2012	2012
Data collection methodology (administrative or hybrid)	H	H
Eligible population	1161	1161
Number of numerator events by administrative data in eligible population (before exclusions)	425	379
Current year's administrative rate (before exclusions)	36.61%	32.64%
Minimum required sample size (MRSS) or other sample size	411	411
Oversampling rate	0.1	0.1
Final sample size (FSS)	453	453
Number of numerator events by administrative data in FSS	168	146
Administrative rate on FSS	37.09%	32.23%
Number of original sample records excluded because of valid data errors	1	1
Number of employee/dependent medical records excluded	0	0
Records added from the oversample list	0	0
Denominator	452	452
Numerator events by administrative data	168	146
Numerator events by medical records	221	139
Reported rate	86.06%	63.05%
Lower 95% confidence interval	82.76%	58.49%
Upper 95% confidence interval	89.37%	67.61%

Call Answer Timeliness (CAT)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative)	A
Eligible population	19472
Numerator events by administrative data	17510
Reported rate	89.92%
Lower 95% confidence interval	89.50%
Upper 95% confidence interval	90.35%

Frequency of Ongoing Prenatal Care (FPC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	<21 Percent	21-40 Percent	41-60 Percent	61-80 Percent	81+ Percent
Measurement year	2012					
Data collection methodology (administrative or hybrid)	H					
Eligible population	1160					
Number of numerator events by administrative data in eligible population (before exclusions)		737	209	86	54	74
Current year's administrative rate (before exclusions)		63.53%	18.02%	7.41%	4.66%	6.38%
Minimum required sample size (MRSS) or other sample size	411					
Oversampling rate	0.1					
Final sample size (FSS)	453					
Number of numerator events by administrative data in FSS		288	89	29	15	32
Administrative rate on FSS		63.58%	19.65%	6.40%	3.31%	7.06%
Number of original sample records excluded because of valid data errors	1					
Number of employee/dependent medical records excluded	0					
Records added from the oversample list	0					
Denominator	452					
Numerator events by administrative data		32	18	5	8	36
Numerator events by medical records		3	9	37	65	239
Reported rate		7.74%	5.97%	9.29%	16.15%	60.84%
Lower 95% confidence interval		5.17%	3.68%	6.50%	12.65%	56.23%
Upper 95% confidence interval		10.32%	8.27%	12.08%	19.65%	65.45%

Well-Child Visits in the First 15 Months of Life (W15)								
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)								
Data Element	Measure Data	0 visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement year	2011							
Data collection methodology (administrative or hybrid)	H							
Eligible population	938							
Number of numerator events by administrative data in eligible population (before exclusions)		18	19	29	75	141	215	441
Current year's administrative rate (before exclusions)		1.92%	2.03%	3.09%	8.00%	15.03%	22.92%	47.01%
Minimum required sample size (MRSS) or other sample size	411							
Oversampling rate	0.1							
Final sample size (FSS)	453							
Number of numerator events by administrative data in FSS		9	5	11	32	71	110	215
Administrative rate on FSS		1.99%	1.10%	2.43%	7.06%	15.67%	24.28%	47.46%
Number of original sample records excluded because of valid data errors	0							
Number of employee/dependent medical records excluded	1							
Records added from the oversample list	0							
Denominator	452							
Numerator events by administrative data		0	0	0	0	0	0	0
Numerator events by medical records		7	3	8	18	37	94	285
Reported rate		1.55%	0.66%	1.77%	3.98%	8.19%	20.80%	63.05%
Lower 95% confidence interval		0.30%	0.00%	0.44%	2.07%	5.55%	16.94%	58.49%
Upper 95% confidence interval		2.80%	1.52%	3.10%	5.90%	10.82%	24.65%	67.61%

Adolescent Well-Care Visits (AWC)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative or hybrid)	A
Eligible population	4179
Number of numerator events by administrative data in eligible population (before exclusions)	NR
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	NR
Oversampling rate	NR
Final sample size (FSS)	NR
Number of numerator events by administrative data in FSS	NR
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	NR
Number of employee/dependent medical records excluded	NR
Records added from the oversample list	NR
Denominator	NR
Numerator events by administrative data	1499
Numerator events by medical records	NR
Reported rate	35.87%
Lower 95% confidence interval	34.40%
Upper 95% confidence interval	37.34%

Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2012
Data collection methodology (administrative or hybrid)	H
Eligible population	3778
Number of numerator events by administrative data in eligible population (before exclusions)	2176
Current year's administrative rate (before exclusions)	57.60%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.1
Final sample size (FSS)	453
Number of numerator events by administrative data in FSS	261
Administrative rate on FSS	57.62%
Number of original sample records excluded because of valid data errors	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	453
Numerator events by administrative data	261
Numerator events by medical records	3
Reported rate	58.28%
Lower 95% confidence interval	53.63%
Upper 95% confidence interval	62.93%

Frequency of Selected Procedures (FSP)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Male	Female	Total	
0-9	82,181	77,791	159,972	
10-19	44,970	45,216	90,186	
15-44		63,210		
20-44	15,621	43,592		
30-64	17,011			
45-64	8,187	7,233		

Procedure	Age	Sex	Number of Procedures	Procedures / 1,000 Member Years
Bariatric weight loss surgery	0-19	Male	0	0.00
		Female	0	0.00
	20-44	Male	0	0.00
		Female	0	0.00
	45-64	Male	0	0.00
		Female	0	0.00
Tonsillectomy	0-9	Male & Female	92	0.58
	10-19	Male & Female	38	0.42
Hysterectomy, Abdominal	15-44	Female	10	0.16
	45-64	Female	6	0.83
Hysterectomy, Vaginal	15-44	Female	11	0.17
	45-64	Female	2	0.28
Cholecystectomy, Open	30-64	Male	2	0.12
	15-44	Female	0	0.00
	45-64		0	0.00
Cholecystectomy (laparoscopic)	30-64	Male	6	0.35
	15-44	Female	63	1.00
	45-64		4	0.55
Back Surgery	20-44	Male	4	0.26
		Female	6	0.14
	45-64	Male	8	0.98
		Female	9	1.24
Mastectomy	15-44	Female	0	0.00
	45-64		0	0.00
Lumpectomy	15-44	Female	7	0.11
	45-64		5	0.69

Ambulatory Care: Total (AMBA)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Age	Member Months			
<1	23,881			
1-9	136,091			
10-19	90,186			
20-44	59,213			
45-64	15,420			
65-74	8			
75-84	0			
85+	0			
Unknown	0			
Total	324,799			
Age	Outpatient Visits		ED Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	19146	801.73	1897	79.44
1-9	38633	283.88	5344	39.27
10-19	18964	210.28	2942	32.62
20-44	21897	369.80	4561	77.03
45-64	9647	625.62	1056	68.48
65-74	11	1,375.00	0	0.00
75-84	0	NA	0	NA
85+	0	NA	0	NA
Unknown	0		0	
Total	108,298	333.43	15,800	48.65

Ambulatory Care: Dual Eligibles (AMBB)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months				
<1	23,881				
1-9	136,091				
10-19	90,186				
20-44	59,213				
45-64	15,420				
65-74	8				
75-84	0				
85+	0				
Unknown	0				
Total	324,799				
Age	Outpatient Visits		ED Visits		
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	
<1	19146	801.73	1897	79.44	
1-9	38633	283.88	5344	39.27	
10-19	18964	210.28	2942	32.62	
20-44	21897	369.80	4561	77.03	
45-64	9647	625.62	1056	68.48	
65-74	11	1,375.00	0	0.00	
75-84	0	NA	0	NA	
85+	0	NA	0	NA	
Unknown	0		0		
Total	108,298	333.43	15,800	48.65	

Ambulatory Care: Disabled (AMBC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months				
<1	23,881				
1-9	136,091				
10-19	90,186				
20-44	59,213				
45-64	15,420				
65-74	8				
75-84	0				
85+	0				
Unknown	0				
Total	324,799				
Age	Outpatient Visits		ED Visits		
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	
<1	19146	801.73	1897	79.44	
1-9	38633	283.88	5344	39.27	
10-19	18964	210.28	2942	32.62	
20-44	21897	369.80	4561	77.03	
45-64	9647	625.62	1056	68.48	
65-74	11	1,375.00	0	0.00	
75-84	0	NA	0	NA	
85+	0	NA	0	NA	
Unknown	0		0		
Total	108,298	333.43	15,800	48.65	

Ambulatory Care: Other (AMBD)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months				
<1	23,881				
1-9	136,091				
10-19	90,186				
20-44	59,213				
45-64	15,420				
65-74	8				
75-84	0				
85+	0				
Unknown	0				
Total	324,799				
Age	Outpatient Visits		ED Visits		
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	
<1	19146	801.73	1897	79.44	
1-9	38633	283.88	5344	39.27	
10-19	18964	210.28	2942	32.62	
20-44	21897	369.80	4561	77.03	
45-64	9647	625.62	1056	68.48	
65-74	11	1,375.00	0	0.00	
75-84	0	NA	0	NA	
85+	0	NA	0	NA	
Unknown	0		0		
Total	108,298	333.43	15,800	48.65	

Inpatient Utilization--General Hospital/Acute Care: Total (IPUA)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months
<1	23,881
1-9	136,091
10-19	90,186
20-44	59,213
45-64	15,420
65-74	8
75-84	0
85+	0
Unknown	0
Total	324,799

Total Inpatient

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	222	9.30	1328	55.61	5.98
1-9	313	2.30	1044	7.67	3.34
10-19	384	4.26	1221	13.54	3.18
20-44	1485	25.08	4188	70.73	2.82
45-64	294	19.07	1727	112.00	5.87
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	2,698	8.31	9,508	29.27	3.52

Medicine

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	189	7.91	753	31.53	3.98
1-9	261	1.92	817	6.00	3.13
10-19	118	1.31	533	5.91	4.52
20-44	227	3.83	1022	17.26	4.50
45-64	214	13.88	1084	70.30	5.07
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	1,009	3.11	4,209	12.96	4.17

Surgery

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	33	1.38	575	24.08	17.42
1-9	52	0.38	227	1.67	4.37
10-19	39	0.43	175	1.94	4.49
20-44	82	1.38	349	5.89	4.26
45-64	77	4.99	633	41.05	8.22
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	283	0.87	1,959	6.03	6.92

Maternity*

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
10-19	227	2.52	513	5.69	2.26
20-44	1176	19.86	2817	47.57	2.40
45-64	3	0.19	10	0.65	3.33
Unknown	0		0		NA
Total	1,406	8.53	3,340	20.26	2.38

*The maternity category is calculated using member months for members 10-64 years.

Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (IPUB)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months
<1	23,881
1-9	136,091
10-19	90,186
20-44	59,213
45-64	15,420
65-74	8
75-84	0
85+	0
Unknown	0
Total	324,799

Total Inpatient					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	222	9.30	1328	55.61	5.98
1-9	313	2.30	1044	7.67	3.34
10-19	384	4.26	1221	13.54	3.18
20-44	1485	25.08	4188	70.73	2.82
45-64	294	19.07	1727	112.00	5.87
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	2,698	8.31	9,508	29.27	3.52

Medicine					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	189	7.91	753	31.53	3.98
1-9	261	1.92	817	6.00	3.13
10-19	118	1.31	533	5.91	4.52
20-44	227	3.83	1022	17.26	4.50
45-64	214	13.88	1084	70.30	5.07
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	1,009	3.11	4,209	12.96	4.17

Surgery					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	33	1.38	575	24.08	17.42
1-9	52	0.38	227	1.67	4.37
10-19	39	0.43	175	1.94	4.49
20-44	82	1.38	349	5.89	4.26
45-64	77	4.99	633	41.05	8.22
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	283	0.87	1,959	6.03	6.92

Maternity*					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
10-19	227	2.52	513	5.69	2.26
20-44	1176	19.86	2817	47.57	2.40
45-64	3	0.19	10	0.65	3.33
Unknown	0		0		NA
Total	1,406	8.53	3,340	20.26	2.38

*The maternity category is calculated using member months for members 10-64 years.

Inpatient Utilization--General Hospital/Acute Care: Disabled (IPUC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months
<1	23,881
1-9	136,091
10-19	90,186
20-44	59,213
45-64	15,420
65-74	8
75-84	0
85+	0
Unknown	0
Total	324,799

Total Inpatient					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	222	9.30	1328	55.61	5.98
1-9	313	2.30	1044	7.67	3.34
10-19	384	4.26	1221	13.54	3.18
20-44	1485	25.08	4188	70.73	2.82
45-64	294	19.07	1727	112.00	5.87
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	2,698	8.31	9,508	29.27	3.52

Medicine					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	189	7.91	753	31.53	3.98
1-9	261	1.92	817	6.00	3.13
10-19	118	1.31	533	5.91	4.52
20-44	227	3.83	1022	17.26	4.50
45-64	214	13.88	1084	70.30	5.07
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	1,009	3.11	4,209	12.96	4.17

Surgery					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	33	1.38	575	24.08	17.42
1-9	52	0.38	227	1.67	4.37
10-19	39	0.43	175	1.94	4.49
20-44	82	1.38	349	5.89	4.26
45-64	77	4.99	633	41.05	8.22
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	283	0.87	1,959	6.03	6.92

Maternity*					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
10-19	227	2.52	513	5.69	2.26
20-44	1176	19.86	2817	47.57	2.40
45-64	3	0.19	10	0.65	3.33
Unknown	0		0		NA
Total	1,406	8.53	3,340	20.26	2.38

*The maternity category is calculated using member months for members 10-64 years.

Inpatient Utilization--General Hospital/Acute Care: Other (IPUD)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months
<1	23,881
1-9	136,091
10-19	90,186
20-44	59,213
45-64	15,420
65-74	8
75-84	0
85+	0
Unknown	0
Total	324,799

Total Inpatient					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	222	9.30	1328	55.61	5.98
1-9	313	2.30	1044	7.67	3.34
10-19	384	4.26	1221	13.54	3.18
20-44	1485	25.08	4188	70.73	2.82
45-64	294	19.07	1727	112.00	5.87
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	2,698	8.31	9,508	29.27	3.52

Medicine					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	189	7.91	753	31.53	3.98
1-9	261	1.92	817	6.00	3.13
10-19	118	1.31	533	5.91	4.52
20-44	227	3.83	1022	17.26	4.50
45-64	214	13.88	1084	70.30	5.07
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	1,009	3.11	4,209	12.96	4.17

Surgery					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	33	1.38	575	24.08	17.42
1-9	52	0.38	227	1.67	4.37
10-19	39	0.43	175	1.94	4.49
20-44	82	1.38	349	5.89	4.26
45-64	77	4.99	633	41.05	8.22
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	283	0.87	1,959	6.03	6.92

Maternity*					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
10-19	227	2.52	513	5.69	2.26
20-44	1176	19.86	2817	47.57	2.40
45-64	3	0.19	10	0.65	3.33
Unknown	0		0		NA
Total	1,406	8.53	3,340	20.26	2.38

*The maternity category is calculated using member months for members 10-64 years.

Identification of Alcohol and Other Drug Services: Total (IADA)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
18-24	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
25-34	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
35-64	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
--------------	----	----	----	----	----	----	----	----	----	----	----	----

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Identification of Alcohol and Other Drug Services: Dual Eligibles (IADB)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
18-24	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
25-34	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
35-64	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Identification of Alcohol and Other Drug Services: Disabled (IADC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
18-24	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
25-34	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
35-64	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Identification of Alcohol and Other Drug Services: Other (IADD)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
18-24	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
25-34	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
35-64	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Mental Health Utilization: Total (MPTA)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
18-64	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Mental Health Utilization: Dual Eligibles (MPTB)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
18-64	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Mental Health Utilization: Disabled (MPTC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
18-64	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Mental Health Utilization: Other (MPTD)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
13-17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
18-64	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
65+	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Antibiotic Utilization: Total (ABXA)


Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Pharmacy Benefit Member Months			
Age	Male	Female	Total
0-9	82181	77791	159,972
10-17	40309	39180	79,489
18-34	15260	39976	55,236
35-49	7270	12144	19,414
50-64	5939	4741	10,680
65-74	3	5	8
75-84	0	0	0
85+	0	0	0
Unknown	0	0	0
Total	150,962	173,837	324,799

Antibiotic Utilization								
Age	Sex	Total Antibiotic Scripts	Average Scripts PMPY for Antibiotics	Total Days Supplied for All Antibiotic Scripts	Average Days Supplied per Antibiotic Scrip	Total Number of Scripts for Antibiotics of Concern	Average Scripts PMPY for Antibiotics of Concern	Percentage of Antibiotics of Concern of all Antibiotic Scripts
0-9	M	6582	0.96	57957	8.81	2900	0.42	44.06%
	F	6139	0.95	54203	8.83	2519	0.39	41.03%
	Total	12,721	0.95	112,160	8.82	5,419	0.41	42.60%
10-17	M	1880	0.56	18789	9.99	866	0.26	46.06%
	F	2480	0.76	22412	9.04	1058	0.32	42.66%
	Total	4,360	0.66	41,201	9.45	1,924	0.29	44.13%
18-34	M	958	0.75	9030	9.43	413	0.32	43.11%
	F	4861	1.46	39759	8.18	1912	0.57	39.33%
	Total	5,819	1.26	48,789	8.38	2,325	0.51	39.96%
35-49	M	662	1.09	7142	10.79	306	0.51	46.22%
	F	1651	1.63	14365	8.70	813	0.80	49.24%
	Total	2,313	1.43	21,507	9.30	1,119	0.69	48.38%
50-64	M	546	1.10	5631	10.31	220	0.44	40.29%
	F	617	1.56	5261	8.53	280	0.71	45.38%
	Total	1,163	1.31	10,892	9.37	500	0.56	42.99%
65-74	M	0	0.00	0	NA	0	0.00	NA
	F	1	2.40	30	30.00	0	0.00	0.00%
	Total	1	1.50	30	30.00	0	0.00	0.00%
75-84	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
85+	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Unknown	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Total	M	10,628	0.84	98,549	9.27	4,705	0.37	44.27%
	F	15,749	1.09	136,030	8.64	6,582	0.45	41.79%
	Total	26,377	0.97	234,579	8.89	11,287	0.42	42.79%

Antibiotics of Concern Utilization								
Age	Sex	Total Quinolone Scripts	Average Scripts PMPY for Quinolones	Total Cephalosporin 2nd-4th Generation Scripts	Average Scripts PMPY for Cephalosporins 2nd-4th Generation	Total Azithromycin and Clarithromycin Scripts	Average Scripts PMPY for Azithromycin and Clarithromycin	Total Amoxicillin/Clavulanate Scripts
0-9	M	2	0.00	422	0.06	1673	0.24	769
	F	3	0.00	350	0.05	1408	0.22	708
	Total	5	0.00	772	0.06	3,081	0.23	1,477
10-17	M	20	0.01	45	0.01	561	0.17	206
	F	64	0.02	75	0.02	674	0.21	204
	Total	84	0.01	120	0.02	1,235	0.19	410
18-34	M	59	0.05	16	0.01	210	0.17	80
	F	362	0.11	66	0.02	942	0.28	330
	Total	421	0.09	82	0.02	1,152	0.25	410
35-49	M	86	0.14	16	0.03	106	0.17	58
	F	191	0.19	26	0.03	387	0.38	118
	Total	277	0.17	42	0.03	493	0.30	176
50-64	M	55	0.11	5	0.01	83	0.17	42
	F	82	0.21	3	0.01	128	0.32	38
	Total	137	0.15	8	0.01	211	0.24	80
65-74	M	0	0.00	0	0.00	0	0.00	0
	F	0	0.00	0	0.00	0	0.00	0
	Total	0	0.00	0	0.00	0	0.00	0
75-84	M	0	NA	0	NA	0	NA	0
	F	0	NA	0	NA	0	NA	0
	Total	0	NA	0	NA	0	NA	0
85+	M	0	NA	0	NA	0	NA	0
	F	0	NA	0	NA	0	NA	0
	Total	0	NA	0	NA	0	NA	0
Unknown	M	0	NA	0	NA	0	NA	0
	F	0	NA	0	NA	0	NA	0
	Total	0	NA	0	NA	0	NA	0
Total	M	222	0.02	504	0.04	2,633	0.21	1,155
	F	702	0.05	520	0.04	3,539	0.24	1,398
	Total	924	0.03	1,024	0.04	6,172	0.23	2,553

All Other Antibiotics Utilization								
Age	Sex	Total Absorbable Sulfonamide Scripts	Average Scripts PMPY for Absorbable Sulfonamides	Total Aminoglycoside Scripts	Average Scripts PMPY for Aminoglycosides	Total 1st Generation Cephalosporin Scripts	Average Scripts PMPY for 1st Generation Cephalosporins	Total Lincosamide Scripts
0-9	M	321	0.05	1	0.00	405	0.06	0
	F	382	0.06	0	0.00	500	0.08	0
	Total	703	0.05	1	0.00	905	0.07	0
10-17	M	84	0.03	0	0.00	194	0.06	0
	F	196	0.06	3	0.00	301	0.09	0
	Total	280	0.04	3	0.00	495	0.07	0
18-34	M	85	0.07	0	0.00	92	0.07	0
	F	372	0.11	0	0.00	502	0.15	0
	Total	457	0.10	0	0.00	594	0.13	0
35-49	M	65	0.11	0	0.00	59	0.10	0
	F	144	0.14	0	0.00	153	0.15	0
	Total	209	0.13	0	0.00	212	0.13	0
50-64	M	98	0.20	0	0.00	51	0.10	0
	F	75	0.19	0	0.00	64	0.16	0
	Total	173	0.19	0	0.00	115	0.13	0
65-74	M	0	0.00	0	0.00	0	0.00	0
	F	0	0.00	0	0.00	0	0.00	0
	Total	0	0.00	0	0.00	0	0.00	0
75-84	M	0	NA	0	NA	0	NA	0
	F	0	NA	0	NA	0	NA	0
	Total	0	NA	0	NA	0	NA	0
85+	M	0	NA	0	NA	0	NA	0
	F	0	NA	0	NA	0	NA	0
	Total	0	NA	0	NA	0	NA	0
Unknown	M	0	NA	0	NA	0	NA	0
	F	0	NA	0	NA	0	NA	0
	Total	0	NA	0	NA	0	NA	0
Total	M	653	0.05	1	0.00	801	0.06	0
	F	1,169	0.08	3	0.00	1,520	0.10	0
	Total	1,822	0.07	4	0.00	2,321	0.09	0



Average Scrips PMPY for Amoxicillin/Clavulanates	Total Ketolides Scrips	Average Scrips PMPY for Ketolides	Total Clindamycin Scrips	Average Scrips PMPY for Clindamycins	Total Misc. Antibiotics of Concern Scrips	Average Scrips PMPY for Misc. Antibiotics of Concern
0.11	0	0.00	34	0.00	0	0.00
0.11	0	0.00	49	0.01	1	0.00
0.11	0	0.00	83	0.01	1	0.00
0.06	0	0.00	29	0.01	5	0.00
0.06	0	0.00	39	0.01	2	0.00
0.06	0	0.00	68	0.01	7	0.00
0.06	0	0.00	46	0.04	2	0.00
0.10	0	0.00	210	0.06	2	0.00
0.09	0	0.00	256	0.06	4	0.00
0.10	0	0.00	39	0.06	1	0.00
0.12	0	0.00	89	0.09	2	0.00
0.11	0	0.00	128	0.08	3	0.00
0.08	0	0.00	33	0.07	2	0.00
0.10	0	0.00	28	0.07	1	0.00
0.09	0	0.00	61	0.07	3	0.00
0.00	0	0.00	0	0.00	0	0.00
0.00	0	0.00	0	0.00	0	0.00
0.00	0	0.00	0	0.00	0	0.00
NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA
0.09	0	0.00	181	0.01	10	0.00
0.10	0	0.00	415	0.03	8	0.00
0.09	0	0.00	596	0.02	18	0.00

on

Average Scrips PMPY for Lincosamides	Total Macrolides (not azith. or clarith.) Scrips	Average Scrips PMPY for Macrolides (not azith. or clarith.)	Total Penicillin Scrips	Average Scrips PMPY for Penicillins	Total Tetracycline Scrips	Average Scrips PMPY for Tetracyclines	Total Misc. Antibiotic Scrips	Average Scrips PMPY for Misc. Antibiotics
0.00	14	0.00	2919	0.43	0	0.00	22	0.00
0.00	6	0.00	2669	0.41	7	0.00	56	0.01
0.00	20	0.00	5,588	0.42	7	0.00	78	0.01
0.00	5	0.00	566	0.17	157	0.05	8	0.00
0.00	11	0.00	652	0.20	132	0.04	127	0.04
0.00	16	0.00	1,218	0.18	289	0.04	135	0.02
0.00	5	0.00	256	0.20	88	0.07	19	0.01
0.00	11	0.00	920	0.28	256	0.08	888	0.27
0.00	16	0.00	1,176	0.26	344	0.07	907	0.20
0.00	6	0.01	176	0.29	34	0.06	16	0.03
0.00	1	0.00	275	0.27	91	0.09	174	0.17
0.00	7	0.00	451	0.28	125	0.08	190	0.12
0.00	0	0.00	124	0.25	38	0.08	15	0.03
0.00	0	0.00	104	0.26	29	0.07	65	0.16
0.00	0	0.00	228	0.26	67	0.08	80	0.09
0.00	0	0.00	0	0.00	0	0.00	0	0.00
0.00	0	0.00	0	0.00	0	0.00	1	2.40
0.00	0	0.00	0	0.00	0	0.00	1	1.50
NA	0	NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA	0	NA
NA	0	NA	0	NA	0	NA	0	NA
0.00	30	0.00	4,041	0.32	317	0.03	80	0.01
0.00	29	0.00	4,620	0.32	515	0.04	1,311	0.09
0.00	59	0.00	8,661	0.32	832	0.03	1,391	0.05

Antibiotic Utilization: Dual Eligibles (ABXB)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Member Months			
Age	Member Months		
	Male	Female	Total
0-9	82181	77791	159,972
10-17	40309	39180	79,489
18-34	15260	39976	55,236
35-49	7270	12144	19,414
50-64	5939	4741	10,680
65-74	3	5	8
75-84	0	0	0
85+	0	0	0
Unknown	0	0	0
Total	150,962	173,837	324,799

Antibiotic Utilization								
Age	Sex	Total Antibiotic Scripts	Average Scripts PMPY for Antibiotics	Total Days Supplied for All Antibiotic Scripts	Average Days Supplied per Antibiotic Scrip	Total Number of Scripts for Antibiotics of Concern	Average Scripts PMPY for Antibiotics of Concern	Percentage of Antibiotics of Concern of all Antibiotic Scripts
0-9	M	6582	0.96	57957	8.81	2900	0.42	44%
	F	6139	0.95	54203	8.83	2519	0.39	41%
	Total	12,721	0.95	112,160	8.82	5,419	0.41	43%
10-17	M	1880	0.56	18789	9.99	866	0.26	46%
	F	2480	0.76	22412	9.04	1058	0.32	43%
	Total	4,360	0.66	41,201	9.45	1,924	0.29	44%
18-34	M	958	0.75	9030	9.43	413	0.32	43%
	F	4861	1.46	39759	8.18	1912	0.57	39%
	Total	5,819	1.26	48,789	8.38	2,325	0.51	40%
35-49	M	662	1.09	7142	10.79	306	0.51	46%
	F	1651	1.63	14365	8.70	813	0.80	49%
	Total	2,313	1.43	21,507	9.30	1,119	0.69	48%
50-64	M	546	1.10	5631	10.31	220	0.44	40%
	F	617	1.56	5261	8.53	280	0.71	45%
	Total	1,163	1.31	10,892	9.37	500	0.56	43%
65-74	M	0	0.00	0	NA	0	0.00	NA
	F	1	2.40	30	30.00	0	0.00	0%
	Total	1	1.50	30	30.00	0	0.00	0%
75-84	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
85+	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Unknown	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Total	M	10,628	0.84	98,549	9.27	4,705	0.37	44%
	F	15,749	1.09	136,030	8.64	6,582	0.45	42%
	Total	26,377	0.97	234,579	8.89	11,287	0.42	43%

Antibiotics of Concern Utilization															
Age	Sex	Total Quinolone Scripts	Average Scripts PMPY for Quinolones	Total Cephalosporin 2nd-4th Generation Scripts	Average Scripts PMPY for Cephalosporins 2nd-4th Generation	Total Azithromycin and Clarithromycin Scripts	Average Scripts PMPY for Azithromycins and Clarithromycins	Total Amoxicillin/Clavulanate Scripts	Average Scripts PMPY for Amoxicillin/Clavulanates	Total Ketolides Scripts	Average Scripts PMPY for Ketolides	Total Clindamycin Scripts	Average Scripts PMPY for Clindamycins	Total Misc. Antibiotics of Concern Scripts	Average Scripts PMPY for Misc. Antibiotics of Concern
0-9	M	2	0.00	422	0.06	1673	0.24	769	0.11	0	0.00	34	0.00	0	0.00
	F	3	0.00	350	0.05	1408	0.22	708	0.11	0	0.00	49	0.01	1	0.00
	Total	5	0.00	772	0.06	3,081	0.23	1,477	0.11	0	0.00	83	0.01	1	0.00
10-17	M	20	0.01	45	0.01	561	0.17	206	0.06	0	0.00	29	0.01	5	0.00
	F	64	0.02	75	0.02	674	0.21	204	0.06	0	0.00	39	0.01	2	0.00
	Total	84	0.01	120	0.02	1,235	0.19	410	0.06	0	0.00	68	0.01	7	0.00
18-34	M	59	0.05	16	0.01	210	0.17	80	0.06	0	0.00	46	0.04	2	0.00
	F	362	0.11	66	0.02	942	0.28	330	0.10	0	0.00	210	0.06	2	0.00
	Total	421	0.09	82	0.02	1,152	0.25	410	0.09	0	0.00	256	0.06	4	0.00
35-49	M	86	0.14	16	0.03	106	0.17	58	0.10	0	0.00	39	0.06	1	0.00
	F	191	0.19	26	0.03	387	0.38	118	0.12	0	0.00	89	0.09	2	0.00
	Total	277	0.17	42	0.03	493	0.30	176	0.11	0	0.00	128	0.08	3	0.00
50-64	M	55	0.11	5	0.01	83	0.17	42	0.08	0	0.00	33	0.07	2	0.00
	F	82	0.21	3	0.01	128	0.32	38	0.10	0	0.00	28	0.07	1	0.00
	Total	137	0.15	8	0.01	211	0.24	80	0.09	0	0.00	61	0.07	3	0.00
65-74	M	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	F	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	Total	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
75-84	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
85+	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Unknown	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Total	M	222	0.02	504	0.04	2,633	0.21	1,155	0.09	0	0.00	181	0.01	10	0.00
	F	702	0.05	520	0.04	3,539	0.24	1,398	0.10	0	0.00	415	0.03	8	0.00
	Total	924	0.03	1,024	0.04	6,172	0.23	2,553	0.09	0	0.00	596	0.02	18	0.00

All Other Antibiotics Utilization																	
Age	Sex	Total Absorbable Sulfonamide Scrips	Average Scrips PMPY for Absorbable Sulfonamides	Total Aminoglycoside Scrips	Average Scrips PMPY for Aminoglycosides	Total 1st Generation Cephalosporin Scrips	Average Scrips PMPY for 1st Generation Cephalosporins	Total Lincosamide Scrips	Average Scrips PMPY for Lincosamides	Total Macrolides (not azith. or clarith.) Scrips	Average Scrips PMPY for Macrolides (not azith. or clarith.)	Total Penicillin Scrips	Average Scrips PMPY for Penicillins	Total Tetracycline Scrips	Average Scrips PMPY for Tetracyclines	Total Misc. Antibiotic Scrips	Average Scrips PMPY for Misc. Antibiotics
0-9	M	321	0.05	1	0.00	405	0.06	0	0.00	14	0.00	2919	0.43	0	0.00	22	0.00
	F	382	0.06	0	0.00	500	0.08	0	0.00	6	0.00	2669	0.41	7	0.00	56	0.01
	Total	703	0.05	1	0.00	905	0.07	0	0.00	20	0.00	5,588	0.42	7	0.00	78	0.01
10-17	M	84	0.03	0	0.00	194	0.06	0	0.00	5	0.00	566	0.17	157	0.05	8	0.00
	F	196	0.06	3	0.00	301	0.09	0	0.00	11	0.00	652	0.20	132	0.04	127	0.04
	Total	280	0.04	3	0.00	495	0.07	0	0.00	16	0.00	1,218	0.18	289	0.04	135	0.02
18-34	M	85	0.07	0	0.00	92	0.07	0	0.00	5	0.00	256	0.20	88	0.07	19	0.01
	F	372	0.11	0	0.00	502	0.15	0	0.00	11	0.00	920	0.28	256	0.08	888	0.27
	Total	457	0.10	0	0.00	594	0.13	0	0.00	16	0.00	1,176	0.26	344	0.07	907	0.20
35-49	M	65	0.11	0	0.00	59	0.10	0	0.00	6	0.01	176	0.29	34	0.06	16	0.03
	F	144	0.14	0	0.00	153	0.15	0	0.00	1	0.00	275	0.27	91	0.09	174	0.17
	Total	209	0.13	0	0.00	212	0.13	0	0.00	7	0.00	451	0.28	125	0.08	190	0.12
50-64	M	98	0.20	0	0.00	51	0.10	0	0.00	0	0.00	124	0.25	38	0.08	15	0.03
	F	75	0.19	0	0.00	64	0.16	0	0.00	0	0.00	104	0.26	29	0.07	65	0.16
	Total	173	0.19	0	0.00	115	0.13	0	0.00	0	0.00	228	0.26	67	0.08	80	0.09
65-74	M	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	F	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	2.40
	Total	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.50
75-84	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
85+	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Unknown	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Total	M	653	0.05	1	0.00	801	0.06	0	0.00	30	0.00	4,041	0.32	317	0.03	80	0.01
	F	1,169	0.08	3	0.00	1,520	0.10	0	0.00	29	0.00	4,620	0.32	515	0.04	1,311	0.09
	Total	1,822	0.07	4	0.00	2,321	0.09	0	0.00	59	0.00	8,661	0.32	832	0.03	1,391	0.05

Antibiotic Utilization: Disabled (ABXC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Member Months			
Age	Member Months		
	Male	Female	Total
0-9	82181	77791	159,972
10-17	40309	39180	79,489
18-34	15260	39976	55,236
35-49	7270	12144	19,414
50-64	5939	4741	10,680
65-74	3	5	8
75-84	0	0	0
85+	0	0	0
Unknown	0	0	0
Total	150,962	173,837	324,799

Antibiotic Utilization								
Age	Sex	Total Antibiotic Scripts	Average Scripts PMPY for Antibiotics	Total Days Supplied for All Antibiotic Scripts	Average Days Supplied per Antibiotic Scrip	Total Number of Scripts for Antibiotics of Concern	Average Scripts PMPY for Antibiotics of Concern	Percentage of Antibiotics of Concern of all Antibiotic Scripts
0-9	M	6582	0.96	57957	8.81	2900	0.42	44%
	F	6139	0.95	54203	8.83	2519	0.39	41%
	Total	12,721	0.95	112,160	8.82	5,419	0.41	43%
10-17	M	1880	0.56	18789	9.99	866	0.26	46%
	F	2480	0.76	22412	9.04	1058	0.32	43%
	Total	4,360	0.66	41,201	9.45	1,924	0.29	44%
18-34	M	958	0.75	9030	9.43	413	0.32	43%
	F	4861	1.46	39759	8.18	1912	0.57	39%
	Total	5,819	1.26	48,789	8.38	2,325	0.51	40%

35-49	M	662	1.09	7142	10.79	306	0.51	46%
	F	1651	1.63	14365	8.70	813	0.80	49%
	Total	2,313	1.43	21,507	9.30	1,119	0.69	48%
50-64	M	546	1.10	5631	10.31	220	0.44	40%
	F	617	1.56	5261	8.53	280	0.71	45%
	Total	1,163	1.31	10,892	9.37	500	0.56	43%
65-74	M	0	0.00	0	NA	0	0.00	NA
	F	1	2.40	30	30.00	0	0.00	0%
	Total	1	1.50	30	30.00	0	0.00	0%
75-84	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
85+	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Unknown	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Total	M	10,628	0.84	98,549	9.27	4,705	0.37	44%
	F	15,749	1.09	136,030	8.64	6,582	0.45	42%
	Total	26,377	0.97	234,579	8.89	11,287	0.42	43%

Antibiotics of Concern Utilization															
Age	Sex	Total Quinolone Scripts	Average Scripts PMPY for Quinolones	Total Cephalosporin 2nd-4th Generation Scripts	Average Scripts PMPY for Cephalosporins 2nd-4th Generation	Total Azithromycin and Clarithromycin Scripts	Average Scripts PMPY for Azithromycins and Clarithromycins	Total Amoxicillin/Clavulanate Scripts	Average Scripts PMPY for Amoxicillin/Clavulanates	Total Ketolides Scripts	Average Scripts PMPY for Ketolides	Total Clindamycin Scripts	Average Scripts PMPY for Clindamycins	Total Misc. Antibiotics of Concern Scripts	Average Scripts PMPY for Misc. Antibiotics of Concern
0-9	M	2	0.00	422	0.06	1673	0.24	769	0.11	0	0.00	34	0.00	0	0.00
	F	3	0.00	350	0.05	1408	0.22	708	0.11	0	0.00	49	0.01	1	0.00
	Total	5	0.00	772	0.06	3,081	0.23	1,477	0.11	0	0.00	83	0.01	1	0.00
10-17	M	20	0.01	45	0.01	561	0.17	206	0.06	0	0.00	29	0.01	5	0.00
	F	64	0.02	75	0.02	674	0.21	204	0.06	0	0.00	39	0.01	2	0.00
	Total	84	0.01	120	0.02	1,235	0.19	410	0.06	0	0.00	68	0.01	7	0.00
18-34	M	59	0.05	16	0.01	210	0.17	80	0.06	0	0.00	46	0.04	2	0.00
	F	362	0.11	66	0.02	942	0.28	330	0.10	0	0.00	210	0.06	2	0.00
	Total	421	0.09	82	0.02	1,152	0.25	410	0.09	0	0.00	256	0.06	4	0.00
35-49	M	86	0.14	16	0.03	106	0.17	58	0.10	0	0.00	39	0.06	1	0.00
	F	191	0.19	26	0.03	387	0.38	118	0.12	0	0.00	89	0.09	2	0.00
	Total	277	0.17	42	0.03	493	0.30	176	0.11	0	0.00	128	0.08	3	0.00
50-64	M	55	0.11	5	0.01	83	0.17	42	0.08	0	0.00	33	0.07	2	0.00
	F	82	0.21	3	0.01	128	0.32	38	0.10	0	0.00	28	0.07	1	0.00
	Total	137	0.15	8	0.01	211	0.24	80	0.09	0	0.00	61	0.07	3	0.00
65-74	M	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	F	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	Total	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
75-84	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
85+	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Unknown	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Total	M	222	0.02	504	0.04	2,633	0.21	1,155	0.09	0	0.00	181	0.01	10	0.00
	F	702	0.05	520	0.04	3,539	0.24	1,398	0.10	0	0.00	415	0.03	8	0.00
	Total	924	0.03	1,024	0.04	6,172	0.23	2,553	0.09	0	0.00	596	0.02	18	0.00

All Other Antibiotics Utilization																	
Age	Sex	Total Absorbable Sulfonamide Scrrips	Average Scrrips PMPY for Absorbable Sulfonamides	Total Aminoglycoside Scrrips	Average Scrrips PMPY for Aminoglycosides	Total 1st Generation Cephalosporin Scrrips	Average Scrrips PMPY for 1st Generation Cephalosporins	Total Lincosamide Scrrips	Average Scrrips PMPY for Lincosamides	Total Macrolides (not azith. or clarith.) Scrrips	Average Scrrips PMPY for Macrolides (not azith. or clarith.)	Total Penicillin Scrrips	Average Scrrips PMPY for Penicillins	Total Tetracycline Scrrips	Average Scrrips PMPY for Tetracyclines	Total Misc. Antibiotic Scrrips	Average Scrrips PMPY for Misc. Antibiotics
0-9	M	321	0.05	1	0.00	405	0.06	0	0.00	14	0.00	2919	0.43	0	0.00	22	0.00
	F	382	0.06	0	0.00	500	0.08	0	0.00	6	0.00	2669	0.41	7	0.00	56	0.01
	Total	703	0.05	1	0.00	905	0.07	0	0.00	20	0.00	5,588	0.42	7	0.00	78	0.01
10-17	M	84	0.03	0	0.00	194	0.06	0	0.00	5	0.00	566	0.17	157	0.05	8	0.00
	F	196	0.06	3	0.00	301	0.09	0	0.00	11	0.00	652	0.20	132	0.04	127	0.04
	Total	280	0.04	3	0.00	495	0.07	0	0.00	16	0.00	1,218	0.18	289	0.04	135	0.02
18-34	M	85	0.07	0	0.00	92	0.07	0	0.00	5	0.00	256	0.20	88	0.07	19	0.01
	F	372	0.11	0	0.00	502	0.15	0	0.00	11	0.00	920	0.28	256	0.08	888	0.27
	Total	457	0.10	0	0.00	594	0.13	0	0.00	16	0.00	1,176	0.26	344	0.07	907	0.20
35-49	M	65	0.11	0	0.00	59	0.10	0	0.00	6	0.01	176	0.29	34	0.06	16	0.03
	F	144	0.14	0	0.00	153	0.15	0	0.00	1	0.00	275	0.27	91	0.09	174	0.17
	Total	209	0.13	0	0.00	212	0.13	0	0.00	7	0.00	451	0.28	125	0.08	190	0.12
50-64	M	98	0.20	0	0.00	51	0.10	0	0.00	0	0.00	124	0.25	38	0.08	15	0.03
	F	75	0.19	0	0.00	64	0.16	0	0.00	0	0.00	104	0.26	29	0.07	65	0.16
	Total	173	0.19	0	0.00	115	0.13	0	0.00	0	0.00	228	0.26	67	0.08	80	0.09
65-74	M	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	F	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	2.40
	Total	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.50
75-84	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
85+	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Unknown	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Total	M	653	0.05	1	0.00	801	0.06	0	0.00	30	0.00	4,041	0.32	317	0.03	80	0.01
	F	1,169	0.08	3	0.00	1,520	0.10	0	0.00	29	0.00	4,620	0.32	515	0.04	1,311	0.09
	Total	1,822	0.07	4	0.00	2,321	0.09	0	0.00	59	0.00	8,661	0.32	832	0.03	1,391	0.05

Antibiotic Utilization: Other (ABXD)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Member Months			
Age	Member Months		
	Male	Female	Total
0-9	82181	77791	159,972
10-17	40309	39180	79,489
18-34	15260	39976	55,236
35-49	7270	12144	19,414
50-64	5939	4741	10,680
65-74	3	5	8
75-84	0	0	0
85+	0	0	0
Unknown	0	0	0
Total	150,962	173,837	324,799

Antibiotic Utilization								
Age	Sex	Total Antibiotic Scripts	Average Scripts PMPY for Antibiotics	Total Days Supplied for All Antibiotic Scripts	Average Days Supplied per Antibiotic Scrip	Total Number of Scripts for Antibiotics of Concern	Average Scripts PMPY for Antibiotics of Concern	Percentage of Antibiotics of Concern of all Antibiotic Scripts
0-9	M	6582	0.96	57957	8.81	2900	0.42	44%
	F	6139	0.95	54203	8.83	2519	0.39	41%
	Total	12,721	0.95	112,160	8.82	5,419	0.41	43%
10-17	M	1880	0.56	18789	9.99	866	0.26	46%
	F	2480	0.76	22412	9.04	1058	0.32	43%
	Total	4,360	0.66	41,201	9.45	1,924	0.29	44%
18-34	M	958	0.75	9030	9.43	413	0.32	43%
	F	4861	1.46	39759	8.18	1912	0.57	39%
	Total	5,819	1.26	48,789	8.38	2,325	0.51	40%

35-49	M	662	1.09	7142	10.79	306	0.51	46%
	F	1651	1.63	14365	8.70	813	0.80	49%
	Total	2,313	1.43	21,507	9.30	1,119	0.69	48%
50-64	M	546	1.10	5631	10.31	220	0.44	40%
	F	617	1.56	5261	8.53	280	0.71	45%
	Total	1,163	1.31	10,892	9.37	500	0.56	43%
65-74	M	0	0.00	0	NA	0	0.00	NA
	F	1	2.40	30	30.00	0	0.00	0%
	Total	1	1.50	30	30.00	0	0.00	0%
75-84	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
85+	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Unknown	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Total	M	10,628	0.84	98,549	9.27	4,705	0.37	44%
	F	15,749	1.09	136,030	8.64	6,582	0.45	42%
	Total	26,377	0.97	234,579	8.89	11,287	0.42	43%

Antibiotics of Concern Utilization															
Age	Sex	Total Quinolone Scripts	Average Scripts PMPY for Quinolones	Total Cephalosporin 2nd-4th Generation Scripts	Average Scripts PMPY for Cephalosporins 2nd-4th Generation	Total Azithromycin and Clarithromycin Scripts	Average Scripts PMPY for Azithromycins and Clarithromycins	Total Amoxicillin/Clavulanate Scripts	Average Scripts PMPY for Amoxicillin/Clavulanates	Total Ketolides Scripts	Average Scripts PMPY for Ketolides	Total Clindamycin Scripts	Average Scripts PMPY for Clindamycins	Total Misc. Antibiotics of Concern Scripts	Average Scripts PMPY for Misc. Antibiotics of Concern
0-9	M	2	0.00	422	0.06	1673	0.24	769	0.11	0	0.00	34	0.00	0	0.00
	F	3	0.00	350	0.05	1408	0.22	708	0.11	0	0.00	49	0.01	1	0.00
	Total	5	0.00	772	0.06	3,081	0.23	1,477	0.11	0	0.00	83	0.01	1	0.00
10-17	M	20	0.01	45	0.01	561	0.17	206	0.06	0	0.00	29	0.01	5	0.00
	F	64	0.02	75	0.02	674	0.21	204	0.06	0	0.00	39	0.01	2	0.00
	Total	84	0.01	120	0.02	1,235	0.19	410	0.06	0	0.00	68	0.01	7	0.00
18-34	M	59	0.05	16	0.01	210	0.17	80	0.06	0	0.00	46	0.04	2	0.00
	F	362	0.11	66	0.02	942	0.28	330	0.10	0	0.00	210	0.06	2	0.00
	Total	421	0.09	82	0.02	1,152	0.25	410	0.09	0	0.00	256	0.06	4	0.00
35-49	M	86	0.14	16	0.03	106	0.17	58	0.10	0	0.00	39	0.06	1	0.00
	F	191	0.19	26	0.03	387	0.38	118	0.12	0	0.00	89	0.09	2	0.00
	Total	277	0.17	42	0.03	493	0.30	176	0.11	0	0.00	128	0.08	3	0.00
50-64	M	55	0.11	5	0.01	83	0.17	42	0.08	0	0.00	33	0.07	2	0.00
	F	82	0.21	3	0.01	128	0.32	38	0.10	0	0.00	28	0.07	1	0.00
	Total	137	0.15	8	0.01	211	0.24	80	0.09	0	0.00	61	0.07	3	0.00
65-74	M	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	F	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	Total	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
75-84	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
85+	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Unknown	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Total	M	222	0.02	504	0.04	2,633	0.21	1,155	0.09	0	0.00	181	0.01	10	0.00
	F	702	0.05	520	0.04	3,539	0.24	1,398	0.10	0	0.00	415	0.03	8	0.00
	Total	924	0.03	1,024	0.04	6,172	0.23	2,553	0.09	0	0.00	596	0.02	18	0.00

All Other Antibiotics Utilization																	
Age	Sex	Total Absorbable Sulfonamide Scrrips	Average Scrrips PMPY for Absorbable Sulfonamides	Total Aminoglycoside Scrrips	Average Scrrips PMPY for Aminoglycosides	Total 1st Generation Cephalosporin Scrrips	Average Scrrips PMPY for 1st Generation Cephalosporins	Total Lincosamide Scrrips	Average Scrrips PMPY for Lincosamides	Total Macrolides (not azith. or clarith.) Scrrips	Average Scrrips PMPY for Macrolides (not azith. or clarith.)	Total Penicillin Scrrips	Average Scrrips PMPY for Penicillins	Total Tetracycline Scrrips	Average Scrrips PMPY for Tetracyclines	Total Misc. Antibiotic Scrrips	Average Scrrips PMPY for Misc. Antibiotics
0-9	M	321	0.05	1	0.00	405	0.06	0	0.00	14	0.00	2919	0.43	0	0.00	22	0.00
	F	382	0.06	0	0.00	500	0.08	0	0.00	6	0.00	2669	0.41	7	0.00	56	0.01
	Total	703	0.05	1	0.00	905	0.07	0	0.00	20	0.00	5,588	0.42	7	0.00	78	0.01
10-17	M	84	0.03	0	0.00	194	0.06	0	0.00	5	0.00	566	0.17	157	0.05	8	0.00
	F	196	0.06	3	0.00	301	0.09	0	0.00	11	0.00	652	0.20	132	0.04	127	0.04
	Total	280	0.04	3	0.00	495	0.07	0	0.00	16	0.00	1,218	0.18	289	0.04	135	0.02
18-34	M	85	0.07	0	0.00	92	0.07	0	0.00	5	0.00	256	0.20	88	0.07	19	0.01
	F	372	0.11	0	0.00	502	0.15	0	0.00	11	0.00	920	0.28	256	0.08	888	0.27
	Total	457	0.10	0	0.00	594	0.13	0	0.00	16	0.00	1,176	0.26	344	0.07	907	0.20
35-49	M	65	0.11	0	0.00	59	0.10	0	0.00	6	0.01	176	0.29	34	0.06	16	0.03
	F	144	0.14	0	0.00	153	0.15	0	0.00	1	0.00	275	0.27	91	0.09	174	0.17
	Total	209	0.13	0	0.00	212	0.13	0	0.00	7	0.00	451	0.28	125	0.08	190	0.12
50-64	M	98	0.20	0	0.00	51	0.10	0	0.00	0	0.00	124	0.25	38	0.08	15	0.03
	F	75	0.19	0	0.00	64	0.16	0	0.00	0	0.00	104	0.26	29	0.07	65	0.16
	Total	173	0.19	0	0.00	115	0.13	0	0.00	0	0.00	228	0.26	67	0.08	80	0.09
65-74	M	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	F	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	2.40
	Total	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	1.50
75-84	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
85+	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Unknown	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Total	M	653	0.05	1	0.00	801	0.06	0	0.00	30	0.00	4,041	0.32	317	0.03	80	0.01
	F	1,169	0.08	3	0.00	1,520	0.10	0	0.00	29	0.00	4,620	0.32	515	0.04	1,311	0.09
	Total	1,822	0.07	4	0.00	2,321	0.09	0	0.00	59	0.00	8,661	0.32	832	0.03	1,391	0.05

Board Certification (BCR)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Type of Physician	Number of Physicians in Each	Board Certification	
		Number	Percent
Family Medicine	NR	NR	NR
Internal Medicine	NR	NR	NR
OB/GYN physicians	NR	NR	NR
Pediatricians	NR	NR	NR
Geriatricians	NR	NR	NR
Other physician specialists	NR	NR	NR

Total Membership (TLM)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Product/Product Line	Total Number of Members*
HMO (Total)	30,164
Medicaid	30164
Commercial	0
Medicare (cost or risk)	0
Other	0
PPO (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
POS (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
FFS (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
Total	30,164
* Total number of members in each category as of December 31 of the measurement year.	

Enrollment by Product Line: Total (ENPA)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Age	Male Member Months	Female Member Months	Total Member Months
<1	12301	11580	23,881
1-4	37578	36415	73,993
5-9	32302	29796	62,098
10-14	26343	25598	51,941
15-17	13966	13582	27,548
18-19	4661	6036	10,697
0-19 Subtotal	127,151	123,007	250,158
0-19 Subtotal: %	84.23%	70.76%	77.02%
20-24	3103	12860	15,963
25-29	3694	12146	15,840
30-34	3802	8934	12,736
35-39	2738	6014	8,752
40-44	2284	3638	5,922
20-44 Subtotal	15,621	43,592	59,213
20-44 Subtotal: %	10.35%	25.08%	18.23%
45-49	2248	2492	4,740
50-54	2268	2066	4,334
55-59	2154	1535	3,689
60-64	1517	1140	2,657
45-64 Subtotal	8,187	7,233	15,420
45-64 Subtotal: %	5.42%	4.16%	4.75%
65-69	2	1	3
70-74	1	4	5
75-79	0	0	0
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
>=65 Subtotal	3	5	8
>=65 Subtotal: %	0.00%	0.00%	0.00%
Age Unknown	0	0	0
Total	150,962	173,837	324,799

Enrollment by Product Line: Dual Eligibles (ENPB)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Age	Male Member Months	Female Member Months	Total Member Months
<1	NR	NR	NR
1-4	NR	NR	NR
5-9	NR	NR	NR
10-14	NR	NR	NR
15-17	NR	NR	NR
18-19	NR	NR	NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24	NR	NR	NR
25-29	NR	NR	NR
30-34	NR	NR	NR
35-39	NR	NR	NR
40-44	NR	NR	NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49	NR	NR	NR
50-54	NR	NR	NR
55-59	NR	NR	NR
60-64	NR	NR	NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69	NR	NR	NR
70-74	NR	NR	NR
75-79	NR	NR	NR
80-84	NR	NR	NR
85-89	NR	NR	NR
>=90	NR	NR	NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown	NR	NR	NR
Total	NR	NR	NR

Enrollment by Product Line: Disabled (ENPC)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Age	Male Member Months	Female Member Months	Total Member Months
<1	NR	NR	NR
1-4	NR	NR	NR
5-9	NR	NR	NR
10-14	NR	NR	NR
15-17	NR	NR	NR
18-19	NR	NR	NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24	NR	NR	NR
25-29	NR	NR	NR
30-34	NR	NR	NR
35-39	NR	NR	NR
40-44	NR	NR	NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49	NR	NR	NR
50-54	NR	NR	NR
55-59	NR	NR	NR
60-64	NR	NR	NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69	NR	NR	NR
70-74	NR	NR	NR
75-79	NR	NR	NR
80-84	NR	NR	NR
85-89	NR	NR	NR
>=90	NR	NR	NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown	NR	NR	NR
Total	NR	NR	NR

Enrollment by Product Line: Other (ENPD)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Age	Male Member Months	Female Member Months	Total Member Months
<1	NR	NR	NR
1-4	NR	NR	NR
5-9	NR	NR	NR
10-14	NR	NR	NR
15-17	NR	NR	NR
18-19	NR	NR	NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24	NR	NR	NR
25-29	NR	NR	NR
30-34	NR	NR	NR
35-39	NR	NR	NR
40-44	NR	NR	NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49	NR	NR	NR
50-54	NR	NR	NR
55-59	NR	NR	NR
60-64	NR	NR	NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69	NR	NR	NR
70-74	NR	NR	NR
75-79	NR	NR	NR
80-84	NR	NR	NR
85-89	NR	NR	NR
>=90	NR	NR	NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown	NR	NR	NR
Total	NR	NR	NR

Enrollment by State (EBS)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
State	Number
Alabama	0
Alaska	0
Arizona	37
Arkansas	0
California	3
Colorado	12
Connecticut	0
Delaware	0
District of Columbia	0
Florida	0
Georgia	0
Hawaii	0
Idaho	0
Illinois	1
Indiana	0
Iowa	2
Kansas	0
Kentucky	1
Louisiana	0
Maine	0
Maryland	0
Massachusetts	1
Michigan	0
Minnesota	0
Mississippi	0
Missouri	0
Montana	0
Nebraska	0
Nevada	1
New Hampshire	1
New Jersey	0
New Mexico	30080
New York	0
North Carolina	1
North Dakota	0
Ohio	0
Oklahoma	2
Oregon	0
Pennsylvania	0
Rhode Island	0
South Carolina	0
South Dakota	1
Tennessee	0
Texas	20
Utah	0
Vermont	0
Virginia	1
Washington	0
West Virginia	0
Wisconsin	0
Wyoming	0
American Samoa	0
Federated States of Micronesia	0
Guam	0
Commonwealth of Northern Marianas	0
Puerto Rico	0
Virgin Islands	0
Other	0
TOTAL	30,164

Race/Ethnicity Diversity of Membership (RDM)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Race/Ethnicity Diversity of Membership	
Total Unduplicated Membership During the Measurement Year	NR

Percentage of Members for Whom the Organization has Race/Ethnicity Information by Data Collection

Direct Data Collection Method			Indirect Data Collection Method		Unknown	
Race	Direct Total	NR	Indirect Total*	NR	Total*	NR
	Health Plan Direct*	NR				
	CMS/State Database*	NR				
	Other*	NR				
Ethnicity	Direct Total	NR	Indirect Total*	NR	Total*	NR
	Health Plan Direct*	NR				
	CMS/State Database*	NR				
	Other*	NR				

*Enter percentage as a value between 0 and 1.

Race	Hispanic or Latino		Not Hispanic or Latino		Unknown Ethnicity		Declined Ethnicity		Total	
	Number	Percentage	Number	Percentage	Number	Percentage	Number	Percentage	Number	Percentage
White	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Black or African American	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
American-Indian and Alaska Native	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Asian	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Native Hawaiian and Other Pacific Islanders	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Some Other Race	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Two or More Races	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Declined	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Language Diversity of Membership (LDM)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Percentage of Members With Known Language Value from Each Data Source			
Category	Health Plan Direct	CMS/State Databases	Other Third-Party Source
Spoken Language Preferred for Health Care*	NR	NR	NR
Preferred Language for Written Materials*	NR	NR	NR
Other Language Needs*	NR	NR	NR
*Enter percentage as a value between 0 and 1.			
Spoken Language Preferred for Health Care			
	Number	Percentage	
English	NR	NR	
Non-English	NR	NR	
Unknown	NR	NR	
Declined	NR	NR	
Total*	NR	NR	
Language Preferred for Written Materials			
	Number	Percentage	
English	NR	NR	
Non-English	NR	NR	
Unknown	NR	NR	
Declined	NR	NR	
Total*	NR	NR	
Other Language Needs			
	Number	Percentage	
English	NR	NR	
Non-English	NR	NR	
Unknown	NR	NR	
Declined	NR	NR	
Total*	NR	NR	
*Should sum to 100%			

Weeks of Pregnancy at Time of Enrollment in MCO (WOP)		
--	--	--

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)		
--	--	--

Measurement Year		
Measurement Year	2012	
Weeks of Pregnancy	Number	Percentage
< 0 weeks	299	21.79%
1-12 weeks	117	8.53%
13-27 weeks	616	44.90%
28 or more weeks	250	18.22%
Unknown	90	6.56%
Total	1,372	100.00%