

## Audit Review Table

Molina Healthcare of New Mexico (Org ID: 955, SubID: 4112, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2013

The Auditor lock has been applied to this submission.

Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable
<b>Effectiveness of Care: Prevention and Screening</b>					
<b>Adult BMI Assessment (aba)</b>	Y			81.03%	R
<b>Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (wac)</b>	Y				
<i>BMI Percentile</i>				57.40%	R
<i>Counseling for Nutrition</i>				50.55%	R
<i>Counseling for Physical Activity</i>				42.83%	R
<b>Childhood Immunization Status (cis)</b>	Y				
<i>DTaP</i>				81.90%	R
<i>IPV</i>				92.49%	R
<i>MMR</i>				92.05%	R
<i>HiB</i>				92.27%	R
<i>Hepatitis B</i>				92.05%	R
<i>VZV</i>				92.27%	R
<i>Pneumococcal Conjugate</i>				80.13%	R
<i>Hepatitis A</i>				87.86%	R
<i>Rotavirus</i>				72.63%	R
<i>Influenza</i>				53.64%	R
<i>Combination #2</i>				78.59%	R
<i>Combination #3</i>				73.29%	R
<i>Combination #4</i>				71.08%	R
<i>Combination #5</i>				59.60%	R
<i>Combination #6</i>				46.14%	R
<i>Combination #7</i>				57.84%	R
<i>Combination #8</i>				45.47%	R
<i>Combination #9</i>				40.40%	R
<i>Combination #10</i>				39.74%	R
<b>Immunizations for Adolescents (ima)</b>	Y				
<i>Meningococcal</i>				62.30%	R

<i>Tdap/Td</i>				78.45%	R
<i>Combination #1</i>				60.19%	R
<b>Human Papillomavirus Vaccine for Female Adolescents (hvp)</b>	Y			26.16%	R
<b>Lead Screening in Children (lsc)</b>	Y			39.29%	R
<b>Breast Cancer Screening (bcs)</b>	Y			66.99%	R
<b>Cervical Cancer Screening (ccs)</b>	Y			66.67%	R
<b>Non-Recommended Cervical Cancer Screening in Adolescent Females (ncs)</b>	Y			4.59%	R
<b>Chlamydia Screening in Women (chl)</b>	Y				
<i>16-20 Years</i>				44.03%	R
<i>21-24 Years</i>				60.36%	R
<i>Total</i>				48.86%	R
<b>Effectiveness of Care: Respiratory Conditions</b>					
<b>Appropriate Testing for Children with Pharyngitis (cwp)</b>	Y	Y		59.51%	R
<b>Appropriate Treatment for Children With URI (uri)</b>	Y	Y		84.30%	R
<b>Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (aab)</b>	Y	Y		16.04%	R
<b>Use of Spirometry Testing in the Assessment and Diagnosis of COPD (spr)</b>	Y			26.76%	R
<b>Pharmacotherapy Management of COPD Exacerbation (pce)</b>	Y	Y			
<i>Systemic Corticosteroid</i>				69.64%	R
<i>Bronchodilator</i>				89.29%	R
<b>Use of Appropriate Medications for People With Asthma (asm)</b>	Y	Y			
<i>5-11 Years</i>				90.95%	R
<i>12-18 Years</i>				89.06%	R
<i>19-50 Years</i>				75.37%	R
<i>51-64 Years</i>				69.05%	R
<i>Total</i>				87.07%	R

<b>Medication Management for People With Asthma (mma)</b>	Y	Y			
5-11 Years - Medication Compliance 50%				44.13%	R
5-11 Years - Medication Compliance 75%				22.19%	R
12-18 Years - Medication Compliance 50%				42.66%	R
12-18 Years - Medication Compliance 75%				18.77%	R
19-50 Years - Medication Compliance 50%				48.51%	R
19-50 Years - Medication Compliance 75%				31.68%	R
51-64 Years - Medication Compliance 50%				NA	R
51-64 Years - Medication Compliance 75%				NA	R
Total - Medication Compliance 50%				44.79%	R
Total - Medication Compliance 75%				22.82%	R
<b>Asthma Medication Ratio (amr)</b>	Y	Y			
5-11 Years				69.23%	R
12-18 Years				58.54%	R
19-50 Years				43.61%	R
51-64 Years				30.95%	R
Total				60.09%	R
<b>Effectiveness of Care: Cardiovascular</b>					
<b>Cholesterol Management for Patients With Cardiovascular Conditions (cmc)</b>	Y				
LDL-C Screening Performed				74.78%	R
LDL-C Control (<100 mg/dL)				44.35%	R
<b>Controlling High Blood Pressure (cbp)</b>	Y		Y	63.76%	R
<b>Persistence of Beta-Blocker Treatment After a Heart Attack (pbh)</b>	Y	Y		NA	R
<b>Effectiveness of Care: Diabetes</b>					
<b>Comprehensive Diabetes Care (cdc)</b>	Y				
Hemoglobin A1c (HbA1c) Testing				85.10%	R
HbA1c Poor Control (>9.0%)				41.76%	R
HbA1c Control (<8.0%)				48.53%	R
HbA1c Control (<7.0%)				NR	NR
Eye Exam (Retinal) Performed				58.24%	R

<i>LDL-C Screening Performed</i>				74.49%	R
<i>LDL-C Control (&lt;100 mg/dL)</i>				38.60%	R
<i>Medical Attention for Nephropathy</i>				78.10%	R
<i>Blood Pressure Control (&lt;140/80 mm Hg)</i>				43.34%	R
<i>Blood Pressure Control (&lt;140/90 mm Hg)</i>				64.33%	R
<b>Effectiveness of Care:</b>					
<b>Musculoskeletal</b>					
<b>Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis (art)</b>	Y	Y		72.46%	R
<b>Use of Imaging Studies for Low Back Pain (lbp)</b>	Y			80.05%	R
<b>Effectiveness of Care: Behavioral Health</b>					
<b>Antidepressant Medication Management (amm)</b>	Y	Y			
<i>Effective Acute Phase Treatment</i>				40.77%	R
<i>Effective Continuation Phase Treatment</i>				25.06%	R
<b>Follow-Up Care for Children Prescribed ADHD Medication (add)</b>	Y	Y			
<i>Initiation Phase</i>				36.57%	R
<i>Continuation and Maintenance (C&amp;M) Phase</i>				50.68%	R
<b>Follow-Up After Hospitalization for Mental Illness (fuh)</b>	Y	N			
<i>30-Day Follow-Up</i>				NB	R
<i>7-Day Follow-Up</i>				NB	R
<b>Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (ssd)</b>	Y	Y		79.49%	R
<b>Diabetes Monitoring for People With Diabetes and Schizophrenia (smd)</b>	Y			NA	R
<b>Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (smc)</b>	Y			NA	R

<b>Adherence to Antipsychotic Medications for Individuals With Schizophrenia (saa)</b>	Y	Y		NA	R
<b>Effectiveness of Care: Medication Management</b>					
<b>Annual Monitoring for Patients on Persistent Medications (mpm)</b>	Y	Y			
<i>ACE Inhibitors or ARBs</i>				87.21%	R
<i>Digoxin</i>				NA	R
<i>Diuretics</i>				88.93%	R
<i>Anticonvulsants</i>				71.29%	R
<i>Total</i>				85.49%	R
<b>Access/Availability of Care</b>					
<b>Adults' Access to Preventive/Ambulatory Health Services (aap)</b>	Y				
<i>20-44 Years</i>				82.22%	R
<i>45-64 Years</i>				86.35%	R
<i>65+ Years</i>				91.43%	R
<i>Total</i>				83.45%	R
<b>Children and Adolescents' Access to Primary Care Practitioners (cap)</b>	Y				
<i>12-24 Months</i>				97.83%	R
<i>25 Months - 6 Years</i>				89.51%	R
<i>7-11 Years</i>				92.01%	R
<i>12-19 Years</i>				91.09%	R
<b>Annual Dental Visit (adv)</b>	Y	Y			
<i>2-3 Years</i>				55.56%	R
<i>4-6 Years</i>				74.26%	R
<i>7-10 Years</i>				78.90%	R
<i>11-14 Years</i>				74.24%	R
<i>15-18 Years</i>				64.03%	R
<i>19-21 Years</i>				45.94%	R
<i>Total</i>				70.90%	R
<b>Initiation and Engagement of AOD Dependence Treatment (iet)</b>	Y	N			

<i>Initiation of AOD Treatment: 13-17 Years</i>				NB	R
<i>Engagement of AOD Treatment: 13-17 Years</i>				NB	R
<i>Initiation of AOD Treatment: 18+ Years</i>				NB	R
<i>Engagement of AOD Treatment: 18+ Years</i>				NB	R
<i>Initiation of AOD Treatment: Total</i>				NB	R
<i>Engagement of AOD Treatment: Total</i>				NB	R
<b>Prenatal and Postpartum Care (ppc)</b>	Y		Y		
<i>Timeliness of Prenatal Care</i>				89.17%	R
<i>Postpartum Care</i>				62.90%	R
<b>Call Answer Timeliness (cat)</b>	Y			95.61%	R
<b>Utilization</b>					
<b>Frequency of Ongoing Prenatal Care (fpc)</b>	Y		N		
<i>&lt;21 Percent</i>				4.02%	R
<i>21-40 Percent</i>				3.55%	R
<i>41-60 Percent</i>				5.67%	R
<i>61-80 Percent</i>				13.48%	R
<i>81+ Percent</i>				73.29%	R
<b>Well-Child Visits in the First 15 Months of Life (w15)</b>	Y				
<i>0 Visits</i>				0.56%	R
<i>1 Visit</i>				1.11%	R
<i>2 Visits</i>				3.06%	R
<i>3 Visits</i>				5.00%	R
<i>4 Visits</i>				9.44%	R
<i>5 Visits</i>				18.33%	R
<i>6+ Visits</i>				62.50%	R
<b>Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (w34)</b>	Y			66.49%	R
<b>Adolescent Well-Care Visits (awc)</b>	Y			50.78%	R
<b>Frequency of Selected Procedures (fsp)</b>	Y				R
<b>Ambulatory Care: Total (amba)</b>	Y				R
<b>Ambulatory Care: Dual Eligibles (ambb)</b>	N				NR
<b>Ambulatory Care: Disabled (ambc)</b>	N				NR
<b>Ambulatory Care: Other (ambd)</b>	N				NR

Inpatient Utilization--General Hospital/Acute Care: Total (ipua)	Y				R
Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (ipub)	N				NR
Inpatient Utilization--General Hospital/Acute Care: Disabled (ipuc)	N				NR
Inpatient Utilization--General Hospital/Acute Care: Other (ipud)	N				NR
Identification of Alcohol and Other Drug Services: Total (iada)	Y	N			R
Identification of Alcohol and Other Drug Services: Dual Eligibles (iadb)	N	N			NR
Identification of Alcohol and Other Drug Services: Disabled (iadc)	N	N			NR
Identification of Alcohol and Other Drug Services: Other (iadd)	N	N			NR
Mental Health Utilization: Total (mpta)	Y	N			R
Mental Health Utilization: Dual Eligibles (mptb)	N	N			NR
Mental Health Utilization: Disabled (mptc)	N	N			NR
Mental Health Utilization: Other (mptd)	N	N			NR
Antibiotic Utilization: Total (abxa)	Y	Y			R
Antibiotic Utilization: Dual Eligibles (abxb)	N	N			NR
Antibiotic Utilization: Disabled (abxc)	N	N			NR
Antibiotic Utilization: Other (abxd)	N	N			NR
<b>Relative Resource Use</b>					
Relative Resource Use for People With Diabetes (rdi)	N				NR
Relative Resource Use for People With Asthma (ras)	N	N			NR
Relative Resource Use for People With Cardiovascular Conditions (rca)	N				NR
Relative Resource Use for People With Hypertension (rhy)	N				NR

<b>Relative Resource Use for People With COPD (rco)</b>	N				NR
<b>Health Plan Descriptive Information</b>					
<b>Board Certification (bcr)</b>	N				NR
<b>Total Membership (tlm)</b>	Y				R
<b>Enrollment by Product Line: Total (enpa)</b>	Y				R
<b>Enrollment by Product Line: Dual Eligibles (enpb)</b>	N				NR
<b>Enrollment by Product Line: Disabled (enpc)</b>	N				NR
<b>Enrollment by Product Line: Other (enpd)</b>	N				NR
<b>Enrollment by State (ebs)</b>	Y				R
<b>Race/Ethnicity Diversity of Membership (rdm)</b>	Y				R
<b>Language Diversity of Membership (ldm)</b>	Y				R
<b>Weeks of Pregnancy at Time of Enrollment (wop)</b>	Y		N		R







Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Denominator fewer than 30
Denominator fewer than 30
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Denominator fewer than 30
Reportable
Reportable
Reportable
Plan chose not to report
Reportable

Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Required benefit not offered
Required benefit not offered
Reportable
Denominator fewer than 30
Denominator fewer than 30



Required benefit not offered
Required benefit not offered
Required benefit not offered
Required benefit not offered
Required benefit not offered
Required benefit not offered
Required benefit not offered
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Reportable
Measure Unselected
Measure Unselected
Measure Unselected

Reportable
Measure Unselected
Measure Unselected
Measure Unselected
Required benefit not offered
Measure Unselected
Measure Unselected
Measure Unselected
Required benefit not offered
Measure Unselected
Measure Unselected
Measure Unselected
Reportable
Measure Unselected
Measure Unselected
Measure Unselected
Measure Unselected
Measure Unselected
Measure Unselected
Measure Unselected

Measure Unselected
Measure Unselected
Reportable
Reportable
Measure Unselected
Measure Unselected
Measure Unselected
Reportable
Reportable
Reportable
Reportable