




U.S. & NM HEALTH AND WELLNESS

SECTION 3



This section provides information and statistics across a range of health and wellness indicators. U.S maps are broken out by state, and New Mexico maps are presented at county-level. A text box on the bottom right of each table provides information important for correct interpretation of the table. In many tables, details will not add exactly to the totals and subtotals shown because of rounding.

U.S. Number of Food Insecure Children by State as of 2019



Source: Gundersen, C., Strayer, M., Dewey, A., Hake, M., & Engelhard, E. (2021). Map the Meal Gap 2021: An Analysis of County and Congressional District Food Insecurity and County Food Cost in the United States in 2019. Feeding America.

New Mexico Number of Food Insecure Children by County as of 2019




Powered by Bing
© GeoNames, HERE

Note: The state total may not match the value on the U.S. map. The NM map is based on local poverty/unemployment estimates and the US map is based on national poverty/unemployment estimates; for more information on how these assumptions are derived please refer to Background and FAQ document developed by Feeding America at https://www.feedingamerica.org/sites/default/files/2021-04/FeedingAmericaProjectionsFAQ_3.2021.pdf.



Source: Gundersen, C., Strayer, M., Dewey, A., Hake, M., & Engelhard, E. (2021). Map the Meal Gap 2021: An Analysis of County and Congressional District Food Insecurity and County Food Cost in the United States in 2019. Feeding America. Section 3 | Health and Wellness

U.S. Child Food Insecurity Rate by State as of 2019



Source: Gundersen, C., Strayer, M., Dewey, A., Hake, M., & Engelhard, E. (2021). Map the Meal Gap 2021: An Analysis of County and Congressional District Food Insecurity and County Food Cost in the United States in 2019. Feeding America.

New Mexico Child Food Insecurity Rate by County as of 2019




Powered by Bing
© GeoNames, HERE

Source: Gundersen, C., Strayer, M., Dewey, A., Hake, M., & Engelhard, E. (2021). *Map the Meal Gap 2021: An Analysis of County and Congressional District Food Insecurity and County Food Cost in the United States in 2019*. Feeding America.



Section 3 | [Health and Wellness](#)

U.S. Number of Food Insecure Residents by State as of 2019



Source: Gundersen, C., Strayer, M., Dewey, A., Hake, M., & Engelhard, E. (2021). Map the Meal Gap 2021: An Analysis of County and Congressional District Food Insecurity and County Food Cost in the United States in 2019. Feeding America.

New Mexico Number of Food Insecure Residents by County as of 2019




Powered by Bing
© GeoNames, HERE

Note: The state total may not match the value on the U.S. map. The NM map is based on local poverty/unemployment estimates and the US map is based on national poverty/unemployment estimates; for more information on how these assumptions are derived please refer to Background and FAQ document developed by Feeding America at https://www.feedingamerica.org/sites/default/files/2021-04/FeedingAmericaProjectionsFAQ_3.2021.pdf.



Source: Gundersen, C., Strayer, M., Dewey, A., Hake, M., & Engelhard, E. (2021). Map the Meal Gap 2021: An Analysis of County and Congressional District Food Insecurity and County Food Cost in the United States in 2019. Feeding America.

U.S. Food Insecurity Rate by State as of 2019



Source: Gundersen, C., Strayer, M., Dewey, A., Hake, M., & Engelhard, E. (2021). Map the Meal Gap 2021: An Analysis of County and Congressional District Food Insecurity and County Food Cost in the United States in 2019. Feeding America.


New Mexico Food Insecurity Rate by County as of 2019



Powered by Bing
© GeoNames, HERE


Source: Gundersen, C., Strayer, M., Dewey, A., Hake, M., & Engelhard, E. (2021). *Map the Meal Gap 2021: An Analysis of County and Congressional District Food Insecurity and County Food Cost in the United States in 2019*. Feeding America. Section 3 | [Health and Wellness](#)

U.S. Senior (60+) Food Insecurity Rate by State as of 2019




Source: Gundersen, C., Ziliak J., Hilvers J., & Hake M. (August 2021). *The State of Senior Hunger in America 2019: An Annual Report; and Hunger Among Adults Age 50-59 in America 2019: An Annual Report* [Data file]. Available from Feeding America: <https://www.feedingamerica.org/research/senior-hunger-research>

U.S. Senior (60+) Very Low Food Security Rate by State as of 2019





Source: Gundersen, C., Ziliak J., Hilvers J., & Hake M. (August 2021). *The State of Senior Hunger in America 2019: An Annual Report; and Hunger Among Adults Age 50-59 in America 2019: An Annual Report [Data file]*. Available from Feeding America: <https://www.feedingamerica.org/research/senior-hunger-research>

U.S. Projected Number of Food Insecure Children by State as of 2020



Source: Gundersen, C., M. Hake, A. Dewey, E. Engelhard (2021). *The Impact of the Coronavirus on Food Insecurity in 2020 & 2021, Update March 2021 [Data file and FAQ]*. Available from Feeding America: research@feedingamerica.org.

New Mexico Projected Number of Food Insecure Children by County as of 2020





Note: The state total may not match the value on the U.S. map. The NM map is based on local poverty/unemployment estimates and the US map is based on national poverty/unemployment estimates; for more information on how these assumptions are derived please refer to Background and FAQ document developed by Feeding America at https://www.feedingamerica.org/sites/default/files/2021-04/FeedingAmericaProjectionsFAQ_3.2021.pdf.

Source: Gundersen, C., M. Hake, A. Dewey, E. Engelhard (2021). The Impact of the Coronavirus on Food Insecurity in 2020 & 2021, Update March 2021 [Data file and FAQ]. Available from Feeding America: research@feedingamerica.org.



U.S. Projected Child Food Insecurity Rate by State as of 2020

Food Insecurity Rate (% per year) 13.0 27.4



Source: Gundersen, C., M. Hake, A. Dewey, E. Engelhard (2021). *The Impact of the Coronavirus on Food Insecurity in 2020 & 2021, Update March 2021 [Data file and FAQ]*. Available from Feeding America: research@feedingamerica.org.


New Mexico Projected Child Food Insecurity Rate by County as of 2020



Note: The state total may not match the value on the U.S. map. The NM map is based on local poverty/unemployment estimates and the US map is based on national poverty/unemployment estimates; for more information on how these assumptions are derived please refer to Background and FAQ document developed by Feeding America at https://www.feedingamerica.org/sites/default/files/2021-04/FeedingAmericaProjectionsFAQ_3.2021.pdf.


Source: Gundersen, C., M. Hake, A. Dewey, E. Engelhard (2021). The Impact of the Coronavirus on Food Insecurity in 2020 & 2021, Update March 2021 [Data file and FAQ]. Available from Feeding America: research@feedingamerica.org.

U.S. Projected Number of Food Insecure Residents by State as of 2020



Source: Gundersen, C., M. Hake, A. Dewey, E. Engelhard (2021). *The Impact of the Coronavirus on Food Insecurity in 2020 & 2021, Update March 2021 [Data file and FAQ]. Available from Feeding America: research@feedingamerica.org.*

New Mexico Projected Number of Food Insecure Residents by County as of 2020




Note: The state total may not match the value on the U.S. map. The NM map is based on local poverty/unemployment estimates and the US map is based on national poverty/unemployment estimates; for more information on how these assumptions are derived please refer to Background and FAQ document developed by Feeding America at https://www.feedingamerica.org/sites/default/files/2021-04/FeedingAmericaProjectionsFAQ_3.2021.pdf.

Source: Gundersen, C., M. Hake, A. Dewey, E. Engelhard (2021). The Impact of the Coronavirus on Food Insecurity in 2020 & 2021, Update March 2021 [Data file and FAQ]. Available from Feeding America: research@feedingamerica.org.


U.S. Projected Food Insecurity Rate by State as of 2020

Food Insecurity Rate (% per year) 8.8 20.1




Source: Gundersen, C., M. Hake, A. Dewey, E. Engelhard (2021). *The Impact of the Coronavirus on Food Insecurity in 2020 & 2021, Update March 2021 [Data file and FAQ]. Available from Feeding America: research@feedingamerica.org.*

New Mexico Projected Food Insecurity Rate by County as of 2020



Food Insecurity Rate (% per year) 8.8 25.0




Powered by Bing
© GeoNames, HERE


Note: The state total may not match the value on the U.S. map. The NM map is based on local poverty/unemployment estimates and the US map is based on national poverty/unemployment estimates; for more information on how these assumptions are derived please refer to Background and FAQ document developed by Feeding America at https://www.feedingamerica.org/sites/default/files/2021-04/FeedingAmericaProjectionsFAQ_3.2021.pdf.

Source: Gundersen, C., M. Hake, A. Dewey, E. Engelhard (2021). The Impact of the Coronavirus on Food Insecurity in 2020 & 2021, Update March 2021 [Data file and FAQ]. Available from Feeding America: research@feedingamerica.org.

New Mexico Number of Medicare/Medicaid Dual Eligible Adults in Managed Care by County as of October 2021



Medicaid-Medicare Dual Eligible Population in Managed Care ■ 3 6,822




New Mexico Medicaid-Medicare Dual Eligible Population in Managed Care: 22,971

Powered by Bing © GeoNames, HERE


Source: County-level Medicaid-Medicare Dual Eligible members in Managed Care is from HSD OMNICAID Data, MCO Roster Table, October 2021.

U.S. and New Mexico Percent of Adults (18+) With No Health Care Coverage, 2011-2020





[Source:](#) New Mexico Behavioral Risk Factor Surveillance System (BRFSS)

New Mexico Percent of Adults (18+) with Preventive Services Coverage vs No Coverage, 2019 & 2020




[Source:](#) New Mexico Behavioral Risk Factor Surveillance System (BRFSS)

New Mexico Primary Care Physicians Full-Time Equivalent Count by County per 10,000 Population as of 2020




Source: New Mexico Regulations & Licensing Department, Physician (Medical Doctor and Doctor of Osteopathic Medicine) Licensure Survey Results from the following specialties: Family Medicine, General Medicine, General Pediatrics, Adolescent Medicine, Occupational Medicine, Preventative Medicine. Data retrieved June 24, 2021.

U.S. Number of ICU Beds by State per 10,000 Population as of 2018




Source: Kaiser Family Foundation. ICU Beds data include coronary, trauma, surgical, burn, and general ICU beds in community and non-Federal hospitals. Figures may not sum to totals due to rounding. Hospital Beds: KFF analysis of merged American Hospital Directory and 2018 AHA Annual Survey data. Population data from Annual Population Estimates by State, U.S. Census Bureau; available at <http://www.census.gov/popest/>. <https://www.kff.org/coronavirus-covid-19/issue-brief/state-data-and-policy-actions-to-address-coronavirus/#stateleveldata> Data as of December 2018.

Number of General Beds by State per 10,000 Population as of 2018





Source: Kaiser Family Foundation. Figures may not sum to totals due to rounding. Hospital Beds: KFF analysis of merged American Hospital Directory and 2018 AHA Annual Survey data. Population data from Annual Population Estimates by State, U.S. Census Bureau; available at <http://www.census.gov/popest/>. <https://www.kff.org/coronavirus-covid-19/issue-brief/state-data-and-policy-actions-to-address-coronavirus/#stateleveldata> Data as of December 2018

New Mexico Assisted Living Facilities by County as of October 2021



Source: New Mexico Department of Health Division of Health Improvement (DHI) Spreadsheet, October 2021.

New Mexico Hospitals by County as of October 2021




Note: numbers reflect both state-licensed and CMS-licensed hospitals in New Mexico.

Source: New Mexico Department of Health Division of Health Improvement (DHI) ASPEN Report, October 2021


Powered by Bing
© GeoNames, HERE

New Mexico Intermediate Care Facilities (ICF) by County as of October 2021





Source: New Mexico Department of Health Division of Health Improvement (DHI) ASPEN Report, October 2021.

New Mexico Nursing Homes by County as of October 2021



Source: New Mexico Department of Health Division of Health Improvement (DHI) ASPEN Report, October 2021.

New Mexico Medicaid Agency Based Community Benefit Providers by County as of October 2021





New Mexico Agency Based Community Benefit Providers: 292

Powered by Bing
© GeoNames, HERE

Note: There are 8 providers from out of state that were excluded from this data set. 73 of the 302 total providers are Assisted Living providers. For more information about the Agency Based Community Benefit Program, see <https://www.hsd.state.nm.us/wp-content/uploads/Agency-Based-Community-Benefit-ABCB-Program-Provider-Enrollment-FAQs.pdf>.

Source: New Mexico Human Services Department Omnicaid Data Warehouse, Data pull for provider type 363 as of 10/1/21.



New Mexico Medicaid Home and Community Based Providers (1915C) by County as of October 2021



Powered by Bing
© GeoNames, HERE

Source: New Mexico Human Services Department Omnicaid Data Warehouse, Data pull for 1915C providers as of 10/1/21.
Section 3 | Health and Wellness

New Mexico Medicaid Early and Periodic Screening, Diagnostic and Treatment (EPSDT) Personal Care Services (PCS) Providers by County as of October 2021





Powered by Bing
© GeoNames, HERE

Note: There are 2 providers from out of state that were excluded from this data set.


Source: New Mexico Human Services Department Omnicaid Data Warehouse, Data pull for EPSDT PCS providers as of 10/1/21.

New Mexico Psychiatrists Full-Time Equivalent by County per 10,000 Population as of 2020




Source: New Mexico Regulations & Licensing Department, 2021 Physician Licensure Survey (Specialty: Psychiatry). Data retrieved June 24, 2021.

New Mexico Core Mental Health Professionals Full-Time Equivalent per 10,000 Population as of 2020



Source: New Mexico Regulations & Licensing Department, Licensure Survey Results from the following professions: Psychologists, Licensed Clinical Social Work (LCSW), Licensed Independent Social Worker (LISW), Licensed Master Social Worker (LMSW), Licensed Professional Clinical Counselor Licensure (LPCC), Family and Marriage Counselor (FMC). Data retrieved June 24, 2021.

New Mexico Medicaid Psychiatric Providers by County, 2021





NM Medicaid Psychiatric Providers: 534

Powered by Bing © GeoNames, HERE



Source: New Mexico Human Services Department, Behavioral Health Services Division based on provider enrollment in the Medicaid system. The totals do include providers who offer services in multiple counties throughout the state, however have a Medicaid provider identification for each area serviced. Providers who are serving multiple counties may not be serving the county on a full-time basis. Psychiatric Providers include Psychiatrist, Psychiatric Nurse, and Prescribing Psychologist. July 2021.

New Mexico Medicaid Core Behavioral Health Providers by County, 2021





Source: New Mexico Human Services Department, Behavioral Health Services Division based on provider enrollment in the Medicaid system. The totals do include providers who offer services in multiple counties throughout the state, however, have a Medicaid provider identification for each area serviced. Providers who are serving multiple counties may not be serving the county on a full-time basis. Core Behavioral Health Providers include Licensed Master Social Worker (LMSW), Licensed Clinical Social Worker (LCSW), Licensed Mental Health Counselor (LMHC), and Licensed Professional Clinical Counselors (LPCC) and Non-Prescribing Psychologist. July 2021.

New Mexico Prescribing Psychologists by County as of 2019



Source: Data obtained from University of New Mexico Health Sciences Center, 2020. UNM HSC obtains licensure survey data from New Mexico Regulation & Licensing Department. Calculations of need based off HRSA Need Designation calculations for FTE PCPs for population with unusually high need. Results are published in the New Mexico Health Care Workforce Committee 2020 Annual Report. https://digitalrepository.unm.edu/cgi/viewcontent.cgi?article=1007&context=nmhc_workforce

New Mexico Drug Overdose Death Rate by County, 2020




Powered by Bing © GeoNames, HERE

Note: Rates are per 100,000 population and age-adjusted to the US 2000 population. A county in grey indicates that an estimate has been suppressed because the number of events and population size are small and not appropriate for publication, or it could be used to calculate the number in a cell that has been suppressed.

Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics death data, April 2022.


U.S. and New Mexico Drug Overdose Deaths per 100,000 Population, 2001-2019



Note: rates are age adjusted to the U.S. 2000 standard population.



Source: United States (Centers for Disease Control and Prevention (CDC) Wide-ranging Online Data for Epidemiologic Research (Wonder)); New Mexico (New Mexico Department of Health Bureau of Vital Records and Health Statistics/Substance Abuse Epidemiology Program (BVRHS/SAES), 1990-1998, 2016-2019; New Mexico-Indicator-Based Information Systems Program (NM-IBIS), 1999-2015).

U.S. Percent Change in Predicted 12 Month-Ending Count of Drug Overdose Deaths, by Jurisdiction: April 2020 to April 2021




Source: Ahmad FB, Rossen LM, Sutton P. Provisional drug overdose death counts. National Center for Health Statistics. 2021. Designed by LM Rossen, A Lipphardt, FB Ahmad, JM Keralis, and Y Chong; National Center for Health Statistics.

New Mexico Reported Opiate Overdose Reversals using Naloxone by County, 2020



Source: NMDOH Public Health Division, Hepatitis and Harm Reduction Program, November 2021. Section 3 | Health and Wellness



New Mexico Percent of Youth (Grade 9-12) who used at least one Substance* in the past 30 Days by High-Risk Groups, 2019



Note: *Multiple substance use = used at least one of these substances in the past 30 days: tobacco, alcohol, marijuana, cocaine, heroin, methamphetamine, prescription pain medicine (without a prescription), inhalants, or synthetic marijuana.

Source: New Mexico Youth Risk and Resiliency Survey (YRRS)

New Mexico Alcohol-Related Death Rate by County, 2020




Powered by Bing
© GeoNames, HERE

Note: Rates are per 100,000 population and age-adjusted to the US 2000 population.


Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics death data, CDC ARDI v3, deaths; UNM/GPS, population; April 2022

U.S. and New Mexico Alcohol-related Deaths per 100,000 Population, 1990-2019



Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics (BVRHS), Population estimates from University of New Mexico Geospatial and Population Studies (UNM GPS); Centers for Disease Control and Prevention (CDC) Alcohol-Related Disease Impact (ARDI) Application.

U.S. and New Mexico Percent of Youth (Grade 9-12) who Drank Alcohol at least Once in the past 30 Days, 2005 - 2019




Note: Current alcohol use = drank alcohol on at least one of the past 30 days.

Source: [New Mexico Youth Risk and Resiliency Survey \(YRRS\)](#), [Youth Online: High School YRBS - New Mexico 2005 — 2019 Results](#)

Section 3 | Health and Wellness


New Mexico Percent of Youth (Grade 6-12) who Drank Alcohol at least Once in the past 30 Days by Grade Level, 2019



Note: Current alcohol use = drank alcohol on at least one of the past 30 days.

Source: [New Mexico Youth Risk and Resiliency Survey \(YRRS\)](#)


New Mexico Percent of Youth (Grade 6-12) who Used at least One Form of Tobacco on at least one of the past 30 Days by Grade Level, 2019



Note: Current tobacco use = used at least one form of tobacco (cigarettes, e-cigarettes, cigars, spit tobacco, or hookah) on at least one of the past 30 days.

Source: New Mexico Youth Risk and Resiliency Survey (YRRS)


New Mexico Percent of Youth (Grades 9-12) Using Cigarettes or E-cigarettes at least Once in the past 30 Days, 2009 - 2019



Note: Current tobacco use = cigarettes or e-cigarettes on at least one of the past 30 days.


Source: New Mexico Youth Risk and Resiliency Survey (YRRS), [Youth Online: High School YRBS - New Mexico 2005 — 2019 Results](#)

New Mexico Percent of Adults (18+) Using Tobacco and E-Cigarettes by Demographic Factors, 2020




Source: New Mexico Behavioral Risk Factor Surveillance System (BRFSS)

U.S. and New Mexico Percent of Adults (18+) Who Currently Smoke Cigarettes, 2011-2020



Source: New Mexico Behavioral Risk Factor Surveillance System (BRFSS)

New Mexico Percent of Youth (Grade 9-12) with Lifetime History of Forced Sexual Intercourse by Risk Groups, 2019




Note: Forced Sexual Intercourse = ever physically forced to have sexual intercourse; *TGNC = transgender or gender non-conforming; ** LTHP = long term health problems, Cisgender = gender identity corresponds with sex assigned at birth.

Source: New Mexico Youth Risk and Resiliency Survey (YRRS)

Section 3 | Health and Wellness


New Mexico Percent of Adults (18+) who Experienced Sexual and Intimate Partner Violence by Race/Ethnicity, 2020



Note: AIAN = American Indian and Alaska Native, Black/AA = Black/African American, NHOPI = Native Hawaiian and other Pacific Islander


Source: [New Mexico Behavioral Risk Factor Surveillance System \(BRFSS\)](#)

New Mexico Behavioral Health Visits for Anxiety, Depression and Trauma per 1,000 Population, by County, January - December 2021




Source: New Mexico Human Services Department, Behavioral Health Services Division based on paid claims data on clients diagnosed with anxiety, depression, or anxiety and received a behavioral health service.

New Mexico Adult Hospitalizations per 100,000 Residents for Depression by Race/Ethnicity and Sex, 2019




Source: New Mexico Department of Health Hospitalization Inpatient Discharge Database (HIDD); Rates age-adjusted to the standard U.S. 2000 population.

New Mexico Adult Hospitalizations per 100,000 Residents for Anxiety by Race/Ethnicity and Sex, 2019



Source: New Mexico Department of Health Hospitalization Inpatient Discharge Database (HIDD); Rates age-adjusted to the standard U.S. 2000 population.


U.S. and New Mexico Adult (Age 18+) Prevalence of Frequent Mental Distress*, 2011 -2020



Note: *Frequent Mental Distress = Self-report that mental health was 'not good' for 14 or more of the past 30 days.

Source: New Mexico Behavioral Risk Factor Surveillance System (BRFSS)


U.S. and New Mexico Percent of Youth (Grades 9-12) Who Felt Sad or Hopeless* in the last 12 Months, 2009-2019



Note: *Felt sad or hopeless in the past 12 months. So sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities, in the last 12 months.

Source: New Mexico Youth Risk and Resiliency Survey (YRRS)


New Mexico Percent of Youth (Grades 9-12) Who Felt Sad or Hopeless* in the last 12 Months by Sex and Gender Identity, 2019



Note: *Felt sad or hopeless in the past 12 months. So sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities, in the last 12 months.

Source: [New Mexico Youth Risk and Resiliency Survey \(YRRS\)](#)

New Mexico Percent of Adults Ever Told They Had Depression* by Sex, Income, and Disability Status, 2020




Note: *(Ever Told) by a doctor, nurse, or other health professional that you had any of the following: a depressive disorder, including depression, major depression, dysthymia, or minor depression.

Source: New Mexico Behavioral Risk Factor Surveillance System (BRFSS)


Section 3 | Health and Wellness

U.S. and New Mexico Percent of Youth (Age 12-17) with Major Depressive Episode, 2012-2019




[Source:](#) Substance Abuse and Mental Health Services Administration (SAMHSA) National Survey on Drug Use and Health (NSDUH)

New Mexico Most Common Youth (Age 5-17) Mental Health Hospitalizations by Diagnosis and Sex per 100,000 Residents, 2019





Source: New Mexico Department of Health Hospitalization Inpatient Discharge Database (HIDD)

New Mexico Youth (Grades 9-12) Suicide Attempts by Sex, Sexual Orientation, Gender Identity and Housing Status, 2020



Note: Attempts = attempted suicide at least once in the last 12 months
Source: New Mexico Youth Risk and Resiliency Survey (YRRS)

New Mexico Suicide Death Rate by County, 2020




Note: Rates are per 100,000 population and age-adjusted to the US 2000 population.

Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics death data, April 2022.


Section 3 | Health and Wellness

New Mexico Rate of Suicides (Age-Adjusted) Per 100,000 Residents by Race/Ethnicity, 2019




Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics.

U.S. and New Mexico Rate of Suicide Deaths (Age-Adjusted) Per 100,000 Residents, 2010-2019




Source: Centers for Disease Control and Prevention (CDC) Wide-ranging Online Data for Epidemiologic Research (Wonder); New Mexico-Indicator-Based Information Systems Program (NM-IBIS); Rates adjusted to the U.S. 2000 Population.
Section 3 | [Health and Wellness](#)

New Mexico Suicide Deaths per 100,000 Population by Age Group, 2019



Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics.

New Mexico Percent of Suicides by Mechanism, 2019




Note: All other causes include mechanisms that are not by firearm, suffocation, nor poisoning. One example is a suicide due to a fall.

Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics; Rates adjusted to the U.S. 2000 Population.

Section 3 | [Health and Wellness](#)


New Mexico Percent of Youth (Grade 9-12) Engaging in Unsafe Traffic Behaviors, 2019



Note: *among those who drove a car; **when riding in a car or other vehicle driven by someone else.


Source: New Mexico Youth Risk and Resiliency Survey (YRRS)

New Mexico Unintentional Injury Deaths by Age Group per 100,000 Residents and Selected Mechanism of Injury, 2015-2019





Source: Centers for Disease Control and Prevention (CDC) Wide-ranging Online Data for Epidemiologic Research (Wonder)

New Mexico Leading Causes of Unintentional Injury Death, by Cause of Injury, 2015-2019



Source: Centers for Disease Control and Prevention (CDC) Wide-ranging Online Data for Epidemiologic Research (Wonder)


New Mexico Firearm-Related Death Rate by County, 2020



Note: Rates are per 100,000 population and age-adjusted to the US 2000 population. A county in grey indicates that an estimate has been suppressed because the number of events and population size are small and not appropriate for publication, or it could be used to calculate the number in a cell that has been suppressed.

Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics death data, April 2022.
Section 3 | Health and Wellness


New Mexico Rates (Age-adjusted) of Firearm-Related Deaths per 100,000 Residents, 2009-2019



Year	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
NM	14.5	14.9	14.8	15.5	15.5	16	18.6	18.1	18.5	20.7	22.3
US	10.1	10.1	10.2	10.5	10.4	10.3	11.1	11.8	12	11.9	11.9

Source: Centers for Disease Control and Prevention (CDC) Wide-ranging Online Data for Epidemiologic Research (Wonder); New Mexico-Indicator-Based Information Systems Program (NM-IBIS); Rates adjusted to the U.S. 2000 Population.


New Mexico Violent Firearm-Related Deaths By Owner of Firearm, 2018-2019*



Note: *Denotes provisional data, these data are still being collected and have not been finalized yet. The statistics may change based on additional information provided to NMVDRS from other data sources. NVDRS defines violent death as “a death that results from the intentional use of physical force or power, threatened or actual, against oneself, another person, or a group or community.”

Source: New Mexico Department of Health Violent Death Reporting System (NMVDRS), November 2021.


New Mexico Households with at least One Firearm and their Safe Storage Practices, 2020



Note: This survey did not ask about unloaded and locked firearms, only whether the household gun(s) are loaded and/or unlocked.

Source: [New Mexico Behavioral Risk Factor Surveillance System \(BRFSS\)](#)

New Mexico Percent of Obese Youth (Grade 9-12) by Sex, 2005-2019




Note: Obesity = 95th percentile for body mass index (BMI) based on sex and age-specific reference data from the 2000 Centers for Disease Control and Prevention (CDC) growth chart.

Source: New Mexico Youth Risk and Resiliency Survey (YRRS), [Youth Online: High School YRBS - New Mexico 2005 — 2019 Results](#).
Section 3 | Health and Wellness

2022 Data Book | New Mexico Health and Human Services


New Mexico Percent of Youth (Grade 9-12) Physically Active for 60+ Minutes/Day by Sex and Grade Level, 2019



Note: daily physical activity = physically active for at least 60 minutes/day on each of the last 7 days (physical activity that increased the heart rate and made them breathe hard some of the time).

Source: [New Mexico Youth Risk and Resiliency Survey \(YRRS\)](#)

U.S. and New Mexico Child (Age 0-17) Asthma Hospitalization Rates per 10,000 Population, 1999-2020





Year	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
NM Rate	16.8	13.7	15	16.8	17	17.9	16.3	15.5	15.5	15.5	17.1	14.2	12.6	18.2	14.6	17.4	15.8	13.7	11.7	12.6	10	2.4
US Rate		17			15			15.3			15.2	15.9	12.8	15.5	13.7	14	11.8	10.9	10.3	10.1		

Note: Asthma as first-listed ICD-9 diagnosis (493-493.92) from 2012 to September 2015. ICD-10 codes J45 for September 2015 and after. This series does not include Indian Health Service data.; U.S. data through 2018 are the most current available data from the CDC.

Source: [New Mexico Department of Health Hospital Inpatient Discharge Data \(HIDD\)](#); [Healthcare Cost and Utilization Project \(HCUP\) Agency for Healthcare Research and Quality \(AHRQ\)](#).


New Mexico Childhood (Age 0-17) Asthma Hospitalization Rate by County, 2018-2020



Note: Rates are per 100,000 population. A county in grey indicates that an estimate has been suppressed because the number of events and population size are small and not appropriate for publication, or it could be used to calculate the number in a cell that has been suppressed.

Source: New Mexico Department of Health Hospital Inpatient Database Data, April 2022.

U.S. and New Mexico Child (Age 0-17) Asthma Emergency Department Visit Rates per 10,000 Population, 2010-2020




Year	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
NM Rate	58.1	52.4	64.6	65.3	68	65.9	54.2	49.1	50.4	42.2	19.3
U.S. Rate	98.2	93.6	112.1	85.8	127.5	123.1	74.3	85.3	104.7		


Note: Asthma as first-listed ICD-9 diagnosis (493-493.92) from 2012 to September 2015. ICD-10 codes J45 for September 2015 and after. This series does not include Indian Health Service data; U.S. data through 2018 are the most current available data from the CDC.

Source: [New Mexico Department of Health Hospital Inpatient Discharge Data \(HIDD\)](#); [Healthcare Cost and Utilization Project \(HCUP\) Agency for Healthcare Research and Quality \(AHRQ\)](#).

New Mexico Childhood (Age 0-17) Asthma-Related Emergency Department (ED) Visit Rate by County, 2018-2020



Childhood (Age 0-17) Asthma-Related ED Visit Rate




Powered by Bing
© GeoNames, HERE

Note: Rates are per 100,000 population.

Source: New Mexico Department of Health Emergency Department Data, April 2022.

New Mexico Rate of Cleft Lip with or without Cleft Palate per 100,000 Live-Births by Public Health Region, 2011-2019




Source: New Mexico Department of Health Environmental Health Epidemiology (EHE) Bureau's Birth Defects Prevention and Surveillance System.

Section 3 | [Health and Wellness](#)


2022 Data Book | New Mexico Health and Human Services

U.S. and New Mexico Occupational Injury Fatalities Per 100,000 Full-Time Equivalent Workers, 2007-2019



Source: US Bureau of Labor Statistics (BLS) Census of Fatal Occupational Injuries.


New Mexico Percent of Older Adult (<45) Falls* by Race/Ethnicity, 2020




*Note: *Adults over 45 with 1+ falls in the past 12 months. This is a self reported measure of falls in the last 12 months.*

Source: New Mexico Behavioral Risk Factor Surveillance System (BRFSS)

New Mexico Unintentional Older Adult (65 or +) Fall-Related Death Rate by County, 2020



Unintentional Older Adult (65 or +) Fall-Related Death Rate




New Mexico Unintentional Older Adult (65 or +) Fall-Related Death Rate: 78.2

Powered by Bing © GeoNames, HERE

Note: Rates are per 100,000 population and age-adjusted to the US 2000 population.


Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics death data, April 2022.

U.S. and New Mexico Unintentional Older Adult (65 or +) Fall-Related Deaths Per 100,000 Residents, 2009-2019



Source: Centers for Disease Control and Prevention (CDC) Wide-ranging Online Data for Epidemiologic Research (Wonder); New Mexico-Indicator-Based Information Systems Program (NM-IBIS)


U.S. and New Mexico Rate of Older Adult (65 or +) Fall-Related Deaths Per 100,000 Residents by Race/Ethnicity, 2017-2019



Note: Racial groups with * have less than 20 NM cases and therefore, the NM rates are considered unstable. This measure indicates a fall listed as contributing to a death.


Source: Centers for Disease Control and Prevention (CDC) Wide-ranging Online Data for Epidemiologic Research (Wonder); New Mexico-Indicator-Based Information Systems Program (NM-IBIS)

U.S. and New Mexico Rate of Older Adult (65 or +) Fall-Related Deaths Per 100,000 Residents by Gender, 2017-2019



Source: Centers for Disease Control and Prevention (CDC) Wide-ranging Online Data for Epidemiologic Research (Wonder); New Mexico-Indicator-Based Information Systems Program (NM-IBIS)


New Mexico Percent of Adults (>45) with Cognitive Decline, 2020



Note: Cognitive decline as defined by the Centers for Disease Control and Prevention (CDC) is "self-reported memory problems that have been getting worse over the past year."


Source: New Mexico Behavioral Risk Factor Surveillance System (BRFSS)

U.S. Rate of Older Adults (65+ Years) Living with Alzheimer's per 100,000 Population as of 2019




Source: Alzheimer's Association's 2020 Alzheimer's Disease Facts and Figures. <https://www.alz.org/media/Documents/alzheimers-facts-and-figures.pdf>; US population estimates using Census Quick Facts [census.gov/quickfacts](https://www.census.gov/quickfacts); U.S. number estimated from CDC: <https://www.cdc.gov/aging/aginginfo/alzheimers.htm>
 Section 3 | Health and Wellness

New Mexico Alzheimer's Disease Deaths per 100,000 Population, Age-Adjusted, by County from 2016-2020




Source: Mortality Data (numerator): New Mexico Death Certificate Database, Office of Vital Records and Statistics, New Mexico Department of Health; Population Estimates (denominator): University of New Mexico, Geospatial and Population Studies (GPS) Program, <http://gps.unm.edu/>.

New Mexico Prevalence of at least Two Chronic Conditions by Income Level, 2020



Source: New Mexico Behavioral Risk Factor Surveillance System (BRFSS)


New Mexico Prevalence of Diabetes among Adults by Age, Race/Ethnicity, Gender, 2020



Note: AIAN = American Indian and Alaska Native, Black/AA = Black/African American, NHOPI = Native Hawaiian or Other Pacific Islander

Source: New Mexico Behavioral Risk Factor Surveillance System (BRFSS)

New Mexico Prevalence of any Cardiovascular Disease (CVD) by Age, Race/Ethnicity, Gender, 2020




Note: AIAN = American Indian and Alaska Native, Black/AA = Black/African American, NHOPI = Native Hawaiian or Other Pacific Islander

Source: New Mexico Behavioral Risk Factor Surveillance System (BRFSS)

Section 3 | Health and Wellness

New Mexico Percent of Adults (Age 18+) Utilizing Chronic Disease Screening Services (Breast and Cervical Cancer, Prostate Cancer, and Colorectal Cancer) by Demographic Factors, 2020



	Age			Rurality				Race/Ethnicity				
	18-44	45-64	65+		Metro	SmallMetro	Mixed Urban/Rural	Rural		AIAN	Hispanic	White
Colorectal Cancer Screen		0.698	0.65	0	0.689	0.636	0.641	0.711	0	0.781	0.706	0.632
Prostate Cancer Screen	0.026	0.204	0.438	0	0.255	0.257	0.27	0.299	0	0.231	0.181	0.338
Mammogram	0.266	0.905	0.96	0	0.658	0.651	0.627	0.759	0	0.586	0.603	0.714


Note: AIAN = American Indian and Alaska Native

Source: New Mexico Behavioral Risk Factor Surveillance System (BRFSS)

New Mexico Healthcare-associated Infections by Standardized Infection Ratios (SIR), 2015-2020

The standard infection ratio (SIR) is a summary measure used to track infections over time. The SIR compares the actual number of infections to the number of expected infections given the standard population (national baseline). A SIR of greater than 1.0 indicates more infections than predicted and a SIR of less than 1.0 indicates fewer infections than predicted.

On this graph, a lower SIR is good.




CLABSI- central line associated bloodstream infection
MRSA- methicillin resistant staph aureus
CDI- clostridium difficile infection
CAUTI- catheter associated urinary infection

Note: The goals are set by Health and Human Services (HHS) based on how preventable these infections are. For CLABSI/MRSA, the 2020 goal is a 50% reduction in CLABSI/MRSA from the national baseline, SIR 1.0 to SIR 0.5. For CDI, the 2020 goal set by HHS is a 30% reduction in hospital-onset CDI, SIR 1.0 to SIR 0.7. For CDI the biggest risk factor is antibiotic use; however, antibiotics cannot entirely be avoided, therefore not all CDI cases are preventable. That's why the reduction is lower (30%).



Source: National Healthcare Safety Network (NHSN) <https://www.cdc.gov/nhsn/datatop/index.html>

U.S. Percent of COVID-19 Vaccines Delivered that have been Administered by State, as of November 10, 2021



Source: [Keloqg Family Foundation](#), Accessed November 11, 2021.

New Mexico Department of Health Percent of Population Fully Vaccinated for COVID-19 by County, as of November 10, 2021




Powered by Bing
© GeoNames, HERE

Source: New Mexico Department of Health Statewide Immunization Information System (NMSIIS) and Tiberius, November 2021.



U.S. Percent of Population with at least One Dose of COVID-19 Vaccine by State, as of November 10, 2021

Percent w/ at least One Dose 49.2 81.5



Source: Kellogg Family Foundation, Accessed November 11, 2021.
Section 3 | Health and Wellness



New Mexico Department of Health Percent of Population with at least One Dose of COVID-19 Vaccine by County, as of November 10, 2021



Powered by Bing
© GeoNames, HERE



Source: New Mexico Department of Health Statewide Immunization Information System (NMSIIS) and Tiberius, November 2021.

New Mexico Cumulative COVID-19 Cases Per 100,000 County Population, as of October 25, 2021



Source: New Mexico Department of Health Epidemiology and Response (ERD) Division, October 2021.



New Mexico COVID-19 Deaths per 100,000 County Population, as of December 1, 2021



Powered by Bing
© GeoNames, HERE

Source: Data collected from USAFacts (<https://usafacts.org/visualizations/coronavirus-covid-19-spread-map/state/new-mexico>), December 3, 2021. Detailed description of methodology can be found here: <https://usafacts.org/articles/detailed-methodology-covid-19-data/>

New Mexico COVID-19 Death Rate by County, 2020




New Mexico COVID-19 Death Rate: 105.8

Powered by Bing © GeoNames, HERE


Note: Rates are per 100,000 population and age-adjusted to the US 2000 population. A county in grey indicates that an estimate has been suppressed because the number of events and population size are small and not appropriate for publication, or it could be used to calculate the number in a cell that has been suppressed.

Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics death data, April 2022.

New Mexico COVID-19 Death Rate by Health Region, 2020




Note: Rates are per 100,000 population and age-adjusted to the US 2000 population.
 Source: NMDOH Bureau of Vital Records and Health Statistics death data, April 2022.




Powered by Bing
 © GeoNames, HERE

New Mexico COVID-19 Infection Rates by Census Tract Poverty Group, 2020




Source: New Mexico Department of Health Epidemiology and Response Division (ERD).

New Mexico COVID-19 Hospitalization Rate by Poverty Level, as of November 29, 2021




Source: New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health. COVID-19 Cases Update: Health and Social Characteristics Report. Age-adjustment: US 2000 Standard Population Weights. Poverty Rates, U.S. Census Bureau, American Community Survey (ACS), 2018 5-year estimates. Data from the 2017 5-year estimates were used in this analysis as proxy poverty data for those census tracts. November 29, 2021.

New Mexico COVID-19 Case Fatality Rate by Poverty Level as of November 29, 2021





Source: New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health. COVID-19 Cases Update: Health and Social Characteristics Report. Age-adjustment: US 2000 Standard Population Weights. Poverty Rates, U.S. Census Bureau, American Community Survey (ACS), 2018 5-year estimates. Data from the 2017 5-year estimates were used in this analysis as proxy poverty data for those census tracts. Case fatality rates. Age-adjusted to the current distribution of U.S. COVID-19 cases: CDC COVID Data Tracker (<https://covid.cdc.gov/covid-data-tracker/#demographics>). November 29, 2021. Case fatality rate is proportion of persons with a particular disease who die from that disease. The denominator is the number of persons with the condition; the numerator is the number of cause-specific deaths among those persons

New Mexico New HIV Diagnosis Rate Among Adults and Adolescents (Age 13+) per 100,000 by Region, 2010-2019



Source: New Mexico Department of Health (NMDOH) Website (<https://www.nmhealth.org/data/view/infectious/2510/>) page 12 - Figure 1.6.

New Mexico Rates of Hepatitis C Infection per 100,000 population by County, 2015-2019




Note: 2020 data are delayed due to the COVID response. The NM rate is crude, not age-adjusted.

Source: New Mexico Electronic Disease Surveillance System (NMEDSS), November 2021.

Section 3 | Health and Wellness



New Mexico Syphilis Rates per 100,000 Population by County, 2019



Powered by Bing
© GeoNames, HERE

Source: NMDOH Public Health Division (PHD), Sexually Transmitted Diseases (STD) Program, November 2021.


New Mexico Influenza and Pneumonia Death Rate by County, 2020




Note: Rates are per 100,000 population and age-adjusted to the US 2000 population. A county in grey indicates that an estimate has been suppressed because the number of events and population size are small and not appropriate for publication, or it could be used to calculate the number in a cell that has been suppressed.

Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics death data, April 2022.


New Mexico Influenza and Pneumonia Death Rate by Health Region, 2020



Note: Rates are per 100,000 population and age-adjusted to the US 2000 population.
 Source: NMDOH Bureau of Vital Records and Health Statistics death data, April 2022.





U.S. Percent Adults (18+ Years) with Disabilities by State as of 2020



Source: U.S. Census Bureau, Percentage 18 years and older with a disability (Table DP02), 2020 American Community Survey 5-year estimates. Retrieved from <https://data.census.gov>, March 22, 2022.


New Mexico Percent Adults (18+ Years) with Disabilities by County as of 2020



Powered by BKG © GeoNames, HERE

Source: U.S. Census Bureau, Percentage 18 years and older with a disability (Table DP02), 2020 American Community Survey 5-year estimates. Retrieved from <https://data.census.gov>, March 22, 2022.

U.S. and New Mexico Age-Standardized Total Disability-adjusted Life Years (DALYs) Rates, 2000-2019





Note: Mortality does not give a complete picture of the burden of disease experienced by individuals in different populations. The overall burden of disease is assessed using the disability-adjusted life year (DALY), a time-based measure that combines years of life lost due to premature mortality and years of life lost due to time lived in states of less than full health, or years of healthy life lost due to disability. One DALY represents the loss of the equivalent of one year of full health. DALYs for a disease or health condition are the sum of the years of life lost to due to premature mortality (YLLs) and the years lived with a disability (YLDs) due to prevalent cases of the disease or health condition in a population.

Source: University of Washington, Institute for Health Metrics and Evaluation, [GBD Results Tool](#)

Section 3 | Health and Wellness



New Mexico Total Live Births to NM Residents by County, 2020



Powered by Bing
© GeoNames, HERE


Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics (BVRHS), November 2021.

New Mexico Rate of Teen Births by County, 2020




Source: New Mexico's Indicator-Based Information System (NM-IBIS), November 2021.
Section 3 | Health and Wellness

New Mexico Percent of Teens Given Most/Moderately Effective Contraception by County as of February 2021





Source: NM Family Planning Annual Report (FPAR), February 2021



Powered by Bing
© GeoNames, HERE

New Mexico Total Deaths among Residents by County, 2020




Powered by Bing
© GeoNames, HERE

Note: These data include those New Mexico residents from a given county who died out of state. The Data Book released January 2022 only included New Mexico residents who died in New Mexico.

Source: New Mexico Department of Health Bureau of Vital Records and Health Statistics death data, April 2022.

New Mexico Adult (18+) Rates of Individual Ambulatory Care Sensitive Conditions (ACSCs) per 100,000 Population, 2018-2020




Note: Ambulatory or primary care sensitive conditions (ACSCs) are those conditions for which hospital admission could be prevented by interventions in primary care. Thus, rates of hospital admission for ACSCs are increasingly used as a measure of the effectiveness of primary care. ACSCs include asthma, congestive heart failure, epilepsy, among others. A NMDOH report on ACSC is available here:

<https://www.nmhealth.org/data/view/report/2547/>

Source: New Mexico Department of Health Hospital Inpatient Discharge Database (HIDD)

New Mexico Adult (18+) Rate of Acute, Chronic, Overall Ambulatory Care Sensitive Conditions (ACSCs) by Type per 100,000 Population, 2016-2020




Note: Ambulatory or primary care sensitive conditions (ACSCs) are those conditions for which hospital admission could be prevented by interventions in primary care. Thus, rates of hospital admission for ACSCs are increasingly used as a measure of the effectiveness of primary care. ACSCs include asthma, congestive heart failure, epilepsy, among others.

Source: New Mexico Department of Health Hospital Inpatient Discharge Database (HIDD)

Section 3 | Health and Wellness


New Mexico Adult (18+) Overall Ambulatory Care Sensitive Conditions (ACSCs) by Age Group Per 100,000 Population, 2016-2020



Note: Ambulatory or primary care sensitive conditions (ACSCs) are those conditions for which hospital admission could be prevented by interventions in primary care. Thus, rates of hospital admission for ACSCs are increasingly used as a measure of the effectiveness of primary care. ACSCs include asthma, congestive heart failure, epilepsy, among others.




Source: New Mexico Department of Health Hospital Inpatient Discharge Database (HIDD)

New Mexico Animal Rabies by County, 2020



Source: New Mexico Department of Health Zoonotic Disease Program, Epidemiology and Response Division (ERD) (<https://www.nmhealth.org/data/view/infectious/2372/>)

New Mexico: Estimating the Potential for Arboviral Disease Spread: Range of Aedes Aegypti and Aedes Albopictus Mosquitoes by County, 2019




Powered by Bing
© GeoNames, HERE

Note: Please note that surveillance has not been conducted since 2019 and the ranges of both mosquitoes may have changed since then.


[Source:](#) New Mexico Department of Health Zoonotic Disease Program, Epidemiology and Response Division (ERD)

New Mexico Number of West Nile Virus Cases by Clinical Syndrome, 2003-2021 as of October 26, 2021



Source: New Mexico Department of Health Zoonotic Disease Program, Epidemiology and Response Division (ERD)

Homelessness by Household Type and Sheltered Status in New Mexico as of January 2020



Source: U.S. Department of Housing and Urban Development, Office of Community Planning and Development, *The 2020 Annual Homeless Assessment Report (AHAR) to Congress, January 2021.*

Demographic Characteristics of People Experiencing Homelessness in New Mexico as of January 2020

	All Homeless People		Sheltered People		Unsheltered People	
	#	%	#	%	#	%
Total	3,333	100.0%	2,074	100.0%	1,259	100.0%
Age						
Under 18	482	14.5%	445	21.5%	37	2.9%
18 to 24	221	6.6%	108	5.2%	113	9.0%
Over 24	2,630	78.9%	1,521	73.3%	1,109	88.1%
Gender						
Female	1,197	35.9%	821	39.6%	376	29.9%
Male	2,103	63.1%	1,249	60.2%	854	67.8%
Transgender	19	0.6%	2	0.1%	17	1.4%
Gender Non-Conforming	14	0.4%	2	0.1%	12	1.0%
Ethnicity						
Non-Hispanic/Latino	2,008	60.2%	1,267	61.1%	741	58.9%
Hispanic/Latino	1,325	39.8%	807	38.9%	518	41.1%
Race						
White	2,011	60.3%	1,263	60.9%	748	59.4%
African American	227	6.8%	166	8.0%	61	4.8%
Asian	14	0.4%	7	0.3%	7	0.6%
Native American	831	24.9%	445	21.5%	386	30.7%
Pacific Islander	38	1.1%	14	0.7%	24	1.9%
Multiple Races	212	6.4%	179	8.6%	33	2.6%

Source: U.S. Department of Housing and Urban Development, Office of Community Planning and Development, The 2020 Annual Homeless Assessment Report (AHAR) to Congress, January 2021.

Demographic Characteristics of Unaccompanied Youth Experiencing Homelessness in New Mexico as of January 2020

	All Unaccompanied Youth		Sheltered Unaccompanied Youth		Unsheltered Unaccompanied Youth	
	#	%	#	%	#	%
Total	215	100.0%	125	100.0%	90	100.0%
Age						
Under 18	47	21.9%	45	36.0%	2	2.2%
18 to 24	168	78.1%	80	64.0%	88	97.8%
Over 24	0	0.0%	0	0.0%	0	0.0%
Gender						
Female	88	40.9%	52	41.6%	36	40.0%
Male	125	58.1%	72	57.6%	53	58.9%
Transgender	1	0.5%	0	0.0%	1	1.1%
Gender Non-Conforming	1	0.5%	1	0.8%	0	0.0%
Ethnicity						
Non-Hispanic/Latino	109	50.7%	321	256.8%	48	53.3%
Hispanic/Latino	106	49.3%	118	94.4%	42	46.7%
Race						
White	126	58.6%	71	56.8%	55	61.1%
African American	23	10.7%	16	12.8%	7	7.8%
Asian	0	0.0%	0	0.0%	0	0.0%
Native American	49	22.8%	24	19.2%	25	27.8%
Pacific Islander	4	1.9%	1	0.8%	3	3.3%
Multiple Races	13	6.0%	13	10.4%	0	0.0%

Source: U.S. Department of Housing and Urban Development, Office of Community Planning and Development, *The 2020 Annual Homeless Assessment Report (AHAR) to Congress, January 2021.*

Change in Total, Individuals, and Families with Children Experiencing Homelessness in U.S. and New Mexico, 2007-2020

	Change 2019-2020		Change 2011-2020		Change 2007-2020	
	#	%	#	%	#	%
United States						
Total Homeless	12,751	2.2%	-56,611	-8.9%	-66,792	-10.3%
Sheltered	-2,036	-60.0%	-49,157	-12.2%	-37,015	-9.5%
Unsheltered	14,787	7.0%	-7,454	-3.2%	-29,777	-11.6%
Homeless Individuals	12,846	3.2%	13,751	3.5%	-3,809	-90.0%
Sheltered	-53	0.0%	-12,740	-6.0%	-13,595	-6.4%
Unsheltered	12,899	6.6%	26,491	14.5%	9,786	4.9%
People in Families with Children						
People in families	-95	-10.0%	-70,362	-29.1%	-62,983	-26.9%
Sheltered	-1,983	-1.3%	-36,417	-19.0%	-23,420	-13.1%
Unsheltered	1,888	12.8%	-33,945	-67.1%	-39,563	-70.4%
Family households	47	10.0%	-25,703	-32.4%	-24,796	-31.6%
New Mexico						
Total Homeless	92	2.8%	-268	-7.4%	318	10.5%
Sheltered	92	4.6%	-679	-24.7%	326	18.6%
Unsheltered	0	0.0%	411	48.5%	-8	-0.6%
Homeless Individuals	91	3.7%	309	13.8%	694	37.3%
Sheltered	91	7.1%	-216	-13.7%	302	28.4%
Unsheltered	0	0.0%	525	78.9%	392	49.1%
People in Families with Children						
People in families	1	0.1%	-577	-42.6%	-376	-32.6%
Sheltered	1	0.1%	-463	-39.5%	24	3.5%
Unsheltered	0	0.0%	-114	-62.3%	-400	-85.3%
Family households	48	19.5%	-136	-31.6%	-73	-19.9%

Source: U.S. Department of Housing and Urban Development, Office of Community Planning and Development, The 2020 Annual Homeless Assessment Report (AHAR) to Congress, January 2021.
Section 3 | Health and Wellness

2022 Data Book | New Mexico Health and Human Services

Point in Time (PIT) Estimates of Unaccompanied Homeless Youth by Age and Sheltered Status in U.S. and in New Mexico as of January 2020

	Total Unaccompanied Homeless Youth		Sheltered Unaccompanied Youth		Unsheltered Unaccompanied Youth	
	#	%	#	%	#	%
United States						
Total Homeless Youth (under 25)	34,210	100.0%	17,271	100.0%	16,939	100.0%
Homeless Youth (under 18)	3,389	9.9%	1,682	9.7%	1,707	10.1%
Homeless Youth (18-24)	30,821	90.1%	15,589	90.3%	15,232	89.9%
New Mexico						
Total Homeless Youth (under 25)	215	100.0%	125	100.0%	90	100.0%
Homeless Youth (under 18)	47	21.9%	45	36.0%	2	2.2%
Homeless Youth (18-24)	168	78.1%	80	64.0%	88	97.8%

Source: U.S. Department of Housing and Urban Development, Office of Community Planning and Development, The 2020 Annual Homeless Assessment Report (AHAR) to Congress, January 2021.