

Substance Use Disorder (SUD)

Note: PRA Disclosure Statement to be added here

Serious Mental Illness and Serious Emotional Disturbance (SMI/SED)

Note: PRA Disclosure Statement to be added here

Medicaid Section 1115 SUD Demonstrations Monitoring Report (Part A) - Metrics (Version 7.0)

New Mexico

[State Name - automatically populated]

Centennial Care 2.0

[Demonstration Name - automatically populated]

SUD Demonstration Year (DY5)

[Enter SUD Demonstration Year]

Calendar Dates for SUD DY

01/01/2023 -12/31/2023

[Enter Calendar Dates for SUD Demonstration Year]

Q1

[Enter SUD Reporting Period]

1/01/2023-3/31/2023

[Enter Calendar Dates for SUD Reporting Period]

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	Metric description
<p><i>EXAMPLE: 1</i> (Do not delete or edit this row)</p>	<p><i>EXAMPLE:</i> <i>Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i></p>	<p><i>EXAMPLE:</i> <i>Number of beneficiaries screened for SUD treatment needs using a standardized screening tool during the measurement</i></p>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool	Number of beneficiaries screened for SUD treatment needs using a standardized screening tool during the measurement period
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis	Number of beneficiaries who receive MAT or a SUD-related treatment service with an associated SUD diagnosis during the measurement period but not in the three months before the measurement period
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)	Number of beneficiaries who receive MAT or a SUD-related treatment service with an associated SUD diagnosis during the measurement period and/or in the 11 months before the measurement period
4	Medicaid Beneficiaries with SUD Diagnosis (annually)	Number of beneficiaries who receive MAT or a SUD-related treatment service with an associated SUD diagnosis during the measurement period and/or in the 12 months before the measurement period
5	Medicaid Beneficiaries Treated in an IMD for SUD	Number of beneficiaries with a claim for residential or inpatient treatment for SUD in IMDs during the measurement period.

Table: Substance Use Disorder Demonstration Metrics

Standard information on CMS-provided metrics					
#	Metric name	Milestone or reporting topic	Metric type	Reporting category	Data source
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>	<i>EXAMPLE: Assessment of need and qualification for SUD treatment services</i>	<i>EXAMPLE: CMS-constructed</i>	<i>EXAMPLE: Other monthly and quarterly metrics</i>	<i>EXAMPLE: Medical record review or claims</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool	Assessment of need and qualification for SUD treatment services	CMS-constructed	Other monthly and quarterly metrics	Medical record review or claims
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis	Assessment of need and qualification for SUD treatment services	CMS-constructed	Other monthly and quarterly metrics	Claims
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)	Assessment of need and qualification for SUD treatment services	CMS-constructed	Other monthly and quarterly metrics	Claims
4	Medicaid Beneficiaries with SUD Diagnosis (annually)	Assessment of need and qualification for SUD treatment services	CMS-constructed	Other annual metrics	Claims
5	Medicaid Beneficiaries Treated in an IMD for SUD	Milestone 2	CMS-constructed	Other annual metrics	Claims

Table: Substance Use Disorder Demonstration Metrics

led metrics			
#	Metric name	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>	<i>EXAMPLE (automatically populated per the CMS-approved monitoring protocol): Y</i>	<i>EXAMPLE (automatically populated per the CMS-approved monitoring protocol): N</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool	N	
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis	N	
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)	Y	Y
4	Medicaid Beneficiaries with SUD Diagnosis (annually)	N	
5	Medicaid Beneficiaries Treated in an IMD for SUD		

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	Deviations from CMS-provided technical specifications manual or other considerations in approved monitoring protocol
<i>EXAMPLE: 1</i> <i>(Do not delete or edit this row)</i>	<i>EXAMPLE:</i> <i>Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>	<i>EXAMPLE (automatically populated per the CMS-approved monitoring protocol):</i> <i>The Department will use state-defined procedure codes (list specific codes) to calculate this metric.</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool	
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis	
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)	Added 0229 rev code to detoxification value set; added 1003, H0019, H0018, H0017, 0961 to IP stay value set; added state specific telphoic visits with location code 02 to telephone visits.
4	Medicaid Beneficiaries with SUD Diagnosis (annually)	
5	Medicaid Beneficiaries Treated in an IMD for SUD	

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	Technical specifications manual version	Reporting issue (Y/N) (further describe in SUD reporting issues tab)
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>	<i>EXAMPLE: Version 3.0</i>	<i>EXAMPLE: Y</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool		
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis		
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)	Version 5.0	N
4	Medicaid Beneficiaries with SUD Diagnosis (annually)		
5	Medicaid Beneficiaries Treated in an IMD for SUD		

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	Measurement period (month, quarter, year ^a)	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>	<i>EXAMPLE: Month 1</i>	<i>EXAMPLE: 07/01/2018-7/31/2018</i>
		<i>EXAMPLE: Month 2</i>	<i>EXAMPLE: 08/01/2018-08/31/2018</i>
		<i>EXAMPLE: Month 3</i>	<i>EXAMPLE: 09/01/2018-09/30/2018</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool	Month 1	
		Month 2	
		Month 3	
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis	Month 1	
		Month 2	
		Month 3	
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)	Month 1	1/01/2023-1/31/2023
		Month 2	02/01/2023-2/28/2023
		Month 3	03/01/2023-3/31/2023
4	Medicaid Beneficiaries with SUD Diagnosis (annually)	Year	
5	Medicaid Beneficiaries Treated in an IMD for SUD	Year	

Table: Substance Use Disorder Demonstration Metrics

		Demonstration report	
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>		<i>EXAMPLE: 100</i>
			<i>EXAMPLE: 100</i>
			<i>EXAMPLE: 100</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool		
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis		
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)		19,423
			17,880
			17,862
4	Medicaid Beneficiaries with SUD Diagnosis (annually)		
5	Medicaid Beneficiaries Treated in an IMD for SUD		

Table: Substance Use Disorder Demonstration Metrics

ting			Age < 18	
#	Metric name	Demonstration reporting rate/percentage	Age < 18 denominator	Age < 18 numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>			<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool			
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis			
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)			360
				327
				306
4	Medicaid Beneficiaries with SUD Diagnosis (annually)			
5	Medicaid Beneficiaries Treated in an IMD for SUD			

Table: Substance Use Disorder Demonstration Metrics

		Age 18-64		
#	Metric name	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>			<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool			
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis			
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)			18,450
				17,002
4	Medicaid Beneficiaries with SUD Diagnosis (annually)			
5	Medicaid Beneficiaries Treated in an IMD for SUD			

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	Age 18-64 rate/percentage	Age 65+ denominator	Age 65+ numerator or count
<i>EXAMPLE: 1</i> <i>(Do not delete or edit this row)</i>	<i>EXAMPLE:</i> <i>Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>			<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool			<i>EXAMPLE:</i>
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis			<i>EXAMPLE:</i>
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)			613
4	Medicaid Beneficiaries with SUD Diagnosis (annually)			551
5	Medicaid Beneficiaries Treated in an IMD for SUD			514

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	Age 65+ rate/percentage	Dual eligible (Medicare-M	
			Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare- Medicaid eligible) numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>			<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool			
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis			
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)			987
				867
				829
4	Medicaid Beneficiaries with SUD Diagnosis (annually)			
5	Medicaid Beneficiaries Treated in an IMD for SUD			

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	Medicaid eligible)		Medicaid on
		Dual eligible (Medicare-Medicaid eligible) rate/percentage	Medicaid only denominator	Medicaid only numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>			<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool			
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis			
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)			18,436
				17,013
				17,033
4	Medicaid Beneficiaries with SUD Diagnosis (annually)			
5	Medicaid Beneficiaries Treated in an IMD for SUD			

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>			<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool			
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis			
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)			278
4	Medicaid Beneficiaries with SUD Diagnosis (annually)			231
5	Medicaid Beneficiaries Treated in an IMD for SUD			253

Table: Substance Use Disorder Demonstration Metrics

			Not pregnant	
#	Metric name	Pregnant rate/percentage	Not pregnant denominator	Not pregnant numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>			<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool			
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis			
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)			19,145
				17,649
				17,609
4	Medicaid Beneficiaries with SUD Diagnosis (annually)			
5	Medicaid Beneficiaries Treated in an IMD for SUD			

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>			<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool			
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis			
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)			135
4	Medicaid Beneficiaries with SUD Diagnosis (annually)			108
5	Medicaid Beneficiaries Treated in an IMD for SUD			123

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	Involved		Not criminally	
		Criminally involved rate/percentage	Not criminally involved denominator	Not criminally involved numerator or count	
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>			<i>EXAMPLE:</i>	
				<i>EXAMPLE:</i>	
				<i>EXAMPLE:</i>	
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool				
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis				
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)			19,288	
				17,772	
				17,739	
4	Medicaid Beneficiaries with SUD Diagnosis (annually)				
5	Medicaid Beneficiaries Treated in an IMD for SUD				

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	involved		OUD subpopu	
		Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count	
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>				
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool				
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis				
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)				9,066
					8,627
					8,505
4	Medicaid Beneficiaries with SUD Diagnosis (annually)				
5	Medicaid Beneficiaries Treated in an IMD for SUD				

Table: Substance Use Disorder Demonstration Metrics

		ation	State-spe	
#	Metric name	OU subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>			<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
				<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool			
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis			
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)			
4	Medicaid Beneficiaries with SUD Diagnosis (annually)			
5	Medicaid Beneficiaries Treated in an IMD for SUD			

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	State-specific subpopulation 1 ^b		State-specific subpopulation 2	
		State-specific subpopulation 1 rate/percentage	State-specific subpopulation 1 numerator	State-specific subpopulation 2 denominator	State-specific subpopulation 2 numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>				<i>EXAMPLE:</i>
					<i>EXAMPLE:</i>
					<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool				
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis				
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)				
4	Medicaid Beneficiaries with SUD Diagnosis (annually)				
5	Medicaid Beneficiaries Treated in an IMD for SUD				

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	State-specific subpopulation 2 ^b		State-specific subpopulation 3	
		State-specific subpopulation 2 rate/percentage	State-specific subpopulation 2 numerator or count	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>				<i>EXAMPLE:</i>
					<i>EXAMPLE:</i>
					<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool				
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis				
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)				
4	Medicaid Beneficiaries with SUD Diagnosis (annually)				
5	Medicaid Beneficiaries Treated in an IMD for SUD				

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	State-specific subpopulation 3 ^b		State-specific subpopulation 4	
		State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count	
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>				<i>EXAMPLE:</i>
					<i>EXAMPLE:</i>
					<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool				
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis				
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)				
4	Medicaid Beneficiaries with SUD Diagnosis (annually)				
5	Medicaid Beneficiaries Treated in an IMD for SUD				

Table: Substance Use Disorder Demonstration Metrics

#	Metric name	State-specific subpopulation 4 ^b		State-specific subpopulation 5	
		State-specific subpopulation 4 rate/percentage	State-specific subpopulation 4 numerator or count	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>				<i>EXAMPLE:</i>
					<i>EXAMPLE:</i>
					<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool				
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis				
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)				
4	Medicaid Beneficiaries with SUD Diagnosis (annually)				
5	Medicaid Beneficiaries Treated in an IMD for SUD				

Table: Substance Use Disorder Demonstration Metrics

State-specific subpopulation 5 ^b		
#	Metric name	State-specific subpopulation 5 rate/percentage
<i>EXAMPLE: 1</i> <i>(Do not delete or edit this row)</i>	<i>EXAMPLE:</i> <i>Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>	
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool	
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis	
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)	
4	Medicaid Beneficiaries with SUD Diagnosis (annually)	
5	Medicaid Beneficiaries Treated in an IMD for SUD	

#	Metric name	Metric description
6	Any SUD Treatment	Number of beneficiaries enrolled in the measurement period receiving any SUD treatment service, facility claim, or pharmacy claim during the measurement period
7	Early Intervention	Number of beneficiaries who used early intervention services (such as procedure codes associated with SBIRT) during the measurement period
8	Outpatient Services	Number of beneficiaries who used outpatient services for SUD (such as outpatient recovery or motivational enhancement therapies, step down care, and monitoring for stable patients) during the measurement period
9	Intensive Outpatient and Partial Hospitalization Services	Number of beneficiaries who used intensive outpatient and/or partial hospitalization services for SUD (such as specialized outpatient SUD therapy or other clinical services) during the measurement period

Standard information on CMS-provid					
#	Metric name	Milestone or reporting topic	Metric type	Reporting category	Data source
6	Any SUD Treatment	Milestone 1	CMS-constructed	Other monthly and quarterly metrics	Claims
7	Early Intervention	Milestone 1	CMS-constructed	Other monthly and quarterly metrics	Claims
8	Outpatient Services	Milestone 1	CMS-constructed	Other monthly and quarterly metrics	Claims
9	Intensive Outpatient and Partial Hospitalization Services	Milestone 1	CMS-constructed	Other monthly and quarterly metrics	Claims

led metrics			
#	Metric name	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
6	Any SUD Treatment	Y	Y
7	Early Intervention	Y	Y
8	Outpatient Services	Y	Y
9	Intensive Outpatient and Partial Hospitalization Services	Y	Y

#	Metric name	Deviations from CMS-provided technical specifications manual or other considerations in approved monitoring protocol
6	Any SUD Treatment	Added 1003, 0169, 0116, 0126, 0114, 0124, all residential codes, to step 1b tech specs codes; added H0001, H0025, G0444, G0443 OTP and brief screening & intervention codes to early intervention value set; added H2033, G0175, G0493, G0515, HH038, T1001, T1007, 36415, 90846, 90863, 96121, 96150, 96151, 96160, H2030, S5110, H0001, H0025, G0444, G0443, T1005, 0229 to IAD stand alone OP value set; added NM OP provider types after OP POS value set as many providers don't enter POS on their claims. Added provider types after both OTP POS and CMHC POS and telehealth POS. Added state specific telephonic visits with location code 02 to telephone visits value set. Added 0229 to detoxification value set; added 1003, H0019, H0018, H0017 and 0961 to IP stay value set.
7	Early Intervention	Added 5 provisional diagnoses to other drug & abuse diagnosis value set used for "treat first" early interventions; added G0443, G0444, 96150 & 96160 (screening & assessment codes) to Mathematica constructed screening codes.
8	Outpatient Services	Added 5 provisional diagnoses to other drug & abuse diagnosis value set used for "treat first" early interventions; added H2033, G0175, G0493, G0515, H0038, T1001, T1007, 36415, 90846, 90863, 96121, 96150, 96151, 96160, H2030, S5110, H0001, H0025, G0444, G0443, T1005, 0229 to IAD stand alone OP; added state specific provider types after OP POS as many providers do not place POS on their claims; added provider type after non-residential POS value set and community mental health center POS; added list of state specific telephonic visits with location code 02
9	Intensive Outpatient and Partial Hospitalization Services	Added 5 provisional diagnosis to other drug and abuse value set; added PH provider types after POS for partial hospitalization.

#	Metric name	Technical specifications manual version	Reporting issue (Y/N) (further describe in SUD reporting issues tab)
6	Any SUD Treatment	Version 5.0	Y
7	Early Intervention	Version 5.0	N
8	Outpatient Services	Version 5.0	
9	Intensive Outpatient and Partial Hospitalization Services	Version 5.0	

#	Metric name	Measurement period (month, quarter, year ^a)	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
6	Any SUD Treatment	Month 1	1/01/2023-1/31/2023
		Month 2	02/01/2023-2/28/2023
		Month 3	03/01/2023-3/31/2023
7	Early Intervention	Month 1	1/01/2023-1/31/2023
		Month 2	02/01/2023-2/28/2023
		Month 3	03/01/2023-3/31/2023
8	Outpatient Services	Month 1	1/01/2023-1/31/2023
		Month 2	02/01/2023-2/28/2023
		Month 3	03/01/2023-3/31/2023
9	Intensive Outpatient and Partial Hospitalization Services	Month 1	1/01/2023-1/31/2023
		Month 2	02/01/2023-2/28/2023
		Month 3	03/01/2023-3/31/2023

		Demonstration report	
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count
6	Any SUD Treatment		23,049
			21,997
			22,999
7	Early Intervention		581
			514
			655
8	Outpatient Services		15,675
			14,530
			15,636
9	Intensive Outpatient and Partial Hospitalization Services		970
			770
			889

ting			Age < 18	
#	Metric name	Demonstration reporting rate/percentage	Age < 18 denominator	Age < 18 numerator or count
6	Any SUD Treatment			871
				908
				959
7	Early Intervention			37
				38
				44
8	Outpatient Services			722
				765
				797
9	Intensive Outpatient and Partial Hospitalization Services			9
				8
				16

Medicaid Section 1115 Substance Use Disorder Demonstration Monitoring Report Workbook – SUD metrics

		Age 18-64	
#	Metric name	Age <18 rate/percentage	Age 18-64 denominator
		Age 18-64 numerator or count	
6	Any SUD Treatment		21,450
			20,408
			21,370
7	Early Intervention		518
			454
			581
8	Outpatient Services		14,477
			13,306
			14,398
9	Intensive Outpatient and Partial Hospitalization Services		955
			761
			871

		Age 65+
#	Metric name	Age 18-64 rate/percentage Age 65+ denominator Age 65+ numerator or count
6	Any SUD Treatment	728 <hr/> 681 <hr/> 670
7	Early Intervention	26 <hr/> 22 <hr/> 30
8	Outpatient Services	476 <hr/> 459 <hr/> 441
9	Intensive Outpatient and Partial Hospitalization Services	6 <hr/> 1 <hr/> 2

#	Metric name	Age 65+ rate/percentage	Dual eligible (Medicare-M	
			Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare- Medicaid eligible) numerator or count
6	Any SUD Treatment			1,149
				1,045
				1,059
7	Early Intervention			28
				17
				29
8	Outpatient Services			805
				743
				766
9	Intensive Outpatient and Partial Hospitalization Services			13
				10
				8

		Medicaid eligible)	Medicaid on
#	Metric name	Dual eligible (Medicare-Medicaid eligible) rate/percentage	Medicaid only denominator
			Medicaid only numerator or count
6	Any SUD Treatment		21,900
			20,952
			21,940
7	Early Intervention		553
			497
			626
8	Outpatient Services		14,870
			13,787
			14,870
9	Intensive Outpatient and Partial Hospitalization Services		957
			760
			881

Medicaid Section 1115 Substance Use Disorder Demonstration Monitoring Report Workbook – SUD metrics

#	Metric name	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count
6	Any SUD Treatment			356
7	Early Intervention			26
8	Outpatient Services			275
9	Intensive Outpatient and Partial Hospitalization Services			13

			Not pregnant	
#	Metric name	Pregnant rate/percentage	Not pregnant denominator	Not pregnant numerator or count
6	Any SUD Treatment			22,693
				21,679
				22,635
7	Early Intervention			555
				494
				629
8	Outpatient Services			15,400
				14,292
				15,344
9	Intensive Outpatient and Partial Hospitalization Services			957
				761
				879

#	Metric name	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count
6	Any SUD Treatment			196
7	Early Intervention			151
8	Outpatient Services			181
9	Intensive Outpatient and Partial Hospitalization Services			1
				0
				1
				121
				99
				104
				24
				18
				14

		Involved	Not criminally
#	Metric name	Criminally involved rate/percentage	Not criminally involved denominator Not criminally involved numerator or count
6	Any SUD Treatment		22,853
			21,846
			22,818
7	Early Intervention		580
			514
			654
8	Outpatient Services		15,554
			14,431
			15,532
9	Intensive Outpatient and Partial Hospitalization Services		946
			752
			104

		involved	OUD subpopu	
#	Metric name	Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count
6	Any SUD Treatment			9,592
				9,240
				9,361
7	Early Intervention			123
				75
				86
8	Outpatient Services			6,661
				6,143
				6,642
9	Intensive Outpatient and Partial Hospitalization Services			234
				201
				231

		ation	State-spec	
#	Metric name	OU subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count
6	Any SUD Treatment			
7	Early Intervention			
8	Outpatient Services			
9	Intensive Outpatient and Partial Hospitalization Services			

Specific subpopulation 1 ^b			State-specific	
#	Metric name	State-specific subpopulation 1 rate/percentage	State-specific subpopulation 2 denominator	State-specific subpopulation 2 numerator or count
6	Any SUD Treatment			
7	Early Intervention			
8	Outpatient Services			
9	Intensive Outpatient and Partial Hospitalization Services			

Specific subpopulation 2 ^b			State-specific	
#	Metric name	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
6	Any SUD Treatment			
7	Early Intervention			
8	Outpatient Services			
9	Intensive Outpatient and Partial Hospitalization Services			

Specific subpopulation 3 ^b			State-specific	
#	Metric name	State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count
6	Any SUD Treatment			
7	Early Intervention			
8	Outpatient Services			
9	Intensive Outpatient and Partial Hospitalization Services			

Specific subpopulation 4 ^b			State-specific	
#	Metric name	State-specific subpopulation 4 rate/percentage	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count
6	Any SUD Treatment			
7	Early Intervention			
8	Outpatient Services			
9	Intensive Outpatient and Partial Hospitalization Services			

Specific subpopulation 5 ^b		
#	Metric name	State-specific subpopulation 5 rate/percentage
6	Any SUD Treatment	
7	Early Intervention	
8	Outpatient Services	
9	Intensive Outpatient and Partial Hospitalization Services	

#	Metric name	Metric description
10	Residential and Inpatient Services	Number of beneficiaries who use residential and/or inpatient services for SUD during the measurement period
11	Withdrawal Management	Number of beneficiaries who use withdrawal management services (such as outpatient, inpatient, or residential) during the measurement period
12	Medication-Assisted Treatment (MAT)	Number of beneficiaries who have a claim for MAT for SUD during the measurement period
13	SUD Provider Availability	The number of providers who were enrolled in Medicaid and qualified to deliver SUD services during the measurement period
14	SUD Provider Availability - MAT	The number of providers who were enrolled in Medicaid and qualified to deliver SUD services during the measurement period and who meet the standards to provide buprenorphine or methadone as part of MAT

Standard information on CMS-provid					
#	Metric name	Milestone or reporting topic	Metric type	Reporting category	Data source
10	Residential and Inpatient Services	Milestone 1	CMS-constructed	Other monthly and quarterly metrics	Claims
11	Withdrawal Management	Milestone 1	CMS-constructed	Other monthly and quarterly metrics	Claims
12	Medication-Assisted Treatment (MAT)	Milestone 1	CMS-constructed	Other monthly and quarterly metrics	Claims
13	SUD Provider Availability	Milestone 4	CMS-constructed	Other annual metrics	Provider enrollment database; Claims
14	SUD Provider Availability - MAT	Milestone 4	CMS-constructed	Other annual metrics	Provider enrollment database, SAMHSA datasets

led metrics			
#	Metric name	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
10	Residential and Inpatient Services	Y	Y
11	Withdrawal Management	Y	Y
12	Medication-Assisted Treatment (MAT)	Y	Y
13	SUD Provider Availability		
14	SUD Provider Availability - MAT		

#	Metric name	Deviations from CMS-provided technical specifications manual or other considerations in approved monitoring protocol
10	Residential and Inpatient Services	Added 3 NM provider types to the Mathematica Tech Spec service codes. Added two revenue codes 0944, drug rehab in a residential crisis triage center, and 0945, alcohol rehab in a residential crisis triage center to the IP Stay valid value set.
11	Withdrawal Management	Added provisional diagnoses to other drug abuse and dependence value set to support our "treat first" program which considers symptomology for treatment for an undiagnosed condition for a first visit.
12	Medication-Assisted Treatment (MAT)	
13	SUD Provider Availability	
14	SUD Provider Availability - MAT	

#	Metric name	Technical specifications manual version	Reporting issue (Y/N) (further describe in SUD reporting issues tab)
10	Residential and Inpatient Services	Version 5.0	
11	Withdrawal Management	Version 5.0	N
12	Medication-Assisted Treatment (MAT)	Version 5.0	N
13	SUD Provider Availability		
14	SUD Provider Availability - MAT		

#	Metric name	Measurement period (month, quarter, year ^a)	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
10	Residential and Inpatient Services	Month 1	1/01/2023-1/31/2023
		Month 2	02/01/2023-2/28/2023
		Month 3	03/01/2023-3/31/2023
11	Withdrawal Management	Month 1	1/01/2023-1/31/2023
		Month 2	02/01/2023-2/28/2023
		Month 3	03/01/2023-3/31/2023
12	Medication-Assisted Treatment (MAT)	Month 1	1/01/2023-1/31/2023
		Month 2	02/01/2023-2/28/2023
		Month 3	03/01/2023-3/31/2023
13	SUD Provider Availability	Year	
14	SUD Provider Availability - MAT	Year	

		Demonstration repor	
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count
10	Residential and Inpatient Services		613
			568
			562
11	Withdrawal Management		543
			524
			522
12	Medication-Assisted Treatment (MAT)		10,533
			10,304
			10,431
13	SUD Provider Availability		
14	SUD Provider Availability - MAT		

ting			Age < 18	
#	Metric name	Demonstration reporting rate/percentage	Age < 18 denominator	Age < 18 numerator or count
10	Residential and Inpatient Services			6
				4
				4
11	Withdrawal Management			5
				5
				3
12	Medication-Assisted Treatment (MAT)			34
				32
				37
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

				Age 18-64
#	Metric name	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count
10	Residential and Inpatient Services			594
				553
				547
11	Withdrawal Management			533
				518
				516
12	Medication-Assisted Treatment (MAT)			10,373
				10,143
				10,276
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

				Age 65+
#	Metric name	Age 18-64 rate/percentage	Age 65+ denominator	Age 65+ numerator or count
10	Residential and Inpatient Services			13
				11
				11
11	Withdrawal Management			5
				1
				3
12	Medication-Assisted Treatment (MAT)			126
				129
				118
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

#	Metric name	Age 65+ rate/percentage	Dual eligible (Medicare-M	
			Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare- Medicaid eligible) numerator or count
10	Residential and Inpatient Services			21
				17
				14
11	Withdrawal Management			7
				6
				7
12	Medication-Assisted Treatment (MAT)			114
				129
				110
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

edicaid eligible)			Medicaid on	
#	Metric name	Dual eligible (Medicare-Medicaid eligible) rate/percentage	Medicaid only denominator	Medicaid only numerator or count
10	Residential and Inpatient Services			592
				551
				548
11	Withdrawal Management			536
				518
				515
12	Medication-Assisted Treatment (MAT)			10,419
				10,175
				10,321
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

Medicaid Section 1115 Substance Use Disorder Demonstration Monitoring Report Workbook – SUD metrics

#	Metric name	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count
10	Residential and Inpatient Services			9
				7
				10
11	Withdrawal Management			14
				11
				15
12	Medication-Assisted Treatment (MAT)			152
				144
				142
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

			Not pregnan	
#	Metric name	Pregnant rate/percentage	Not pregnant denominator	Not pregnant numerator or count
10	Residential and Inpatient Services			604
				561
				552
11	Withdrawal Management			529
				513
				507
12	Medication-Assisted Treatment (MAT)			10,381
				10,160
				10,289
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

			Criminally involved	
#	Metric name	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count
10	Residential and Inpatient Services			16
				12
				21
11	Withdrawal Management			19
				13
				20
12	Medication-Assisted Treatment (MAT)			76
				61
				75
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

		Involved	Not criminally	
#	Metric name	Criminally involved rate/percentage	Not criminally involved denominator	Not criminally involved numerator or count
10	Residential and Inpatient Services			597
				556
				541
11	Withdrawal Management			524
				511
				502
12	Medication-Assisted Treatment (MAT)			10,457
				10,243
				10,356
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

involved			OUD subpopu	
#	Metric name	Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count
10	Residential and Inpatient Services			204
				217
				218
11	Withdrawal Management			219
				228
				235
12	Medication-Assisted Treatment (MAT)			7,531
				7,301
				7,209
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

ation			State-spec	
#	Metric name	OD subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count
10	Residential and Inpatient Services			
11	Withdrawal Management			
12	Medication-Assisted Treatment (MAT)			
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

Specific subpopulation 1 ^b			State-specific	
#	Metric name	State-specific subpopulation 1 rate/percentage	State-specific subpopulation 2 denominator	State-specific subpopulation 2 numerator or count
10	Residential and Inpatient Services			
11	Withdrawal Management			
12	Medication-Assisted Treatment (MAT)			
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

Specific subpopulation 2 ^b			State-specific	
#	Metric name	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
10	Residential and Inpatient Services			
11	Withdrawal Management			
12	Medication-Assisted Treatment (MAT)			
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

Specific subpopulation 3 ^b			State-specific	
#	Metric name	State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count
10	Residential and Inpatient Services			
11	Withdrawal Management			
12	Medication-Assisted Treatment (MAT)			
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

Specific subpopulation 4 ^b			State-specific	
#	Metric name	State-specific subpopulation 4 rate/percentage	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count
10	Residential and Inpatient Services			
11	Withdrawal Management			
12	Medication-Assisted Treatment (MAT)			
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

State-specific subpopulation 5 ^b		
#	Metric name	State-specific subpopulation 5 rate/percentage
10	Residential and Inpatient Services	
11	Withdrawal Management	
12	Medication-Assisted Treatment (MAT)	
13	SUD Provider Availability	
14	SUD Provider Availability - MAT	

#	Metric name	Metric description
15	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)</p> <p>[NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]^f</p>	<p>Percentage of beneficiaries age 18 and older with a new episode of alcohol or other drug (AOD) abuse or dependence who received the following:</p> <ul style="list-style-type: none"> • Initiation of AOD Treatment—percentage of beneficiaries who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth, or medication treatment within 14 days of the diagnosis • Engagement of AOD Treatment—percentage of beneficiaries who initiated treatment and who were engaged in ongoing AOD treatment within 34 days of the initiation visit <p>The following diagnosis cohorts are reported for each rate: (1) Alcohol abuse or dependence, (2) Opioid abuse or dependence, (3) Other drug abuse or dependence, and (4) Total AOD abuse or dependence. A total of 8 separate rates are reported for this measure.</p> <hr/> <p>1. Initiation of AOD Treatment - Alcohol abuse or dependence (rate 1, cohort 1)</p> <hr/> <p>2. Initiation of AOD Treatment - Opioid abuse or dependence (rate 1, cohort 2)</p> <hr/> <p>3. Initiation of AOD Treatment - Other drug abuse or dependence (rate 1, cohort 3)</p> <hr/> <p>4. Initiation of AOD Treatment - Total AOD abuse of dependence (rate 1, cohort 4)</p> <hr/> <p>5. Engagement of AOD Treatment - Alcohol abuse or dependence (rate 2, cohort 1)</p> <hr/> <p>6. Engagement of AOD Treatment - Opioid abuse or dependence (rate 2, cohort 2)</p> <hr/> <p>7. Engagement of AOD Treatment - Other drug abuse or dependence (rate 2, cohort 3)</p> <hr/> <p>8. Engagement of AOD Treatment - Total AOD abuse of dependence (rate 2, cohort 4)</p>

Standard information on CMS-provid					
#	Metric name	Milestone or reporting topic	Metric type	Reporting category	Data source
15	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)</p> <p>[NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]^f</p>	Milestone 6	Established quality measure	Annual metrics that are established quality measures	Claims or EHR

led metrics			
#	Metric name	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f		

#	Metric name	Deviations from CMS-provided technical specifications manual or other considerations in approved monitoring protocol
15	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)</p> <p>[NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]^f</p>	

#	Metric name	Technical specifications manual version	Reporting issue (Y/N) (further describe in SUD reporting issues tab)
15	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)</p> <p>[NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]^f</p>		

#	Metric name	Measurement period (month, quarter, year ^a)	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f	Year	<div style="background-color: #cccccc; height: 300px; width: 100%;"></div> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/>

		Demonstration report	
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count
15	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)</p> <p>[NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]^f</p>		

			Age < 18	
#	Metric name	Demonstration reporting rate/percentage	Age < 18 denominator	Age < 18 numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f			
		#DIV/0!		
		#DIV/0!		
		#DIV/0!		
		#DIV/0!		
		#DIV/0!		
		#DIV/0!		
		#DIV/0!		
		#DIV/0!		

#	Metric name	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f			

#	Metric name	Age 18-64 rate/percentage	Age 65+ denominator	Age 65+ numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f			

#	Metric name	Age 65+ rate/percentage	Dual eligible (Medicare-M	
			Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare- Medicaid eligible) numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f			

		Medicaid eligible)		Medicaid on	
#	Metric name	Dual eligible (Medicare-Medicaid eligible) rate/percentage	Medicaid only denominator	Medicaid only numerator or count	
15	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)</p> <p>[NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]^f</p>				

#	Metric name	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f			

			Not pregnant	
#	Metric name	Pregnant rate/percentage	Not pregnant denominator	Not pregnant numerator or count
15	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)</p> <p>[NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]^f</p>			

	t		Criminally inv	
#	Metric name	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f			

		Involved	Not criminally	
#	Metric name	Criminally involved rate/percentage	Not criminally involved denominator	Not criminally involved numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f			

		involved	OUD subpopu	
#	Metric name	Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count
15	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)</p> <p>[NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]^f</p>			

		ation	State-spec	
#	Metric name	OU subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count
15	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)</p> <p>[NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]^f</p>			

#	Metric name	State-specific subpopulation 1 ^b			State-specific subpopulation 2	
		State-specific subpopulation 1 rate/percentage	State-specific subpopulation 1 numerator or count	State-specific subpopulation 1 denominator	State-specific subpopulation 2 numerator or count	State-specific subpopulation 2 denominator
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f					

Specific subpopulation 2 ^b			State-specific	
#	Metric name	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f			

#	Metric name	State-specific subpopulation 3 ^b		State-specific subpopulation 4	
		State-specific subpopulation 3 rate/percentage	State-specific subpopulation 3 numerator or count	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f				

		State-specific subpopulation 4 ^b	State-spec	
#	Metric name	State-specific subpopulation 4 rate/percentage	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] ^f			

State-specific subpopulation 5 ^b		
#	Metric name	State-specific subpopulation 5 rate/percentage
15	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)</p> <p>[NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]^f</p>	

#	Metric name	Metric description
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]	<p>SUB-3: Patients who are identified with alcohol or drug use disorder who receive or refuse at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, OR who receive or refuse a referral for addictions treatment.</p> <hr/> <p>SUB-3a: Patients who are identified with alcohol or drug disorder who receive a prescription for FDA-approved medications for alcohol or drug use disorder OR a referral for addictions treatment.</p>
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}	<p>Percentage of emergency department (ED) visits for beneficiaries age 18 and older with a principal diagnosis of alcohol or other drug (AOD) abuse or dependence who had a follow-up visit for AOD abuse or dependence. Two rates are reported:</p> <hr/> <ul style="list-style-type: none"> • Percentage of ED visits for which the beneficiary received follow-up within 30 days of the ED visit (31 total days). <hr/> <ul style="list-style-type: none"> • Percentage of ED visits for which the beneficiary received follow-up within 7 days of the ED visit (8 total days).
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}	<p>Percentage of emergency department (ED) visits for beneficiaries age 18 and older with a principal diagnosis of mental illness or intentional self-harm and who had a follow-up visit for mental illness. Two rates are reported:</p> <hr/> <ul style="list-style-type: none"> • Percentage of ED visits for mental illness for which the beneficiary received follow-up within 30 days of the ED visit (31 total days) <hr/> <ul style="list-style-type: none"> • Percentage of ED visits for mental illness for which the beneficiary received follow-up within 7 days of the ED visit (8 total days).

Standard information on CMS-provided metrics					
#	Metric name	Milestone or reporting topic	Metric type	Reporting category	Data source
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]	Milestone 6	Established quality measure	Annual metrics that are established quality measures	Medical record review or claims
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}	Milestone 6	Established quality measure	Annual metrics that are established quality measures	Claims
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}	Milestone 6	Established quality measure	Annual metrics that are established quality measures	Claims

led metrics			
#	Metric name	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]		
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}		
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}		

#	Metric name	Deviations from CMS-provided technical specifications manual or other considerations in approved monitoring protocol
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]	
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}	
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}	

#	Metric name	Technical specifications manual version	Reporting issue (Y/N) (further describe in SUD reporting issues tab)
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]		
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}		
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}		

#	Metric name	Measurement period (month, quarter, year ^a)	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]	Year	
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}	Year	
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}	Year	

		Demonstration report	
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]		
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}		
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}		

			Age < 18	
#	Metric name	Demonstration reporting rate/percentage	Age < 18 denominator	Age < 18 numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]	#DIV/0!		
		#DIV/0!		
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}	#DIV/0!		
		#DIV/0!		
		#DIV/0!		
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}	#DIV/0!		
		#DIV/0!		
		#DIV/0!		

#	Metric name	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}			
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}			

#	Metric name	Age 18-64 rate/percentage	Age 65+ denominator	Age 65+ numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}			
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}			

#	Metric name	Age 65+ rate/percentage	Dual eligible (Medicare-M	
			Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare- Medicaid eligible) numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}			
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}			

		Medicaid eligible)		Medicaid on	
#	Metric name	Dual eligible (Medicare-Medicaid eligible) rate/percentage	Medicaid only denominator	Medicaid only numerator or count	
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]				
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}				
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}				

#	Metric name	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}			
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}			

#	Metric name	Pregnant rate/percentage	Not pregnant denominator	Not pregnant numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}			
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}			

#	Metric name	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}			
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}			

#	Metric name	Involved		Not criminally	
		Criminally involved rate/percentage	Not criminally involved denominator	Not criminally involved numerator or count	
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]				
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}				
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}				

#	Metric name	involved		OUD subpopu	
		Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count	
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]				
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}				
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}				

#	Metric name	OUD subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}			
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}			

#	Metric name	Specific subpopulation 1 ^b	State-specific	
		State-specific subpopulation 1 rate/percentage	subpopulation 2 denominator	subpopulation 2 numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}			
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}			

#	Metric name	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}			
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}			

		Specific subpopulation 3 ^b	State-specific	
#	Metric name	State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}			
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}			

Specific subpopulation 4 ^b			State-specific	
#	Metric name	State-specific subpopulation 4 rate/percentage	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}			
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}			

State-specific subpopulation 5 ^b		
#	Metric name	State-specific subpopulation 5 rate/percentage
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]	
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,d}	
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] ^{c,e}	

#	Metric name	Metric description
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]	Percentage of beneficiaries age 18 and older who received prescriptions for opioids with an average daily dosage greater than or equal to 90 morphine milligram equivalents (MME) over a period of 90 days or more. Beneficiaries with a cancer diagnosis, sickle cell disease diagnosis, or in hospice or palliative care are excluded.
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]	The percentage of individuals ≥ 18 years of age who received prescriptions for opioids from ≥ 4 prescribers AND ≥ 4 pharmacies within ≤ 180 days.
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]	The percentage of individuals ≥ 18 years of age who received prescriptions for opioids with an average daily dosage of ≥ 90 morphine milligram equivalents (MME) AND who received prescriptions for opioids from ≥ 4 prescribers AND ≥ 4 pharmacies.
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]	Percentage of beneficiaries age 18 and older with concurrent use of prescription opioids and benzodiazepines. Beneficiaries with a cancer diagnosis, sickle cell disease diagnosis, or in hospice or palliative care are excluded.
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]	Percentage of adults 18 years of age and older with pharmacotherapy for OUD who have at least 180 days of continuous treatment
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	Total number of ED visits for SUD per 1,000 beneficiaries in the measurement period
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	Total number of inpatient stays per 1,000 beneficiaries in the measurement period
25	Readmissions Among Beneficiaries with SUD	The rate of all-cause readmissions during the measurement period among beneficiaries with SUD.

Standard information on CMS-provid					
#	Metric name	Milestone or reporting topic	Metric type	Reporting category	Data source
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]	Milestone 5	Established quality measure	Annual metrics that are established quality measures	Claims
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]	Milestone 5	Established quality measure	Annual metrics that are established quality measures	Claims
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]	Milestone 5	Established quality measure	Annual metrics that are established quality measures	Claims
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]	Milestone 5	Established quality measure	Annual metrics that are established quality measures	Claims
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]	Milestone 1	Established quality measure	Annual metrics that are established quality measures	Claims
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	Milestone 5	CMS-constructed	Other monthly and quarterly metrics	Claims
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	Other SUD-related metrics	CMS-constructed	Other monthly and quarterly metrics	Claims
25	Readmissions Among Beneficiaries with SUD	Milestone 6	CMS-constructed	Other annual metrics	Claims

led metrics			
#	Metric name	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]		
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]		
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]		
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]		
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]	N	
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	Y	Y
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	Y	Y
25	Readmissions Among Beneficiaries with SUD		

#	Metric name	Deviations from CMS-provided technical specifications manual or other considerations in approved monitoring protocol
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]	
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]	
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]	
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]	
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]	
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	
25	Readmissions Among Beneficiaries with SUD	

#	Metric name	Technical specifications manual version	Reporting issue (Y/N) (further describe in SUD reporting issues tab)
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]		
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]		
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]		
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]		
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]		
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	Version 5.0	N
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	Version 5.0	N
25	Readmissions Among Beneficiaries with SUD		

#	Metric name	Measurement period (month, quarter, year ^a)	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]	Year	
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]	Year	
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]	Year	
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]	Year	
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]	Year	
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	Month 1	1/01/2023-1/31/2023
		Month 2	02/01/2023-2/28/2023
		Month 3	03/01/2023-3/31/2023
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	Month 1	1/01/2023-1/31/2023
		Month 2	02/01/2023-2/28/2023
		Month 3	03/01/2023-3/31/2023
25	Readmissions Among Beneficiaries with SUD	Year	

		Demonstration report	
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]		
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]		
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]		
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]		
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]		
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	821,117	2,283
		822,983	2,175
		825,251	2,316
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	821,117	1,662
		822,983	1,563
		825,251	1,665
25	Readmissions Among Beneficiaries with SUD		

ting			Age < 18	
#	Metric name	Demonstration reporting rate/percentage	Age < 18 denominator	Age < 18 numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]	#DIV/0!		
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]	#DIV/0!		
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]	#DIV/0!		
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]	#DIV/0!		
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]	#DIV/0!		
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	2.78035895	492,457	53
		2.642824943	493,195	49
		2.806418896	494,228	39
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	2.024072087	295,391	74
		1.899188683	296,942	67
		2.017567988	298,446	66
25	Readmissions Among Beneficiaries with SUD	#DIV/0!		

		Age 18-64		
#	Metric name	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	0.10762361	33,268	2,173
		0.099352183	32,845	2,064
		0.078910948	32,576	2,220
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	0.250515419	492,458	1,450
		0.225633289	493,196	1,358
		0.221145534	494,229	1,483
25	Readmissions Among Beneficiaries with SUD			

		Age 65+		
#	Metric name	Age 18-64 rate/percentage	Age 65+ denominator	Age 65+ numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	65.31802333	33,268	57
		62.84061501	32,845	62
		68.14833006	32,576	57
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	2.944413534	33,268	138
		2.753469209	32,845	138
		3.00063331	32,576	116
25	Readmissions Among Beneficiaries with SUD			

#	Metric name	Age 65+ rate/percentage	Dual eligible (Medicare-M	
			Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare- Medicaid eligible) numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	1.713358182		
		1.887654133		
		1.74975442		
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	4.148130335		
		4.201552748		
		3.560903733		
25	Readmissions Among Beneficiaries with SUD			

		Medicaid eligible)	Medicaid on	
#	Metric name	Dual eligible (Medicare-Medicaid eligible) rate/percentage	Medicaid only denominator	Medicaid only numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries			
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries			
25	Readmissions Among Beneficiaries with SUD			

#	Metric name	ly Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries			
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries			
25	Readmissions Among Beneficiaries with SUD			

			Not pregnant	
#	Metric name	Pregnant rate/percentage	Not pregnant denominator	Not pregnant numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries			
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries			
25	Readmissions Among Beneficiaries with SUD			

#	Metric name	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries			
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries			
25	Readmissions Among Beneficiaries with SUD			

		Involved	Not criminally	
#	Metric name	Criminally involved rate/percentage	Not criminally involved denominator	Not criminally involved numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries			
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries			
25	Readmissions Among Beneficiaries with SUD			

#	Metric name	involved		OUD subpopu	
		Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count	
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]				
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]				
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]				
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]				
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]				
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries		13,878	546	
			13,935	512	
			13,946	550	
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries		13,878	495	
			13,935	459	
			13,946	500	
25	Readmissions Among Beneficiaries with SUD				

		ation	State-spec	
#	Metric name	OU subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	39.34284479		
		36.74201651		
		39.43783164		
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	35.66796368		
		32.9386437		
		35.85257421		
25	Readmissions Among Beneficiaries with SUD			

#	Metric name	State-specific subpopulation 1 ^b		State-specific subpopulation 2	
		State-specific subpopulation 1 rate/percentage	State-specific subpopulation 1 numerator or count	State-specific subpopulation 2 denominator	State-specific subpopulation 2 numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]				
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]				
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]				
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]				
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]				
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!			
		#DIV/0!			
		#DIV/0!			
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!			
		#DIV/0!			
		#DIV/0!			
25	Readmissions Among Beneficiaries with SUD	#DIV/0!			

#	Metric name	State-specific subpopulation 2 ^b		State-specific subpopulation 3	
		State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count	
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]				
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]				
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]				
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]				
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]				
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!			
		#DIV/0!			
		#DIV/0!			
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!			
		#DIV/0!			
		#DIV/0!			
25	Readmissions Among Beneficiaries with SUD	#DIV/0!			

Specific subpopulation 3 ^b			State-specific	
#	Metric name	State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!		
		#DIV/0!		
		#DIV/0!		
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!		
		#DIV/0!		
		#DIV/0!		
25	Readmissions Among Beneficiaries with SUD	#DIV/0!		

#	Metric name	State-specific subpopulation 4 ^b			State-specific subpopulation 5	
		State-specific subpopulation 4 rate/percentage	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]					
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]					
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]					
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]					
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]					
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!				
		#DIV/0!				
		#DIV/0!				
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!				
		#DIV/0!				
		#DIV/0!				
25	Readmissions Among Beneficiaries with SUD	#DIV/0!				

Specific subpopulation 5 ^b		
#	Metric name	State-specific subpopulation 5 rate/percentage
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]	
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]	
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]	
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]	
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]	
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!
		#DIV/0!
		#DIV/0!
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!
		#DIV/0!
		#DIV/0!
25	Readmissions Among Beneficiaries with SUD	#DIV/0!

#	Metric name	Metric description
26	Overdose Deaths (count)	Number of overdose deaths during the measurement period among Medicaid beneficiaries living in a geographic area covered by the demonstration. The state is encouraged to report the cause of overdose death as specifically as possible (for example, prescription vs. illicit opioid).
27	Overdose Deaths (rate)	Rate of overdose deaths during the measurement period among adult Medicaid beneficiaries living in a geographic area covered by the demonstration. The state is encouraged to report the cause of overdose death as specifically as possible (for example, prescription vs. illicit opioid).
28	SUD Spending	Total Medicaid SUD spending during the measurement period.
29	SUD Spending within IMDs	Total Medicaid SUD spending on inpatient/residential treatment within IMDs during the measurement period.
30	Per Capita SUD Spending	Per capita SUD spending during the measurement period
31	Per Capita SUD Spending within IMDs	Per capita SUD spending within IMDs during the measurement period
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c	The percentage of Medicaid beneficiaries with SUD who had an ambulatory or preventive care visit during the measurement period.
33	Grievances Related to SUD Treatment Services	Number of grievances filed during the measurement period that are related to SUD treatment services
34	Appeals Related to SUD Treatment Services	Number of appeals filed during the measurement period that are related to SUD treatment services
35	Critical Incidents Related to SUD Treatment Services	Number of critical incidents filed during the measurement period that are related to SUD treatment services
36	Average Length of Stay in IMDs	The average length of stay for beneficiaries discharged from IMD inpatient/residential treatment for SUD.

Standard information on CMS-provided metrics					
#	Metric name	Milestone or reporting topic	Metric type	Reporting category	Data source
26	Overdose Deaths (count)	Other SUD-related metrics	CMS-constructed	Other annual metrics	State data on cause of death
27	Overdose Deaths (rate)	Milestone 5	CMS-constructed	Other annual metrics	State data on cause of death
28	SUD Spending	Other SUD-related metrics	CMS-constructed	Other annual metrics	Claims
29	SUD Spending within IMDs	Other SUD-related metrics	CMS-constructed	Other annual metrics	Claims
30	Per Capita SUD Spending	Other SUD-related metrics	CMS-constructed	Other annual metrics	Claims
31	Per Capita SUD Spending within IMDs	Other SUD-related metrics	CMS-constructed	Other annual metrics	Claims
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c	Other SUD-related metrics	Established quality measure	Annual metrics that are established quality measures	Claims
33	Grievances Related to SUD Treatment Services	Other SUD-related metrics	CMS-constructed	Grievances and appeals	Administrative records
34	Appeals Related to SUD Treatment Services	Other SUD-related metrics	CMS-constructed	Grievances and appeals	Administrative records
35	Critical Incidents Related to SUD Treatment Services	Other SUD-related metrics	CMS-constructed	Grievances and appeals	Administrative records
36	Average Length of Stay in IMDs	Milestone 2	CMS-constructed	Other annual metrics	Claims; State-specific IMD database

led metrics			
#	Metric name	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
26	Overdose Deaths (count)		
27	Overdose Deaths (rate)		
28	SUD Spending		
29	SUD Spending within IMDs		
30	Per Capita SUD Spending		
31	Per Capita SUD Spending within IMDs		
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c		
33	Grievances Related to SUD Treatment Services		
34	Appeals Related to SUD Treatment Services		
35	Critical Incidents Related to SUD Treatment Services		
36	Average Length of Stay in IMDs		

#	Metric name	Deviations from CMS-provided technical specifications manual or other considerations in approved monitoring protocol
26	Overdose Deaths (count)	
27	Overdose Deaths (rate)	
28	SUD Spending	
29	SUD Spending within IMDs	
30	Per Capita SUD Spending	
31	Per Capita SUD Spending within IMDs	
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c	
33	Grievances Related to SUD Treatment Services	
34	Appeals Related to SUD Treatment Services	
35	Critical Incidents Related to SUD Treatment Services	
36	Average Length of Stay in IMDs	

#	Metric name	Technical specifications manual version	Reporting issue (Y/N) (further describe in SUD reporting issues tab)
26	Overdose Deaths (count)		
27	Overdose Deaths (rate)		
28	SUD Spending		
29	SUD Spending within IMDs		
30	Per Capita SUD Spending		
31	Per Capita SUD Spending within IMDs		
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c		
33	Grievances Related to SUD Treatment Services		
34	Appeals Related to SUD Treatment Services		
35	Critical Incidents Related to SUD Treatment Services		
36	Average Length of Stay in IMDs		

#	Metric name	Measurement period (month, quarter, year ^a)	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
26	Overdose Deaths (count)	Year	
27	Overdose Deaths (rate)	Year	
28	SUD Spending	Year	
29	SUD Spending within IMDs	Year	
30	Per Capita SUD Spending	Year	
31	Per Capita SUD Spending within IMDs	Year	
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c	Year	
33	Grievances Related to SUD Treatment Services	Quarter	
34	Appeals Related to SUD Treatment Services	Quarter	
35	Critical Incidents Related to SUD Treatment Services	Quarter	
36	Average Length of Stay in IMDs	Year	

		Demonstration report	
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count
26	Overdose Deaths (count)		
27	Overdose Deaths (rate)		
28	SUD Spending		
29	SUD Spending within IMDs		
30	Per Capita SUD Spending		
31	Per Capita SUD Spending within IMDs		
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c		
33	Grievances Related to SUD Treatment Services		
34	Appeals Related to SUD Treatment Services		
35	Critical Incidents Related to SUD Treatment Services		
36	Average Length of Stay in IMDs		

ting			Age < 18	
#	Metric name	Demonstration reporting rate/percentage	Age < 18 denominator	Age < 18 numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)	#DIV/0!		
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending	#DIV/0!		
31	Per Capita SUD Spending within IMDs	#DIV/0!		
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c	#DIV/0!		
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs	#DIV/0!		

			Age 18-64	
#	Metric name	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)	#DIV/0!		
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending			
31	Per Capita SUD Spending within IMDs			
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs			

			Age 65+	
#	Metric name	Age 18-64 rate/percentage	Age 65+ denominator	Age 65+ numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)	#DIV/0!		
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending			
31	Per Capita SUD Spending within IMDs			
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs			

#	Metric name	Age 65+ rate/percentage	Dual eligible (Medicare-M	
			Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare- Medicaid eligible) numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)	#DIV/0!		
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending			
31	Per Capita SUD Spending within IMDs			
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs			

		Medicaid eligible)	Medicaid on	
#	Metric name	Dual eligible (Medicare-Medicaid eligible) rate/percentage	Medicaid only denominator	Medicaid only numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)			
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending			
31	Per Capita SUD Spending within IMDs			
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs			

		ly	Pregnant	
#	Metric name	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)			
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending			
31	Per Capita SUD Spending within IMDs			
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs			

			Not pregnant	
#	Metric name	Pregnant rate/percentage	Not pregnant denominator	Not pregnant numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)			
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending			
31	Per Capita SUD Spending within IMDs			
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs			

			Criminally involved	
#	Metric name	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)			
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending			
31	Per Capita SUD Spending within IMDs			
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs			

		Involved	Not criminally	
#	Metric name	Criminally involved rate/percentage	Not criminally involved denominator	Not criminally involved numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)			
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending			
31	Per Capita SUD Spending within IMDs			
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs			

#	Metric name	involved		OUD subpopu	
		Not criminally involved rate/percentage		OUD subpopulation denominator	OUD subpopulation numerator or count
26	Overdose Deaths (count)				
27	Overdose Deaths (rate)				
28	SUD Spending				
29	SUD Spending within IMDs				
30	Per Capita SUD Spending				
31	Per Capita SUD Spending within IMDs				
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c				
33	Grievances Related to SUD Treatment Services				
34	Appeals Related to SUD Treatment Services				
35	Critical Incidents Related to SUD Treatment Services				
36	Average Length of Stay in IMDs				

		ation	State-spec	
#	Metric name	OU subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)	#DIV/0!		
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending			
31	Per Capita SUD Spending within IMDs			
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs	#DIV/0!		

Specific subpopulation 1 ^b			State-specific	
#	Metric name	State-specific subpopulation 1 rate/percentage	State-specific subpopulation 2 denominator	State-specific subpopulation 2 numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)	#DIV/0!		
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending	#DIV/0!		
31	Per Capita SUD Spending within IMDs	#DIV/0!		
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs	#DIV/0!		

Specific subpopulation 2 ^b			State-specific	
#	Metric name	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)	#DIV/0!		
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending	#DIV/0!		
31	Per Capita SUD Spending within IMDs	#DIV/0!		
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs	#DIV/0!		

Specific subpopulation 3 ^b			State-specific	
#	Metric name	State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)	#DIV/0!		
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending	#DIV/0!		
31	Per Capita SUD Spending within IMDs	#DIV/0!		
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs	#DIV/0!		

Specific subpopulation 4 ^b			State-specific	
#	Metric name	State-specific subpopulation 4 rate/percentage	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)	#DIV/0!		
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending	#DIV/0!		
31	Per Capita SUD Spending within IMDs	#DIV/0!		
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs	#DIV/0!		

Specific subpopulation 5 ^b		
#	Metric name	State-specific subpopulation 5 rate/percentage
26	Overdose Deaths (count)	
27	Overdose Deaths (rate)	#DIV/0!
28	SUD Spending	
29	SUD Spending within IMDs	
30	Per Capita SUD Spending	#DIV/0!
31	Per Capita SUD Spending within IMDs	#DIV/0!
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] ^c	
33	Grievances Related to SUD Treatment Services	
34	Appeals Related to SUD Treatment Services	
35	Critical Incidents Related to SUD Treatment Services	
36	Average Length of Stay in IMDs	#DIV/0!

#	Metric name	Metric description
Q1	[Automatically populated with selected metric for health IT question 1]	[Automatically populated]
Q2	[Automatically populated with selected metric for health IT question 2]	[Automatically populated]
Q3	[Automatically populated with selected metric for health IT question 3]	[Automatically populated]
State-specific metrics		
[Automatically populated with state-specific metrics]		

Standard information on CMS-provided metrics					
#	Metric name	Milestone or reporting topic	Metric type	Reporting category	Data source
Q1	[Automatically populated with selected metric for health IT question 1]	Health IT	State-specific	[Automatically populated]	[Automatically populated]
Q2	[Automatically populated with selected metric for health IT question 2]	Health IT	State-specific	[Automatically populated]	[Automatically populated]
Q3	[Automatically populated with selected metric for health IT question 3]	Health IT	State-specific	[Automatically populated]	[Automatically populated]
State-specific metrics					
[Automatically populated with state-specific metrics]					

led metrics			
#	Metric name	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
Q1	[Automatically populated with selected metric for health IT question 1]		
Q2	[Automatically populated with selected metric for health IT question 2]		
Q3	[Automatically populated with selected metric for health IT question 3]		
State-specific metrics			
[Automatically populated with state-specific metrics]			

#	Metric name	Deviations from CMS-provided technical specifications manual or other considerations in approved monitoring protocol
Q1	[Automatically populated with selected metric for health IT question 1]	
Q2	[Automatically populated with selected metric for health IT question 2]	
Q3	[Automatically populated with selected metric for health IT question 3]	
State-specific metrics		
[Automatically populated with state-specific metrics]		

#	Metric name	Technical specifications manual version	Reporting issue (Y/N) (further describe in SUD reporting issues tab)
Q1	[Automatically populated with selected metric for health IT question 1]		
Q2	[Automatically populated with selected metric for health IT question 2]		
Q3	[Automatically populated with selected metric for health IT question 3]		
State-specific metrics			
[Automatically populated with state-specific metrics]			

#	Metric name	Measurement period (month, quarter, year ^a)	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
Q1	[Automatically populated with selected metric for health IT question 1]		
Q2	[Automatically populated with selected metric for health IT question 2]		
Q3	[Automatically populated with selected metric for health IT question 3]		

State-specific metrics

[Automatically populated with state-specific metrics]

		Demonstration report	
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]		
Q2	[Automatically populated with selected metric for health IT question 2]		
Q3	[Automatically populated with selected metric for health IT question 3]		
State-specific metrics			
[Automatically populated with state-specific metrics]			

ting			Age < 18	
#	Metric name	Demonstration reporting rate/percentage	Age < 18 denominator	Age < 18 numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

			Age 18-64	
#	Metric name	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

			Age 65+	
#	Metric name	Age 18-64 rate/percentage	Age 65+ denominator	Age 65+ numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

			Dual eligible (Medicare-M	
#	Metric name	Age 65+ rate/percentage	Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare- Medicaid eligible) numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

Medicaid eligible)			Medicaid on	
#	Metric name	Dual eligible (Medicare-Medicaid eligible) rate/percentage	Medicaid only denominator	Medicaid only numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

		ly	Pregnant	
#	Metric name	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

			Not pregnant	
#	Metric name	Pregnant rate/percentage	Not pregnant denominator	Not pregnant numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

t			Criminally inv	
#	Metric name	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

olved			Not criminally	
#	Metric name	Criminally involved rate/percentage	Not criminally involved denominator	Not criminally involved numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

involved			OUD subpopu	
#	Metric name	Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

lation			State-spec	
#	Metric name	OD subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

Specific subpopulation 1 ^b			State-specific	
#	Metric name	State-specific subpopulation 1 rate/percentage	State-specific subpopulation 2 denominator	State-specific subpopulation 2 numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

Specific subpopulation 2 ^b			State-specific	
#	Metric name	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

Specific subpopulation 3 ^b			State-specific	
#	Metric name	State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

Specific subpopulation 4 ^b			State-specific	
#	Metric name	State-specific subpopulation 4 rate/percentage	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count
Q1	[Automatically populated with selected metric for health IT question 1]			
Q2	[Automatically populated with selected metric for health IT question 2]			
Q3	[Automatically populated with selected metric for health IT question 3]			
State-specific metrics				
[Automatically populated with state-specific metrics]				

State-specific subpopulation 5 ^b		
#	Metric name	State-specific subpopulation 5 rate/percentage
Q1	[Automatically populated with selected metric for health IT question 1]	
Q2	[Automatically populated with selected metric for health IT question 2]	
Q3	[Automatically populated with selected metric for health IT question 3]	
State-specific metrics		
[Automatically populated with state-specific metrics]		

#	Metric name	Metric description
---	-------------	--------------------

Note: Licensee and states must prominently display the following notice on any display of Measure rates:

Measures IET-AD, FUA-AD, FUM-AD, and AAP [Metrics #15, 17(1), 17(2), and 32] are Healthcare Effectiveness Data and Information Set (HEDIS®) measures that are owned and copyrighted by the National Committee for Quality Assurance (NCQA). HEDIS measures and specifications are not clinical guidelines, do not establish a standard of medical care and have not been tested for all potential applications. The measures and specifications are provided “as is” without warranty of any kind. NCQA makes no representations, warranties or endorsements about the quality of any product, test or protocol identified as numerator compliant or otherwise identified as meeting the requirements of a HEDIS measure or specification. NCQA makes no representations, warranties, or endorsement about the quality of any organization or clinician who uses or reports performance measures and NCQA has no liability to anyone who relies on HEDIS measures or specifications or data reflective of performance under such measures and specifications.

The measure specification methodology used by CMS is different from NCQA’s methodology. NCQA has not validated the adjusted measure specifications but has granted CMS permission to adjust. A calculated measure result (a “rate”) from a HEDIS measure that has not been certified via NCQA’s Measure Certification Program, and is based on adjusted HEDIS specifications, may not be called a “HEDIS rate” until it is audited and designated reportable by an NCQA-Certified HEDIS Compliance Auditor. Until such time, such measure rates shall be designated or referred to as “Adjusted, Uncertified, Unaudited HEDIS rates.”

^a Report metrics that are one annual value for a demonstration year only in the monitoring report specified in the reporting schedule

^b In columns AV-BJ, enter data for any state-specific subpopulations on which the state is approved to report. The state should also include the name of the state-specific subpopulation in row 10 of these columns. If the state reports on more than five state-specific subpopulations, add additional columns after column BJ.

^c Rates for these metrics reflect Uncertified, Unaudited HEDIS rates

^d Rates 1 and 2 reported for Metric #17(1) correspond to rates 2 and 3 for Metric #17 from Version 1.1 of the the Medicaid Section 1115 Substance Use Disorder Demonstrations: Technical Specifications for Monitoring Metrics

^e Rates 1 and 2 reported for Metric #17(2) correspond to rates 1 and 2 for Metric #17 from Version 1.1 of the the Medicaid Section 1115 Substance Use Disorder Demonstrations: Technical Specifications for Monitoring Metrics

#	Metric name	Metric description
---	-------------	--------------------

Checks:

- Numerator in #4 should equal the denominator in #30
- The denominator in #23 should equal the denominator in #24
- Numerator in #27 should equal the numerator in #26
- Numerator in #30 should equal the numerator in #28
- Denominator in #31 should equal the numerator in #5
- Numerator in #31 should equal the numerator in #29
- Counts for a subpopulation (e.g., pregnant, not pregnant) should sum approximately to counts for the overall demonstration

Medicaid Section 1115 SUD Demonstrations Monitoring Report (Part A) - Reporting issues (Version 7.0)

State	New Mexico
Demonstration Name	Centennial Care 2.0
SUD Demonstration Year (DY) (Format: DY1, DY2, DY3, etc.)	DY5
Calendar Dates for SUD DY (Format: MM/DD/YYYY - MM/DD/YYYY)	1/01/2023 - 12/31/2023
SUD Reporting Period (Format: Q1, Q2, Q3, Q4)	Q1
Calendar Dates for SUD Reporting Period (Format: MM/DD/YYYY - MM/DD/YYYY)	1/01/2023-3/31/2023

Table: Substance Use Disorder Demonstration Reporting Issues

#	Metric name	Milestone or reporting topic	Summary of issue	Date and monitoring report in which issue was first reported
<i>EXAMPLE:</i> 1 <i>(Do not delete or edit this row)</i>	<i>EXAMPLE:</i> Assessed for SUD Treatment Needs Using a Standardized Screening Tool	<i>EXAMPLE:</i> Assessment of need and qualification for SUD services	<i>EXAMPLE:</i> Difficulty with collecting data for metric 1. There is a lack of EHR data.	<i>EXAMPLE:</i> 9/1/19; SUD DY2Q3
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool	Assessment of need and qualification for SUD services		
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis	Assessment of need and qualification for SUD services		
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)	Assessment of need and qualification for SUD treatment services		
4	Medicaid Beneficiaries with SUD Diagnosis (annually)	Assessment of need and qualification for SUD treatment services		
5	Medicaid Beneficiaries Treated in an IMD for SUD	Milestone 2		
6	Any SUD Treatment	Milestone 1	There was a 49% decrease from the last quarter, which matched 2020 results. The valid values for medications for the last version had a count of 5,545 meds and the valid values for medications in this version had 478 meds. Therefore, the results for treatment are not conclusive.	
7	Early Intervention	Milestone 1		
8	Outpatient Services	Milestone 1		
9	Intensive Outpatient and Partial Hospitalization Services	Milestone 1		
10	Residential and Inpatient Services	Milestone 1		
11	Withdrawal Management	Milestone 1		
12	Medication-Assisted Treatment	Milestone 1		
13	SUD Provider Availability	Milestone 4		
14	SUD Provider Availability - MAT	Milestone 4		

#	Metric name	Milestone or reporting topic	Summary of issue	Date and monitoring report in which issue was first reported
<i>EXAMPLE:</i> 1 (Do not delete or edit this row)	<i>EXAMPLE:</i> Assessed for SUD Treatment Needs Using a Standardized Screening Tool	<i>EXAMPLE:</i> Assessment of need and qualification for SUD services	<i>EXAMPLE:</i> Difficulty with collecting data for metric 1. There is a lack of EHR data.	<i>EXAMPLE:</i> 9/1/19; SUD DY2Q3
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD) [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]	Milestone 6		
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge and SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]	Milestone 6		
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence: Age 18 and Older (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure]	Milestone 6		
17(2)	Follow-up after Emergency Department Visit for Mental Illness: Age 18 and Older (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure]	Milestone 6		

Medicaid Section 1115 Substance Use Disorder Demonstration Monitoring Report Workbook – SUD reporting issues

#	Metric name	Milestone or reporting topic	Summary of issue	Date and monitoring report in which issue was first reported
<i>EXAMPLE:</i> 1 (Do not delete or edit this row)	<i>EXAMPLE:</i> Assessed for SUD Treatment Needs Using a Standardized Screening Tool	<i>EXAMPLE:</i> Assessment of need and qualification for SUD services	<i>EXAMPLE:</i> Difficulty with collecting data for metric 1. There is a lack of EHR data.	<i>EXAMPLE:</i> 9/1/19; SUD DY2Q3
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]	Milestone 5		
19	Use of Opioids from Multiple Providers in Persons without Cancer (OMP) [PQA; NQF #2950]	Milestone 5		
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]	Milestone 5		
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA]	Milestone 5		
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]	Milestone 1		
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	Milestone 5		
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	Other SUD-related metrics		
25	Readmissions Among Beneficiaries with SUD	Milestone 6		
26	Overdose Deaths (count)	Milestone 5		
27	Overdose Deaths (rate)	Milestone 5		
28	SUD Spending	Other SUD-related metrics		
29	SUD Spending Within IMDs	Other SUD-related metrics		
30	Per Capita SUD Spending	Other SUD-related metrics		
31	Per Capita SUD Spending Within IMDs	Other SUD-related metrics		

#	Metric name	Milestone or reporting topic	Summary of issue	Date and monitoring report in which issue was first reported
<i>EXAMPLE:</i> 1 (Do not delete or edit this row)	<i>EXAMPLE:</i> Assessed for SUD Treatment Needs Using a Standardized Screening Tool	<i>EXAMPLE:</i> Assessment of need and qualification for SUD services	<i>EXAMPLE:</i> Difficulty with collecting data for metric 1. There is a lack of EHR data.	<i>EXAMPLE:</i> 9/1/19; SUD DY2Q3
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD (AAP) [Adjusted HEDIS measure]	Other SUD-related metrics		
33	Grievances Related to SUD Treatment Services	Other SUD-related metrics		
34	Appeals Related to SUD Treatment Services	Other SUD-related metrics		
35	Critical Incidents Related to SUD Treatment Services	Other SUD-related metrics		
36	Average Length of Stay in IMDs	Milestone 2		
Q1	[Automatically populated with selected metric for health IT question 1]	Health IT		
Q2	[Automatically populated with selected metric for health IT question 2]	Health IT		
Q3	[Automatically populated with selected metric for health IT question 3]	Health IT		
State-specific met				
<i>[Automatically populated with state-specific metrics]</i>				

Table: Subs

#	Remediation plan and timeline for resolution	Status	Update(s) to issue summary, remediation plan, and/or timeline for resolution, if issue previously reported
<i>EXAMPLE:</i> 1 (Do not delete or edit this row)	<i>EXAMPLE:</i> Demonstration site in process of updating EHR, to be completed in June 2020. Once completed, will report according to specification.	<i>EXAMPLE:</i> Ongoing	<i>EXAMPLE:</i> EHR implementation is proceeding as planned and will be completed by June 2020.

1

2
3
4
5
6
7
8
9
10
11
12
13
14

#	Remediation plan and timeline for resolution	Status	Update(s) to issue summary, remediation plan, and/or timeline for resolution, if issue previously reported
<p><i>EXAMPLE:</i> 1 (Do not delete or edit this row)</p>	<p><i>EXAMPLE:</i> Demonstration site in process of updating EHR, to be completed in June 2020. Once completed, will report according to specification.</p>	<p><i>EXAMPLE:</i> Ongoing</p>	<p><i>EXAMPLE:</i> EHR implementation is proceeding as planned and will be completed by June 2020.</p>
15			
16			
17(1)			
17(2)			

#	Remediation plan and timeline for resolution	Status	Update(s) to issue summary, remediation plan, and/or timeline for resolution, if issue previously reported
<i>EXAMPLE:</i> 1 (Do not delete or edit this row)	<i>EXAMPLE:</i> Demonstration site in process of updating EHR, to be completed in June 2020. Once completed, will report according to specification.	<i>EXAMPLE:</i> Ongoing	<i>EXAMPLE:</i> EHR implementation is proceeding as planned and will be completed by June 2020.
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			

#	Remediation plan and timeline for resolution	Status	Update(s) to issue summary, remediation plan, and/or timeline for resolution, if issue previously reported
<i>EXAMPLE:</i> 1 (Do not delete or edit this row)	<i>EXAMPLE:</i> Demonstration site in process of updating EHR, to be completed in June 2020. Once completed, will report according to specification.	<i>EXAMPLE:</i> Ongoing	<i>EXAMPLE:</i> EHR implementation is proceeding as planned and will be completed by June 2020.
32			
33			
34			
35			
36			
Q1			
Q2			
Q3			

State-specific met
[Automatically popu

#	Metric name	Milestone or reporting topic	Summary of issue	Date and monitoring report in which issue was first reported
<i>EXAMPLE:</i> 1 (Do not delete or edit this row)	<i>EXAMPLE:</i> Assessed for SUD Treatment Needs Using a Standardized Screening Tool	<i>EXAMPLE:</i> Assessment of need and qualification for SUD services	<i>EXAMPLE:</i> Difficulty with collecting data for metric 1. There is a lack of EHR data.	<i>EXAMPLE:</i> 9/1/19; SUD DY2Q3

Note: Licensee and states must prominently display the following notice on any display of Measure rates:

Measures IET-AD, FUA-AD, FUM-AD, and AAP [Metrics #15, 17(1), 17(2), and 32] are Healthcare Effectiveness Data and Information Set (HEDIS®) measures that are owned and copyrighted by the National Committee for Quality Assurance (NCQA). HEDIS measures and specifications are not clinical guidelines, do not establish a standard of medical care and have not been tested for all potential applications. The measures and specifications are provided “as is” without warranty of any kind. NCQA makes no representations, warranties or endorsements about the quality of any product, test or protocol identified as numerator compliant or otherwise identified as meeting the requirements of a HEDIS measure or specification. NCQA makes no representations, warranties, or endorsement about the quality of any organization or clinician who uses or reports performance measures and NCQA has no liability to anyone who relies on HEDIS measures or specifications or data reflective of performance under such measures and specifications.

The measure specification methodology used by CMS is different from NCQA’s methodology. NCQA has not validated the adjusted measure specifications but has granted CMS permission to adjust. A calculated measure result (a “rate”) from a HEDIS measure that has not been certified via NCQA’s Measure Certification Program, and is based on adjusted HEDIS specifications, may not be called a “HEDIS rate” until it is audited and designated reportable by an NCQA-Certified HEDIS Compliance Auditor. Until such time, such measure rates shall be designated or referred to as “Adjusted, Uncertified, Unaudited HEDIS rates.”